

Ref. No.: AARTI/VAPI/ENV/APL/2025-2026/005

Date: 02/05/2025

To,
Deputy Director General,
Forest (Central) Regional Office - Gandhinagar,
A Wing - 407 & 409, Aryan Bhawan,
Near CH-3 Circle, Sector - 10A,
Gandhinagar - 382010.

Subject: Half yearly Environment clearance conditions compliance report for period

October 2024 to March 2025.

Reference: EC No. SEIAA/GUJ/EC/5(f)/229/2019 dated: January 29th, 2019.

Respected Sir,

With reference to the above subject, we are submitting the Compliance report (monitoring period Of October 2024 to March 2025. as per condition (103) of the general conditions as mentioned in Environmental Clearance letter no. EC No.SEIAA/GUJ/EC/5(f)/229/2019 dated: January 29th, 2019, for our project - Expansion of Synthetic organic chemical manufacturing unit by M/s. Aarti Industries Limited (Apple Organic Division) at the plot no 609/610,100 shed area, GIDC Industrial Estate, Vapi, Tal: Pardi, Dist: Valsad, Gujarat. The Compliance report is supported with the required attachments.

Thank you.

Yours faithfully

For, Aarti Industries Limited (Apple Organic Division)

Authorized Signatory

COPY TO

1) Email The Regional Director, Central Pollution Control Board, Vadodara

3) The Member Secretary Gujarat Pollution Control Board Paryavaran Bhavan, Sector – 10 / A Gandhinagar – 382010 2) Email to SEIAA, Gujarat

4) Uploaded in Parivesh, MoEF&CC Portal

Ms. Aarti Industries Limited (Apple Organic Division), Plot No: 609/610, 100 Shed Area GIDC - Vapi, Dist. Valsad Compliance report of Environment Clearance File No.: SEIAA/GUJ/EC/5(f)/229/2019 Dated 29.01.2019, October 2024 to March 2025

Sr.	Points
No	Points

Compliance

The proposal is for environmental clearance to M/S Aarti Industries Ltd. (Apple Organic Division) for setting up of expansion in manufacturing of 'Synthetic Organic Chemicals' at Plot No. 609/610, 100 shed Area GIDC EState, Vapi, Dist:-Valsad, Gujarat - 396195. It is an existing unit manufacturing the following products, which falls in the category 5 (f) of the schedule of EIA Notification - 2006.

Com	

All the production is well within the limit.

Division has a valid Consent . CCA-AWH-111008 issued on 07.01.2021 & CCA Amendment-AWH:122690 issued on 30.12.2022, valid upto 05.08.2025.

Total production for the period October 2024 to March 2025 is as below and attached as ANNEXURE-1.

Sr no	Name of product	Quantity (MT/Month)
1	Para chloro Aniline	20
2	3:4 Dichloro Aniline	18
3	2:5 Dichloro Aniline	18
4	Mix of DCA and 2:3 DCA	18
5	Ortho Anisidine	20
6	Para Toluidine	20

Sr no	Production name	Quantity for Six month (MT) October 2024 to March 2025	Six Month CCA Limit (MT)
1	Ammoniation Process	0.259	3
2	Ammoxidation intermediates (Other derives and same pollution load	0.480	4.8
3	Bromination & Deamination Process	0.89	3
4	R & D Product	1.725	3

Production qty is well within limit.

0	Para Toluldine	20
Sr no	Name of product	Quantity (MT/Month)
1	CHLORINATED PROCESS AND/OR	0.8
2	HYDROGENATION/REDUCTIO N PROCESS AND/OR	0.5
3	NITRATION PROCESS AND/OR	0.65
4	FLUORINATION PROCESS AND/OR	1
5	DE-NITRO CHLORINATION PROCESS AND/OR	0.9
6	AMMONIATION PROCESS AND/OR	0.5
7	BROMINATION & DEAMINATION PROCESS AND/OR	0.5
8	SULPHANATION PROCESS AND/OR	2
9	ALKYLATION PROCESS AND/OR	0.5
10	DEHALOGENATION PROCESS	1

Ms. Aarti Industries Limited (Apple Organic Division), Plot No: 609/610, 100 Shed Area GIDC - Vapi, Dist. Valsad Compliance report of Environment Clearance File No.: SEIAA/GUJ/EC/5(f)/229/2019

	AND/OR	
11	CONDENSATION PROCESS AND/OR	1
12	CYCLIZATION PROCESS AND/OR	1.3
13	ESTERIFICATION AND/OR	0.5
14	DIAZOTISATION PROCESS AND/OR	0.5
15	Fluorinated Specialty Chemicals (Other derives and same pollution load	0.3
16	Halex Derivatives (Other derivatives and same pollution load)	1
17	Other Nitrated Intermediates (Other derives and same pollution load)	1
18	Chlorinated intermediates (Other derives and same pollution load)	0.5
19	Advanced Intermediates (Other derives and same pollution load)	0.25
20	Oxidation intermediates (Other derives and same pollution load)	0.5
21	Photochlorinated intermediates (Other derives and same pollution load	0.5
22	Hydrolysis intermediates (Other derives and same pollution load	0.5
23	Ammoxidation intermediates (Other derives and same pollution load	0.8
24	Alkylation	0.5
25	Bromoxidine	2
26	R & D Product	0.5

Compliance report of Environment Clearance File No.: SEIAA/GUJ/EC/5(f)/229/2019

CONDI	TIONS	
A.1 SPE	CIFIC CONDITIONS	
1.	Spent solvents (1008.03 MT/Annum) shall be recovered by in-house distillation in such a manner that recovery shall not be less than 95 percent and recovered solvent shall be reused in the process	Complied. The solvent recovery system with a recovery not less than 95% has been taken care of in the plant design and the unit ensure the same during operation of the plant.
2.	Leak detection & repair (LDAR) program shall be prepared and implemented as per the CPCB guidelines	Complied. Leak Detection and Repair (LDAR) program is implemented as per CPCB guidelines.
3.	Unit shall provide a Continuous Emission Monitoring System (CEMS) and an arrangement shall also be done for reflecting the online monitoring results on the company's server which can be accessible by the GPCB on a real time basis	Complied. The unit has installed a Magnetic flow meter at Discharge Point of CETP Line. (Screenshot of CPCB portal attached) Other OCEMS for emissions are not applicable to our Unit. Complied
4.	Unit shall send wastewater to Common facility only after achieving inlet norms to common facility prescribed by GPCB ensuring content of effluent for COD so as not to get airborne during treatment in order to achieve no adverse impacts on Environment & Human Health	Complied. The unit discharges treated wastewater to CETP operated by M/s Vapi Green Enviro Ltd (VGEL) (limit of 4.5 KLD). All parameters are achieved well within the limit. ETP Discharge stream characteristics are being checked on a daily basis in our inhouse Lab and also checked monthly once by a MoEF approved lab. Reports are attached as ANNEXURE 2.
5.	Unit shall adopt proper methods for segregation of w/w streams based on characteristics at source & its sound management keeping in view direction under section 18 (1)(b) of the water (prevention & control of pollution) Act-1974 issued by CPCB regarding compliance of CETP	Complied. Unit has adopted proper methods for segregation of wastewater streams based on characteristics and further treatment is done accordingly.

Compliance report of Environment Clearance File No.: SEIAA/GUJ/EC/5(f)/229/2019

	Unit shall not exceed w/w discharge quantity into CETP-Vapi	Complied.		
	as mentioned in the existing CCA	Waste water discharged into 0 below.	CETP-Vapi for the period October	2024 to March 2025 is as
		Wa	oste Water Discharged in KL for p October 2024 to March 2025	
		Month	Discharged Quantity in KL/Month (into CETP)	Daily Average in KL/D
		October 2024	91	2.935
		November 2024	74	2.467
		December 2024	58.062	1.873
		January 2025	41.962	1.354
		February 2025	44	1.571
		March 2025	14	0.452
		Prescribed Limit/Day	4.5	;
		All the Parameters are within	the prescribed limits.	
	w/w due to proposed expansion	The Unit has adopted ZLD for MEE. @ VGEL Vapi.	r additional wastewater due to expansion	on by sending effluent to common
			ter Discharged in CMEE for period 2025	
			_	d October 2024 to March
		Primary treated Wastewat	2025	d October 2024 to March
		Primary treated Wastewat	2025 Discharge Quantity	d October 2024 to March
		Primary treated Wastewat Month October 2024	2025 Discharge Quantity 42.9 16.16 16.87	d October 2024 to March
		Primary treated Wastewat Month October 2024 November 2024 December 2024 January 2025	2025 Discharge Quantity 42.9 16.16 16.87 16.81	d October 2024 to March
		Month October 2024 November 2024 December 2024 January 2025 February 2025	2025 Discharge Quantity 42.9 16.16 16.87 16.81 23.53	d October 2024 to March
		Primary treated Wastewat Month October 2024 November 2024 December 2024 January 2025 February 2025 March 2025	2025 Discharge Quantity 42.9 16.16 16.87 16.81 23.53 0	d October 2024 to March
		Month October 2024 November 2024 December 2024 January 2025 February 2025	2025 Discharge Quantity 42.9 16.16 16.87 16.81 23.53 0	d October 2024 to March
8.	All measures shall be taken to prevent to soil & groundwater contamination	Month October 2024 November 2024 December 2024 January 2025 February 2025 March 2025 All qty is well within lim Membership certificates attached. Complied.	2025 Discharge Quantity 42.9 16.16 16.87 16.81 23.53 0 nit ed as ANNEXURE 3.	d October 2024 to March
8.		Primary treated Wastewat Month October 2024 November 2024 December 2024 January 2025 February 2025 March 2025 All qty is well within lim Membership certificates attache Complied. An impervious RCC flooring	2025 Discharge Quantity 42.9 16.16 16.87 16.81 23.53 0	d October 2024 to March y in KL as, chemical storage areas and
8.		Primary treated Wastewat Month October 2024 November 2024 December 2024 January 2025 February 2025 March 2025 All qty is well within lim Membership certificates attache Complied. An impervious RCC flooring	Discharge Quantity 42.9 16.16 16.87 16.81 23.53 0 int ed as ANNEXURE 3.	d October 2024 to March y in KL as, chemical storage areas and
8.		Month October 2024 November 2024 December 2024 January 2025 February 2025 March 2025 All qty is well within lim Membership certificates attached	2025 Discharge Quantity 42.9 16.16 16.87 16.81 23.53 0	i October 202

Compliance report of Environment Clearance File No.: SEIAA/GUJ/EC/5(f)/229/2019

A.2 WA	TER:					
9.	Total water requirement for the project shall not exceed 43 KL/day and it shall be met through GIDC water supply only. Prior permission from the concerned authority shall be obtained for withdrawal of water.	Complied. The water requirement ANNEXURE 4.	nt for the unit is com	pletely met throug	h GIDC wate	er supply only.
				ion in KLD for peri 4 to March 2025.		
		Month	Total quantity in KL	/Month Av	verage quant	ity in KLD
		October 2024	463		14.93	35
		November 2024	578		19.26	57
		December 2024	493		15.90)3
		January 2025	410		13.22	26
		February 2025	401		14.32	21
		March 2025	452		14.58	31
			EC limit for fr	eshwater 43 KL	D	
		All the Qty are within	the prescribed limits.			
10.	No ground water shall be tapped for the project requirement	Complied.				
		No ground water is bein	g tapped for the project re	equirements.		
11.	The industrial effluent generation from the project shall not exceed 14.5 KL/day after proposed expansion.	Complied.				
		Waste Water (F	_	CMEE+ Biodegra n KL for period 4 to March 2025.		nt to CETP)
		Month	Discharged to CETP (KL)	Discharged To CMEE (KL)	Total Quantity (KL)	Average Qty to CETP+CMEE
		October 2024	91	42.9	133.9	4.319
		November 2024	74	16.16	90.16	3.005
		December 2024	58.062	16.87	74.932	2.417
		January 2025	41.962	16.81	58.772	1.896
		February 2025	44	23.53	67.53	2.412
		March 2025	14	0	14	0.452
		Prescribed Discha Limit	rge 4.5 KLD	10 KLD	435 KLM	14.5 KLD
		All the Parameters are	within the prescribed li	mits.		
12.	Industrial effluent shall be treated in Effluent treatment plant (Cap-18.5 KLD)	Complied. Total effluent generated	is treated in the Effluent t	reatment plant.		

Compliance report of Environment Clearance File No.: SEIAA/GUJ/EC/5(f)/229/2019

13.	4.5 KLD of primary treated w/w shall be discharged to CETP-Vapi for further treatment after achieving standard norms as per the existing CCA	Complied. The unit discharges treated wastewater to CETP op (limit of 4.5 KLD). Please refer to EC compliance p	
to the Common MEE of M/s. VGEL, Vapi for further treatment.		Complied. The unit has been sending primary treated wastewate treatment during the period. October 2024 to March 2025 Primary treated Wastewater Discharged	in CMEE High TDS effluent for period
		October 2024 t	o March 2025.
		Month	Discharge Quantity in KL
		October 2024	42.9
		November 2024	16.16
		December 2024	16.87
		January 2025	16.81
		February 2025	23.53
		March 2025	0
		All the Qty are within the prescribed limits.	
15.	The domestic wastewater generation shall not exceed 4 KL/day and it shall be disposed of into the soak pit system.	Complied. The domestic waste water generation does not excee system.	d 4 KL/day and it is disposed of into the soak pit
16.	The unit shall provide a metering facility at the inlet and outlet of the ETP and maintain records for the same	Complied. The Unit has provided an Online Flow meter and Ca maintaining records for the same.	mera at the discharge point of ETP and is

Compliance report of Environment Clearance File No.: SEIAA/GUJ/EC/5(f)/229/2019

Dated 29.01.2019, October 2024 to March 2025

17. Proper logbooks of ETP, chemical consumption, quantities and qualities of effluent discharge and reuse, power consumption etc, shall be maintained and shall be furnished to the GPCB from time to time.

Complied.

Proper logbooks of ETP, chemical consumption, quantities and qualities of effluent discharge and reuse, power consumption has been Maintained. Chemical consumption in ETP for period **October 2024 to March 2025** as below.

Chemical consumed in ETP for period October 2024 to March 2025				
Month	Poly in kg	DAP in kg	Lime in kgs	Jaggery in kgs
October 2024	0	0	25	5
November 2024	0	0	25	5
December 2024	0.05	0	31	5
January 2025	0	0	16	1
February 2025	0	0	96	3
March 2025	0.05	0	54	6

Total electricity consumption for ETP for the period October 2024 to March 2025 are as below.

Month	Electricity (KWH)
October 2024	6823
November 2024	6295
December 2024	6920
January 2025	7266
February 2025	6918
March 2025	6186

All parameters are well within limits.

Compliance report of Environment Clearance File No.: SEIAA/GUJ/EC/5(f)/229/2019

Dated 29.01.2019, October 2024 to March 2025

A.3 AIR:

8. Unit shall not exceed fuel consumption as mentioned	l below :
--	-----------

Source of Emission	Type of fuel	Quantity of fuel	Air pollution control measures
Boiler (2TPH)	Natural Gas	894 SCM/hr.	Adequate stack height
DG set (250 KVA)	LDO	75 Lit/hr	Acoustic closure with adequate stack height

Complied.

Fuel consumption is under the limit. Fuel Consumed during this Period October 2024 to March 2025 are as below.

Fuel (Natural Gas) Consumed in SCM for period of October 2024 to March 2025					
Month Quantity in Scm Qty in S					
October 2024	7266.03	10.092			
November 2024	6584.270	9.145			
December 2024	5589.450	7.763			
January 2025	3865.690	5.369			
February 2025	6297.760	8.747			
March 2025	1431.870	1.989			

Fuel (LDO) Consumed in Liter for period October 2024 to March 2025					
Month Quantity in Liter Qty is					
October 2024	205	0.285			
November 2024	230	0.319			
December 2024	130	0.181			
January 2025	170	0.236			
February 2025	395	0.549			
March 2025	435	0.604			

All the Parameters are within the prescribed limits.

19. Unit shall provide adequate APCM for flue gas generation sources as mentioned above.

Complied.

Unit has provided an adequate stack height of 11m for DG set sources as mentioned above. Unit is using Natural gas as fuel for boilers. The unit has provided adequate APCM, Flue gas analysis reports are attached as **ANNEXURE 5.**

Month	Stack attached to boiler				
	PM	SO2	NO2		
GPCB Limit	150 mg/Nm3	100 ppm	50 ppm		
October 2024	8.90	10.50	19.10		
November 2024	11.00	9.60	15.40		
December 2024	10.60	11.40	18.50		
January 2025	9.40	11.00	17.30		
February 2025	8.80	10.30	16.30		
March 2025	9.30	12.30	18.80		

All the parameters are well within the limit.

Compliance report of Environment Clearance File No.: SEIAA/GUJ/EC/5(f)/229/2019

			Month	Stack attached to DG set			set
					PM	SO2	NO2
			GPCB Limit	150	mg/Nm3	100 ppm	50 ppm
			October 2024	;	80.70	23.70	29.60
		N	lovember 2024	:	82.60	26.80	31.80
		Е	December 2024	,	77.00	24.60	30.30
			January 2025	;	80.60	27.70	32.90
		I	February 2025	,	76.80	25.70	30.00
			March 2025	:	89.00	18.80	23.70
20.	Unit shall provide adequate APCM for process gas generation sources as mentioned below:	Comp Our v		crubbers for		neration. The emission	on monitoring results are
			Month		Scrubb	er attached to pro	cess stack
			GPCB Lin	nit	CL2:9 mg/Nm3	NH3 :175 mg/Nm3	HC1 : 20 mg/NM3
			October 20	24	3	72.2	4.6
			November 2	024	3.4	72.1	5.5
			December 20)24	2.4	75.4	4.2
			January 202	25	3	68.9	4.9
			February 20	25	2.5	71.8	5.2
			March 202	5	3.2	65.4	4.4
		All th	e parameters are wel	l within th	e limit.		
		Resul	ts of process gas emi	ssions hav	e been attached as	ANNEXURE 6	
21.	Measures shall be taken to reduce the process vapor emissions as far as possible.		scrubber followed b			to control HCL vapo	or gaseous emissions in E 6.
22.	The fugitive emission in the work zone environment shall be monitored and the emission shall conform to the standards prescribed by the concerned authorities from time to time (e.g. Directors of Industrial Safety & Health). Following indicative guidelines shall also be followed to reduce the fugitive emission. 22.1 Internal roads shall be either concrete or asphalt or paved properly to reduce the fugitive emission during vehicular movement. 22.2 Air borns dust shall be controlled with water sprinklers at suitable locations in the plant. 22.3 A green belt shall be developed all around the plant boundary and also along the roads to mitigate fugitive & transport dust emission.	Complied. The unit has been regularly monitoring the fugitive emission in the work zone area. We follow the following indicative guidelines to reduce fugitive emission. 1. Internal roads are of concrete. 2. A green belt has been developed all around the plant boundary and also along the roads to mitigate fugitive & transport dust emission.					

	<u>Dated 29.01.2019, October 2024 to March 2025</u>								
23.	Solvent management shall be carried out as follows:	Noted and Complied.							
	* Measures shall be taken to reduce the process vapor emissions as far as possible. Use of toxic solvents shall be minimum. All venting equipment shall have a vapor recovery	All Measures have been taken to reduce the process vapor emissions as far as possible. Use of toxic solvents is kept to a minimum. All venting equipment has a vapor recovery system.							
	system.	*Chilled brine circulation system has been provided to condensate solvent vapors and reduce solvent losses in order to ensure solvent recovery is not less than 95%.							
	* Reactor shall be connected to chilled brine condenser system to condensate solvent vapors and reduced solvent	* Solvent pumping is c	arried out with pumps having mechani	cal seals / de	ouble mecha	nical seals			
	* Reactor and solvent handling pump shall have mechanical seals to prevent leakages.	recovery.	sufficient heat transfer area and reside			5% solvent	t		
	* The condensers shall be provided with sufficient HTA and residence time so as to achieve maximum solvent recovery.	* Proper earthing is be	ored in a separate space specified with ing provided in all the electrical equipn	•		andling is bo	eing		
	* Solvents shall be stored in a separate space specified with all safety measures.	done. *All the equipment is f	lameproof						
	* Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done.	* We are not using a so	olvent storage tank.						
	* Solvent storage and handling areas shall be flame proof. *The solvent storage tanks shall be provided with a breather valve to prevent losses.								
	Regular monitoring of Volatile Organic Compounds (VOCs) shall be carried out in the work zone area and ambient air.		for control of VOC and fugitive emissi VOC / fugitive emissions is carried out		nt Team.				
	Closed handling and charging systems shall be provided for chemicals.	Complied.							
		Closed loop handling s	ystem has been provided for chemicals	i.					
	Pumps shall be provided with mechanical seals to prevent leakages.	Complied.							
		The unit is using only a	a mechanical seals pump to avoid leaka	iges.					
	Regular monitoring of ground level concentration of PM10, PM2.5, SO2, NOX and VOC shall be carried out in the impact	Complied.							
	zone and its record shall be maintained. Ambient air quality levels shall not exceed the standards stipulated by the GPCB. If at any stage these levels are found to exceed the prescribed		ekly ambient air monitoring to measu and VOC. Reports are attached as AN			ration of P	M10,		
	limits, necessary additional control measures shall be taken immediately. The location of the station and frequency of monitoring shall be decided in consultation with the GPCB.	Total 3 locations have requirements for the m	been identified for whole premises, seasurements.	o that can f	ulfill upwind	d and down	wind		
			g data for the period October 2024 to						
		AIR AMBIENT MONITORING (all values in μg/m3) for period October 2024 to March 2025							
		MONTH	LOCATION	PM10	PM2.5	SO2	NO2		
		Perm	issible GPCB limit	100	60	80	80		
			SECURITY GATE-1	66	32.9	30.5	35.3		
			SECURITY GATE-2	66.9	33.3	30.3	35.8		
		October 2024	Near Main office	62.9	31.1	28.5	33.9		

Compliance report of Environment Clearance File No.: SEIAA/GUJ/EC/5(f)/229/2019

Dated 29.01.2019, October 2024 to March 2025

November 2024	SECURITY GATE-1	77.1	36.9	33.1	41
November 2024	SECURITY GATE-2	76.4	34.8	32	39.8
	Near Main office	78.5	37.2	33.6	40.9
	SECURITY GATE-1	79.5	37	31.3	43.8
	SECURITY GATE-2	80.7	37.1	30.5	42.8
December 2024	Near Main office	77.7	36.8	31	42.9
	SECURITY GATE-1	81.1	38.3	32.4	44.4
	SECURITY GATE-2	78.3	37.4	31.3	44.3
January 2025	Near Main office	86.6	37.9	32.1	45.4
	SECURITY GATE-1	83.8	40.3	35.4	45.8
	SECURITY GATE-2	83.1	40.5	35.2	46
February 2025	Near Main office	79.3	32.8	33.1	42.8
	SECURITY GATE-1	82.5	39	32.8	45.1
	SECURITY GATE-2	85.4	40.8	35.1	47.4
March 2025	Near Main office	76	36.1	31	41.4

All results are well within limits.

A.4 SOLID/HAZARDOUS WASTE:

28. Hazardous/Solid waste management shall be as under:

Complied.

The quantity of Hazardous waste disposal for the period October 2024 to March 2025 are as below.

Hazardous waste disposed during period (Qty in MT) October 2024 to March 2025								
Months ETP waste residue Discarded containers/bags HCL Waste S1								
October 2024	0	7.45	0.23	5.69	0	0		
November 2024	1.51	0	0	0	0.68	0		
December 2024	0	0	0	0	0	0		
January 2025	0	0	0	0	0	0		
February 2025	0	0	0.26	0	0	0		
March 2025	0	0	0	0	0	0		

All the quantities are well within the limit.

Ms. Aarti Industries Limited (Apple Organic Division), Plot No: 609/610, 100 Shed Area GIDC - Vapi, Dist. Valsad Compliance report of Environment Clearance File No.: SEIAA/GUJ/EC/5(f)/229/2019 Dated 29.01.2019, October 2024 to March 2025

Sr. No	Name of By- Product/ Hazardous Waste	Category of Waste	Existing Quantity (MT/Year)	Disposal
1	ETP Waste	35.3	60	Collection, Storage, transportation and disposal by sending to approved and authorized TSDF sites by use of GPS mounted vehicles and XGN manifest system
2	Distillation residue	36.1	29.88	Collection, Storage, transportation, disposal by sending to authorized pre-processors/co-processors/CHWIF site by use of GPS mounted vehicles and XGN manifest system
3	Discarded containers/bags	33.1	1	Collection, Storage, Transportation, disposal by reuse or by selling to registered recyclers having all required permissions of SPCB/disposal at CHWTSDF site by use of GPS mounted vehicles and XGN manifest system
4	Used oil	5.1	0.2	Collection, Storage, Transportation disposal by reuse or by selling to registered refiners having all required permissions of SPCB by use of GPS mounted vehicles and XGN manifest system/reuse in plant & machinery for lubricating purpose
5	Spent carbon	36.2	6	Collection, Storage, transportation, disposal by sending to authorized pre- processors/co-processors/CHWIF site by use of GPS mounted vehicles and XGN manifest system.
6	Spent catalyst	26.5	5	Collection, Storage, transportation, sent to supplier or regenerator for regeneration / Disposal by sending to approved and authorized TSDF sites by use of GPS mounted vehicles and XGN manifest system
7	Hydrochloric Acid Solution (30%)	26.3	111.12	Collection, storage, Transportation, Disposal by sending to authorized end users having valid permission under rule-9 of Hazardous waste management rule, 2016 by use of GPS mounted vehicles and XGN manifest system
8	Spent Sulphuric Acid	26.3	382.32	Collection, storage, Transportation, Disposal by sending to authorized end users having valid permission under rule-9 of Hazardous waste management rule, 2016 by use of GPS mounted vehicles and XGN manifest system
9	Aluminium Oxide (Al2O3)	-	0.48	Collection, storage, Transportation, Disposal by sending to authorized end users having valid permission under rule-9 of Hazardous waste management rule, 2016 by use of GPS mounted vehicles and XGN manifest system or inhouse treatment
10	Sodium Chloride-NaCl	B2	79.56	Collection, storage, Transportation, Disposal by sending to authorized end users having valid permission under rule-9 or Authorized TSDF by use of GPS mounted vehicles and XGN manifest system
11	Calcium Chloride solution-CaCl2	-	48.36	Collection, storage, Transportation, Disposal by sending to authorized end users having valid permission under rule-9 or Authorized TSDF by use of GPS mounted vehicles and XGN manifest system
12	Potassium Chloride (KCl)	-	26.04	Collection, storage, Transportation, Disposal by sending to authorized end users having valid permission under rule-9 by use of GPS mounted vehicles and XGN manifest system
13	Nitrosyl sulfuric acid (NSA)	-	96.36	Collection, storage, Transportation, Disposal by sending to authorized end users having valid permission under rule-9 by use of GPS mounted vehicles and XGN manifest system
14	Sodium hypochlorite	-	119.52	Collection, storage, Transportation, Disposal by sending to authorized end users having valid permission under rule-9 by use of GPS mounted vehicles and XGN manifest system

	(NaOCl)						
15	Tetrafluoroboric acid (HBF4)	-	35.4		Collection, storage, Transportation, Disposal by sending to authorized end users having valid permission under rule-9 by use of GPS mounted vehicles and XGN manifest system		
16	Liquor Ammonia (NH3)	-	7	7.56	Collection, storage, Transportation, Disposal by sending to authorized end users having valid permission under rule-9 by use of GPS mounted vehicles and XGN manifest system		
17	Insulation Waste	35.3		1	Collection, storage, transportation & disposal at authorized TSDF site by use of GPS mounted vehicles and XGN manifest system		
		n from GPCB, CCA A	AWH 111	1008 07/01/2	2021 valid up to dated 25/08/2025 & CCA AWH 122690 dated 30/12/2022 valid up to		
The unit shall submit the list of authorized end users of above mentioned wastes along with MoU signed with them at least two months in advance prior to commencement of production. In the absence of potential buyers of these items, the unit shall restrict the production of the respective item.			ast tion.	The unit had 05/08/2025 (Manageme wastes.	as obtained authorization Consent no. AWH - 111008 & CCA AWH - 122690 valid up to for collection, Storage and disposal of hazardous waste under the Hazardous Waste nt, Handling and Trans-Boundary Movement) Rules. 2016 for management of Hazardous of disposal facilities like VGEL, BEIL also has been obtained and certificates along with attached as ANNEXURE-3. ANNEXURE-18		
Authorized end users shall have permissions from the concerned authorities under rule-9 of the Hazardous and Other wastes (Management & Transboundary Movement)rules-2016			Other .	Complied. Authorized end users have permissions from the GPCB under rule-9 of the Hazardous and Other wastes (Management & Transboundary Movement)rules- 2016			
Unit shall explore the possibilities for environment friendly methods like co-processing of hazardous waste for disposal of incinerable & land fillable wastes before sending to CHWIF & TSDF sites respectively.			al of IF &	The unit ha are not qua	s explored the possibility of co-processing, but because of high chloride content, the wastes lified for co-processing and cement industries. Further possibilities are under exploration. he time being, all hazardous wastes are being sent to the authorized TSDF / CHWIF.		
HER:			l				
protect of the p Pvt. Ltd NIL da present	ion measures and safeguards project prepared by Jyoti Om 0 d. Was submitted by project puted 05/10/2018 and commitmentation before SEAC and propo	proposed in the EIA re Chemical Research ce roponent vide letter no ents made during	entre .	All recomn proposed in	nendations, mitigation measures, environmental protection measures and safeguards the EIA report and commitments made during presentation are strictly adhered to by the		
	Unit had 05/08/2 The un mention two modern in the arestrict to the protect of th	15 Tetrafluoroboric acid (HBF4) 16 Liquor Ammonia (NH3) 17 Insulation Waste Unit has obtained CCA authorization 05/08/2025. The unit shall submit the list of authorized end wastes along with MoU stown months in advance prior to common the absence of potential buyers of restrict the production of the respective wastes (Management & Transbound 2016 Unit shall explore the possibilities for methods like co-processing of hazard incinerable & land fillable wastes between TSDF sites respectively. HER: All the recommendations, mitigation protection measures and safeguards profit the project prepared by Jyoti Om Opvt. Ltd. Was submitted by project	15 Tetrafluoroboric acid (HBF4) 16 Liquor Ammonia (NH3) 17 Insulation Waste 35.3 Unit has obtained CCA authorization from GPCB, CCA 405/08/2025. The unit shall submit the list of authorized end users of abmentioned wastes along with MoU signed with them at let two months in advance prior to commencement of product In the absence of potential buyers of these items, the unit srestrict the production of the respective item. Authorized end users shall have permissions from the concerned authorities under rule-9 of the Hazardous and C wastes (Management & Transboundary Movement) rules-2016 Unit shall explore the possibilities for environment friendl methods like co-processing of hazardous waste for disposa incinerable & land fillable wastes before sending to CHW TSDF sites respectively. HER: All the recommendations, mitigation measures, environment protection measures and safeguards proposed in the EIA rof the project prepared by Jyoti Om Chemical Research cells of the project prepared by Jyoti Om Chemical Research cells of the project prepared by Jyoti Om Chemical Research cells of the project prepared authorities and commitments made during presentation before SEAC and proposed in the EIA report	15 Tetrafluoroboric acid (HBF4) 16 Liquor Ammonia (NH3) 17 Insulation Waste 35.3 Unit has obtained CCA authorization from GPCB, CCA AWH 11: 05/08/2025. The unit shall submit the list of authorized end users of above mentioned wastes along with MoU signed with them at least two months in advance prior to commencement of production. In the absence of potential buyers of these items, the unit shall restrict the production of the respective item. Authorized end users shall have permissions from the concerned authorities under rule-9 of the Hazardous and Other wastes (Management & Transboundary Movement)rules-2016 Unit shall explore the possibilities for environment friendly methods like co-processing of hazardous waste for disposal of incinerable & land fillable wastes before sending to CHWIF & TSDF sites respectively. HER: All the recommendations, mitigation measures, environmental protection measures and safeguards proposed in the EIA report of the project prepared by Jyoti Om Chemical Research centre Pvt. Ltd. Was submitted by project proponent vide letter no. NIL dated 05/10/2018 and commitments made during presentation before SEAC and proposed in the EIA report shall	Tetrafluoroboric acid (HBF4) 16 Liquor Ammonia (NH3) - 7.56 17 Insulation Waste 35.3 1 Unit has obtained CCA authorization from GPCB, CCA AWH 111008 07/01/205/08/2025. The unit shall submit the list of authorized end users of above mentioned wastes along with MoU signed with them at least two months in advance prior to commencement of production. In the absence of potential buyers of these items, the unit shall restrict the production of the respective item. Complied. The unit has 05/08/2025 (Managemet wastes (Management & Transboundary Movement)rules-2016 Unit shall explore the possibilities for environment friendly methods like co-processing of hazardous waste for disposal of incinerable & land fillable wastes before sending to CHWIF & TSDF sites respectively. All the recommendations, mitigation measures, environmental protection measures and safeguards proposed in the EIA report of the project prepared by Jyoti Om Chemical Research centre Pvt. Ltd. Was submitted by project proponent vide letter no. NIL dated 05/10/2018 and commitments made during presentation before SEAC and proposed in the EIA report shall		

B.	GENERAL CONDITIONS:	
B.1 C0	ONSTRUCTION PHASE	
33.	Water demand during construction shall be reduced by use of curing agents, super plasticizers and other best construction practices.	Complied. No Construction done during this period i.e. last October 2024 to March 2025
34.	Project proponents shall ensure that the surrounding environment shall not be affected due to construction activity. Construction materials shall be covered during transportation and regular water sprinkling shall be done in vulnerable areas for controlling fugitive emission.	Complied No Construction done during this period i.e. last October 2024 to March 2025
35.	All required sanitary and hygienic measures shall be provided before starting the construction activities and to be maintained throughout the construction phase.	Complied. No Construction done during this period i.e. last October 2024 to March 2025
36.	First Aid Box shall be made readily available in adequate quantity at all times.	Complied. No Construction done during this period i.e. last October 2024 to March 2025
37.	The project proponent shall strictly comply with the Building and other Construction Workers' (Regulation of Employment & Condition of service) Act 1996 and Gujarat rules made there under and their subsequent amendments. Local bye laws of concern authority shall be complied in letter and spirit.	Complied. No Construction done during this period i.e. last October 2024 to March 2025
38.	Ambient noise levels shall conform to residential standards both during day and night. Incremental pollution load on the ambient air and noise quality shall be closely monitored during the construction phase.	Complied. No Construction done during this period i.e. last October 2024 to March 2025
39.	Use of Diesel Generator (DG) sets during the construction phase shall be strictly equipped with acoustic enclosure and shall conform to the EPA Rules for air and noise emission standards.	Complied. No Construction done during this period i.e. last October 2024 to March 2025
40.	Safe disposal of waste water and municipal solid wastes generated during the construction phase shall be ensured.	Complied. No Construction done during this period i.e. last October 2024 to March 2025
41.	All topsoil excavated during construction activity shall be used in horticulture I landscape development within the project site.	Complied. No Construction done during this period i.e. last October 2024 to March 2025
42.	Excavated earth to be generated during the construction phase shall be utilized within the premises to the maximum extent possible and a balanced quantity of excavated earth shall be disposed of with the approval of the competent authority after taking the necessary precautions for general safety and health aspects. Disposal of the excavated earth during the construction phase shall not create an adverse effect on neighboring communities.	Complied. No Construction done during this period i.e. last October 2024 to March 2025

	<u> </u>	<u>019, October 2024 to Mai</u>	i chi 2023	
43.	Project proponents shall ensure use of eco-friendly building materials including fly ash bricks, fly ash paver blocks, Ready mix Concrete [RMC] and lead free paints in the project.	Complied. No Construction done during this period i.e. last October 2024 to March 2025		
44.	Fly ash shall be used in construction wherever applicable as per provisions of Fly Ash Notification under the E.P. Act,1986 and its subsequent amendments from time to time.	Not Applicable.		
B.2 OF	PERATION PHASE:			
45.	The water meter shall be installed and records of daily and monthly water consumption shall be maintained.	Complied. The Unit has provided water meters in daily and monthly water consumption	the GIDC inlet line and various streams to maintain records of	
			nsumption Qty in KL for period ober 2024 to March 2025 .	
		Month	Total quantity in KL/Month	
		October 2024	463	
		November 2024	578	
		December 2024	493	
		January 2025	410	
		February 2025	401	
		March 2025	452	
		EC limit for freshwater 43 KLD		
		All Quantities are within the prescri	ibed limits.	
46.	All efforts shall be made to optimize water consumption by exploring Best Available Technology (BAT). The unit shall continuously strive to reduce, recycle and reuse the treated effluent.	Complied. Unit has adopted Best Available Technology (BAT) to optimize water consumption.		
B.2.2 A	AIR:			
47.	In case of use of spray dryer, the unit shall provide the adequate & efficient APCMs with spray dryer so that there should not be any adverse impact on human health & environment. Unit shall carry out third party monitoring of the proposed Spray Dryer & its APCM through the credible institutes and study report for impacts on Environment & human Health shall be submitted to GPCB every year along with half yearly compliance report.	Not Applicable. No spray dryer is installed in the Unit.		
48.	Acoustic enclosure shall be provided to the DG sets (If applicable) to mitigate the noise pollution and shall conform to the EPA Rules for air and noise emission standards.	Complied. The DG Sets are provided with acoustic enclosures. PPEs like earplugs and earmuffs are also being used in the same area.		

Compliance report of Environment Clearance File No.: SEIAA/GUJ/EC/5(f)/229/2019

Dated 29.01.2019, October 2024 to March 2025

49.	Stack/vents (Whichever is applicable) of adequate height shall
	be provided as per the prevailing norms for flue gas
	emission/Process gas emission.

Complied.

The unit has provided adequate height shall be provided as per the prevailing norms for flue gas emission/Process gas emission.

50. Flue gas emission & Process gas emission (If any) shall conform to the standard to the standard prescribed by the GPCB/CPCB/MoEF&CC. At no time, emission levels should go beyond the stipulated standards.

Complied.

The unit is in compliance with the Flue Gas emission and Process Gas emission limits prescribed by GPCB.

Month	Stack attached to boiler			
	PM SO2 NO2		NO2	
GPCB Limit	150 mg/Nm3	100 ppm	50 ppm	
October 2024	8.90	10.50	19.10	
November 2024	11.00	9.60	15.40	
December 2024	10.60	11.40	18.50	
January 2025	9.40	11.00	17.30	
February 2025	8.80	10.30	16.30	
March 2025	9.30	12.30	18.80	

All the parameters are well within the limit.

Month	Stack attached to DG set			
	PM	SO2	NO2	
GPCB Limit	150 mg/Nm3	100 ppm	50 ppm	
October 2024	80.70	23.70	29.60	
November 2024	82.60	26.80	31.80	
December 2024	77.00	24.60	30.30	
January 2025	80.60	27.70	32.90	
February 2025	76.80	25.70	30.00	
March 2025	89.00	18.80	23.70	

All the parameters are well within the limit.

Reports are well within the standards prescribed by the GPCB/CPCB/MoEF&CC. Results are attached as <u>ANNEXURE 5</u> <u>ANNEXURE 6.</u>

Compliance report of Environment Clearance File No.: SEIAA/GUJ/EC/5(f)/229/2019

		Month Scrubber attached to process stack				
		GPCB Limit	CL2:9 mg/Nm3	NH3 :175 mg/Nm3	HCl: 20 mg/Nm3	
		October 2024	3	72.2	4.6	
		November 2024	3.4	72.1	5.5	
		December 2024	2.4	75.4	4.2	
		January 2025	3	68.9	4.9	
		February 2025	2.5	71.8	5.2	
		March 2025	3.2	65.4	4.4	
		All parameters are	well within prescribed li	mits.		
51.	All the reactors /vessels used in the manufacturing process	Complied.				
	shall be closed to reduce the fugitive emission.	All the reactors / vessels used in the manufacturing process are closed to reduce fugitive emission.				
В.2.3 Н	AZARDOUS/SOLID WASTE					
52.	The company shall strictly comply with the rules and regulations with regards to handling and disposal of Hazardous waste in accordance with the Hazardous and Other Waste (Management and Transboundary Movement) Rules 2016,as may be amended from time to time. Authorization of the GPCB shall be obtained for collection/treatment / storage /disposal of hazardous wastes.	Complied. Unit is strictly complying with the rules and regulation for handling and disposal of hazardous wast as per the Hazardous and Other Waste (Management and Transboundary Movement) Rules 2016, a may be amended from time to time. Authorization of the GPCB has been obtained fo collection/treatment/storage/ disposal of hazardous wastes The unit has received the CCA for Et AWH - 111008, issued on 07.01.2021 & Amendment CCA AWH - 122690 dated 30.12.2022 valid up to 25/08/2025 All the waste being transported is as per rules and in GPS mounted vehicles. Transporters ar registered and a manifest system is being followed.				
53.	Hazardous wastes shall be dried, packed and stored in a separate designated hazardous waste storage facility, before its disposal.	Complied. Hazardous waste is dried and stored in hazardous waste storage areas facilitated with an impervious RCC flooring and leachate collection facility.				
54.	The unit shall obtain necessary permission from the nearby TSDF site and CHWIF	Complied. The unit has obtained the permission of the TSDF site.				
55.	Truck/tankers used for transportation of hazardous waste shall be in accordance with provisions under the Motor Vehicle Act, 1988, and rules made there under.	Complied. Unit has deployed trucks/Tankers as per the provisions under the Motor Vehicle Act, 1988 and rules made there under for the transportation of hazardous waste.				

Compliance report of Environment Clearance File No.: SEIAA/GUJ/EC/5(f)/229/2019

	•	
56.	The design of the Trucks/tankers shall be such that there is no spillage during transportation	Complied. Unit is deployed trucks/Tankers suitable for hazardous waste so that there will not be any leakage / spillage during transportation. Vehicles Are fully covered and GPS mounted. Which are also tracked on a regular basis. Transporters are registered with TSDF sites.
57.	All possible efforts shall be made for Co-processing of the Hazardous waste prior to disposal into TSDF/CHWIF.	Complied. The unit has explored the possibility of co-processing, but because of high chloride content, the wastes are not qualified for co-processing and cement industries. Further possibilities are under exploration. Hence, for the time being, all hazardous wastes are being sent to the authorized TSDF / CHWIF.
58.	Management of fly ash (If any) shall be as per the Fly ash Notification 2009 & its amendment from time to time and it shall be ensured that there is 100% utilization of fly ash to be generated from the unit.	Not Applicable. Fly ash is not being generated from the unit.
B.2.4 SA	AFETY:	
59.	The occupier/manager shall strictly comply the provisions under the Factories Act 1948 and the Gujarat Factories Rules1963	Complied. Unit is strictly complying with the provisions under the Factories Act 1948 and Gujarat Factories Rules 1963
60.	The project authorities shall strictly comply with the provisions made in the Manufacture, Storage and Import of Hazardous chemicals Rules (MSIHC) 1989, as amended from time to time and the Public Liability Insurance Act for handling of hazardous chemicals etc. Necessary approvals from the Chief Controller of Explosives and concerned Govt. Authorities shall be obtained before commissioning the project. Requisite On-site and Off-site Disaster Management Plans have to be prepared and implemented.	Complied. Unit is strictly complying with the provisions under MSIHC Rules, 1989, PLI Act etc. valid up to 08/01/2026 Attached as ANNEXURE 8. On-site and Off-site Disaster Management Plans are also prepared and implemented. Attached as ANNEXURE 9
61.	Main entry and exit shall be separate and clearly marked in the facility.	Complied. Main entry and exit facilities are separate and clearly marked. Gate 01 Gate 02
		Gate 01 Gate 02

Compliance report of Environment Clearance File No.: SEIAA/GUJ/EC/5(f)/229/2019

62.	Sufficient peripheral open passage shall be kept in the margin	Complied
62.	area for free movement of fire tender/ emergency vehicles around the premises.	Complied. Our unit has provided & open passage for free movement of fire tender/emergency vehicles around the premises.
		Details of the fire hydrant system and number of fire extinguishing equipment are attached as <u>ANNEXURE-10</u>
63.	Storage of flammable chemicals shall be sufficiently away from the production area.	Complied.
		Storage of flammable chemicals is sufficiently away from the production area and adequate safety measures have been provided.
64.	Sufficient number of fire extinguishers shall be provided near the plant and storage area.	Complied.
	and plant and storage areas	Sufficient number of fire extinguishers (41 existing + 12 spare) are provided at several locations within the plant and storage areas.
		Details of the fire hydrant system and number of fire extinguishing equipment are attached as <u>ANNEXURE-10</u>
65.	All necessary precautionary measures shall be taken to avoid any kind of accident during storage and handling of toxic /hazardous chemicals.	Complied. The Unit has taken several measures to avoid any kind of accident during storage and handling of toxic/ hazardous chemicals.
66.	All the toxic/hazardous chemicals shall be stored in optimum quantity and all necessary permissions in this regard shall be	Noted and Complied
	obtained before commencing the expansion activities.	The unit has an adequate license. ANNEXURE-11
67.	The project management shall ensure to comply with all the environment protection measures, risk mitigation measures and	Complied.
	safeguards mentioned in the Risk Assessment report.	The unit strictly adheres to the environment protection measures, risk mitigation measures and safeguards mentioned in the Risk Assessment Report.
68.	Only flameproof electrical fittings shall be provided In the plant premises.	Complied.
		Unit has installed flame proof electrical fittings in the plant premises.
69.	Storage of hazardous chemicals shall be minimized and it shall be in multiple small capacity tanks / containers instead of one	Complied.
	single large capacity tank I containers.	Unit has restricted the use of single large capacity tanks/ containers.
70.	All the storage tanks shall be fitted with appropriate controls to avoid any leakages. Bund/dyke wall shall be provided for	Complied. Unit has installed necessary engineering controls to avoid leakages and hazardous chemical storage
	storage tanks for Hazardous Chemicals.	unit has installed necessary engineering controls to avoid leakages and nazardous chemical storage tanks are being installed inside a Bund/ dyke wall.
71.	Handling and charging of the chemicals shall be done in a closed manner by pumping or by vacuum transfer so that	Complied.
	minimal exposure occurs.	Unit has taken all necessary measures to minimize the human exposure to hazardous chemicals by closed loop pumping / vacuum transfer.
72.	Tie up shall be done with nearby health care unit I doctor for seeking immediate medical attention in the case of emergency.	Complied.

Compliance report of Environment Clearance File No.: SEIAA/GUJ/EC/5(f)/229/2019

		U19, October 2024 to March 2025		
		Full time medical officer has been appointed. Unit I for seeking immediate medical attention in the cas During this time period (October 2024 to March 2 Industry has tied up with Haria L.G. Rotary Hospita Pant Eye Hospital, ESIC Hospital, AASHIRWAD COUNTY LTD, VIKAS HOSPITAL for minor, major in the case of the case o	e of emergency. 025) no major accident/incident has been reported. 1, Jeevandeep Surgical Hospital, Usha Shalby, Dr. GENERAL HOSPITAL, THUNGA HOSPITAL	
73.	Personal Protective Equipments (PPEs) shall be provided to workers and its usage shall be ensured and supervised.	Complied. Unit has maintained necessary Personal Protective Equipment Kits (PPEs) and provides the same to workers. Unit is encouraging and ensures that PPE's are being used by workers as per the requirement.		
		PPE's like Goggles, Gumboots, helmets, Skin Crean provided when and where required.		
74.	First Aid Box and required Antidotes for the chemicals used in the unit shall be made readily available in adequate quantity.	Complied. 2 nos of First Aid Box is available and required Antmade available in adequate quantity before commen		
75.	Training shall be imparted to all the workers on safety and health aspects of chemicals handling.	Complied. Training is conducted for all employees on safety and health aspects of chemical handling. Attendance sheet is enclosed for the same as ANNEXURE 19		
76.	Occupational health surveillance of the workers shall be done and its records shall be maintained. Pre-employment and periodical medical examination for all the workers shall be undertaken as per the Factories Act & Rules.	Complied. Pre-employment and routine periodical medical exare done on a regular basis.	caminations are also conducted for all employees and	
		Medical Checkup	No. of Employee	
		Company Employee	70	
		Contract Employee	118	
		Medical check up of 188 employees has been done the medical checkup are maintained and reports ANNEXURE-12		
77.	Transportation of hazardous chemicals shall be done as per the provisions of the Motor Vehicle Act & Rules.	Complied. The Transportation of hazardous chemicals is done Rules.	as per the provisions of the Motor Vehicle Act and	
78.	The company shall implement all preventive and mitigation measures suggested in the Risk Assessment Report.	Complied. The unit implements all preventive and mitigation recognitions.	neasures suggested in the Risk Assessment Report.	
79.	Necessary permissions from various statutory authorities like PESO, Factory Inspectorate and others shall be obtained prior to commissioning the project.	Complied. The unit has obtained all the necessary permissions	before starting the operation.	

Compliance report of Environment Clearance File No.: SEIAA/GUJ/EC/5(f)/229/2019

Dated 29.01.2019, October 2024 to March 2025

B.2.5 NOISE:

The overall noise level in and around the plant area shall be kept well within the standards by providing noise control measures including engineering controls like acoustic insulation hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise level shall confirm the standards prescribed under The Environment Protection)Act,1986 & Rules.

Complied.

The Unit is taking necessary noise control measures by providing engineering controls like acoustic insulation, hood, silencers, enclosures etc on all sources of noise generation. Results are attached as **ANNEXURE-13**

Sr. No	LOCATION (Day time)	GPCB limit Unit	Max. value (dBA)	Min. value (dBA)	Mean value (dBA)
1	Nr.Main Gate no 1		71.2	69.7	70.4
2	Nr.Main gate 2		70.9	68.8	69.75
3	Nr Control room		72.3	70.4	71.6
4	Near Scrubber		73.1	67.4	69.75
5	Nr. main office	75 dBA	72	68.6	70.5

Sr. No	LOCATION (Night time)	GPCB limit Unit	Max. value (dBA)	Min. value (dBA)	Mean value (dBA)
1	Nr.Main Gate no 1		66.4	64.3	65.3
2	Nr.Main gate 2		66.4	64.3	65.3
3	Nr Control room		71.6	62.7	67
4	Near Scrubber		68.6	63.4	66.11
5	Nr. main office	70dBA	67.5	64.1	66.03

All parameters are well within prescribed limits.

B.2.6 CLEANER PRODUCTION AND WASTE MINIMISATION:

81.	The unit shall undertake the Cleaner Production Assessment
	study through a reputed institute / organization and shall form a
	CP team in the company. The recommendations thereof along
	with the compliance shall be furnished to the GPCB.

Complied.

The unit has undertaken numerous Cleaner Production initiations by forming a cross functional team and also taking help of a reputed institute /organization as and when required.

The initiatives include, but are not limited to, steam re-engineering, waste minimization, Hazardous waste recycle and reuse, energy efficiency projects and such.

82. The company shall undertake various waste minimization measures such as:

Metering and control of quantities of active ingredients to minimize waste.

Reuse of by-products from the process as raw materials or as raw materials substitutes.

Use of automated and close filling to minimize spillages.

Use of close feed systems into batch reactors.

Venting equipment through a vapor recovery system.

Complied.

The Unit is implementing waste minimization measures as mentioned below but not limiting to:

Metering and control of quantities of active ingredients to minimize waste.

Reuse of by-products from the process as raw materials or as raw materials substitutes.

Use of automated and close filling to minimize spillages.

Use of a closed feed system into batch reactors.

Venting equipment through a vapor recovery system.

	<u>Dated 29.01.2019, October 2024 to March 2025</u>				
	Use of high pressure hoses for cleaning to reduce wastewater generation.	Use of high pressure hoses for clearing to reduce wastewater generation.			
		Recycling washes to subsequent batches.			
	Recycling of washes to subsequent batches.	Recycling of steam condensate.			
	Recycling of steam condensate.	Sweeping/ mopping the floor instead of floor washing to avoid effluent generation.			
	Sweeping I mopping the floor instead of floor washing to avoid effluent generation.	Regular preventive maintenance for avoiding leakages, spillages etc.			
	Regular preventive maintenance for avoiding leakage, spillage etc.				
B.2.7 GI	REEN BELT AND OTHER PLANTATION:				
83.	The unit shall develop a green belt within premises as per the CPCB guidelines. However, if the adequate land is not available within the premises, the unit shall take up adequate plantation on road sides and suitable open areas in GIDC estate or any other open areas in consultation with the GIDC /GPCB and submit an action plan of plantation for next three years to the GPCB.	Complied. The unit has developed a green belt in the Notified Area of GIDC Vapi to comply with the CPCB guidelines.			
84.	Drip irrigation I low-volume, low-angle sprinkler system shall be used for the green belt development within the premises.	Complied. Unit has provided a low-angle sprinkler system for the green belt development within the premises.			
B.3 OTI	HER CONDITION:				
85.	Unit shall comply with all the applicable standard conditions prescribed in Office Memorandum (OM) published by MoEF&CC vide no. F No. 22-34/2018-IA.III dated 09/08/2018 for Pharmaceutical & Chemical Industries mentioned at (S No. XX)	Noted for Compliance. Unit will strictly comply with all the applicable standard conditions prescribed in Office Memorandum (OM) published by MoEF&CC vide no. F. No. 22-34/2018-IA. III dated 09/08/2018 for Pharmaceutical and Chemical industries mentioned at (Sr. no. XX).			
86.	The project proponent shall allocate the separate fund for Corporate Environment Responsibility (CER) in accordance to the MoEFCC's Office Memorandum No. f No. 22-65/2017-IA.III dated 01/05/2018 to carry out the activities proposed under CER shall be monitored & the monitoring report shall be submitted to the regional office of MoEFCC as a part of half yearly compliance report & to district collector. The monitoring report shall be posted on the website of the project proponent.	Complied. The Company has spent Rs 16.85 lacks as shown below from October 2024 to March 2025. 1) Donation to Rotary Foundation for Education and Skill Development: Rs 3 Lakhs 2) Donation to VIA for Catch the Rain Project-Construction of 50 Borewells for Rain Water Recharge/Harvesting Rs 8,85,000 3) Renovation/Construction of Toilet Blocks for Vapi Town Police Station Rs 5 Lakhs 4) New Greenbelt Development in land adjacent to AIL			
87.	Rain water harvesting of surface as well as rooftop runoff shall be undertaken and same water shall be used for the various activities of the project to conserve fresh water as well as to recharge ground water. Before recharging the surface run off, pre-treatment must be done to remove suspended matter.	Complied. Unit is in the process of installation of rainwater harvesting structures for its office buildings to comply with the requirement.			
88.	The unit shall join and participate financially and technically for any common environmental facility I infrastructure as and when the same is taken up either by the industrial Association or GIDC or GPCB or any such authority created for this purpose by the Govt.I GIDC.	Complied. The unit participates financially and technically for any common environmental facility/ infrastructure as and when the same is taken up by Vapi Industries Association, Vapi Green Enviro Ltd. (CETP) and GPCB.			
89.	Application of solar energy shall be incorporated for illumination of common areas, lighting for gardens and street lighting in addition the provision for solar water heating system shall also be provided.	Complied. Unit is in the process of installation of rooftop solar panels to comply with the requirement.			

90.	The area earmarked as green area shall be used only for plantation and shall be used only for plantation and shall not be altered for any other purpose.	Noted for compliance. Unit will not use the earmarked green area for any other purpose.		
91.	All the commitments / undertakings given to the SEAC during the appraisal process for the purpose of environmental protection and management shall be strictly adhered to	Noted. The unit has strictly adhered to all the commitments / undertakings given to the SEAC during the appraisal process for the purpose of environmental protection and management.		
92.	The project proponent shall also comply with any additional conditions that may be imposed by the SEAC or the SEIAA or any other competent authority for the purpose for the environmental protection and management.	Noted for Compliance.		
93.	In the event of failure of any pollution control system adopted by the unit, the unit shall be safely closed down and shall not be restarted until the desired efficiency of the control equipment has been achieved.	Noted for Compliance.		
94.	The project authorities must strictly adhere to the stipulation made by the Gujarat pollution control board (GPCB), state Government and any statutory authority	Complied. The unit strictly adheres to the stipulations made by the Gujarat Pollution Control Board (GPCB), State Government and any statutory authority. The unit has received the CCA, AWH - 111008, issued on 07.01.2021 & CCA AWH - 122690 issued on 30.12.2022. CCA Compliance has been attached as ANNEXURE - 14.		
95.	During material transfer there shall be no spillages and garland drain shall be constructed to avoid mixing of accidental spillages with domestic wastewater or stormwater.	Complied. Unit has ensured that there will not be any spillages during material transfer and garland drain has been constructed to avoid mixing of accidental spillages with domestic wastewater or stormwater.		
96.	Pucca flooring / impervious layer shall be provided in the work areas, chemical storage areas and chemical handling areas to minimize soil contamination.	Complied. An impervious RCC flooring has been provided in the work areas, chemical storage areas and chemical handling areas to minimize soil contamination.		
97.	Leakages from pipes, pumps shall be minimal & if occurs shall be arrested promptly.	Complied. Unit is taking action to minimize the leakages from pipes, pumps. The unit has covered spill handling and management from various areas and scenarios as a part of the Emergency Response Plan.		
98.	No further expansion or modifications in the plant likely to cause environmental impacts shall be carried out without obtaining prior Environment Clearance from the concerned authority.	Noted for Compliance.		
99.	The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008 and the Public Liability Insurance Act, 1991 along with their amendments and rules.	Noted.		
100.	The project proponent shall comply with all the conditions mentioned in ''The Companies (Corporate Social Responsibility Policy) Rules, 2014" and its amendments from time to time in a letter and spirit.	Complied. The unit has ESC plan and implemented as below 1. We have Developed a New Garden near Charadva village costing 594520/- of and also we are maintaining the same. 2. Also we are maintaining a garden in GIDC and surrounding area worth rs. 2513400/-		
101.	The project management shall ensure that the unit complies with all the environment protection measures, risk mitigation measures and safeguards recommended in the EMP report and	Complied. Unit has complied with all the environmental protection measures, risk mitigation measures and safeguards recommended in the EMP report and Risk Assessment study report.		

Compliance report of Environment Clearance File No.: SEIAA/GUJ/EC/5(f)/229/2019

		oro, october 2021 to March 2023
	Risk Assessment study report as well as proposed by the project proponent.	
102.	The project authorities shall earmark adequate funds to implement the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.	Noted. Unit will strictly follow.
103.	The applicant shall inform the public that the project has been accorded environmental clearance by the SEIAA and that the copies of the clearance letter are available with the GPCB and may also be seen at the Website of SEIAA SEAC GPCB. This shall be advertised within seven days from the date of the clearance letter, in at least two local newspapers that are widely circulated in the region, one of which shall be in the Gujarati language and the other in English. A copy of each of the same shall be forwarded to the concerned Regional Office of the Ministry.	The advertisement regarding the environmental clearance was given in the local newspapers and the copy of the same was submitted to the concerned regional office and the same is attached as

Ms. Aarti Industries Limited (Apple Organic Division), Plot No: 609/610, 100 Shed Area GIDC - Vapi, Dist. Valsad Compliance report of Environment Clearance File No.: SEIAA/GUJ/EC/5(f)/229/2019 Dated 29.01.2019, October 2024 to March 2025

Annexure-1

 Total Production of October 2024 to March 2025. According to CCA AWH -111008 dated 07/01/2021 & CCA AWH- 122690 dated 30/12/2022 valid up to 05/08/2025

Month	Ammoniation Process	R&D	Bromination Process	Ammoxidation intermediates (Other derives and same pollution load
October 2024	0.200	0.5	0	0
November 2024	0.003	0.5	0	0
December 2024	0.050	0.5	0	0
January 2025	0.006	- 0	0.5	0
February 2025	0	0	0.39	0.48
March 2025	0	0.225	0	0
Total	0.259	1.725	0.89	0.480



Annexure- 2 ENPRO Enviro Tech and Engineers Pvt. Ltd.

Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in



Test Report

Format No: QR/7.8/01 Test Report No: TC588524000009740F Issue Date: 16-10-2024

ULR No: TC588524000009740F Discipline: Biological Group: Environment & Pollution

Customer's Name & Address: Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : ETP Outlet

Sampling By

: ENPRO Team-Mr. Nikunj Vaghasiya Qty / Nos of Sample : 5 L / 1 No. Date of Sampling : 11-10-2024 Packing / Seal

: Sealed Sample Received Date : 12-10-2024 Protocol / Purpose : Waste Water Analysis Date of Starting of Test : 12-10-2024

Date of Completion : 16-10-2024 Sampling Method : WI/WW/A & WI/MI/A Sample ID : 1024/WW09740

RESULT TABLE

S.NO.	THE TANGETTER	UNIT	RESULT	CETP LIMIT	METUOD DESCRIPTION
1	Bio- Assay Test		90% Survival of fish after 96hrs in 100% effluent	90% Survival of fish after 96hrs in	METHOD REFERENCE IS 6582 (Part-2):2001

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

CHECKED BY Megha Gowda

REVIEWED AND AUTHORISED BY

Harendra Solanki (Sr. Manager)

Note 1: This Report is subject to terms & conditions mentioned overleaf. Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in



Test Report

Format No: QR/7.8/01 Test Report No : TC588524000009740F Issue Date: 16-10-2024 ULR No: TC588524000009740F Discipline: Chemical Group : Pollution & Environment

Customer's Name & Address: Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : ETP Outlet

Sampling By : ENPRO Team-Mr. Nikunj Vaghasiya Qty / Nos of Sample : 5 L / 1 No.

Date of Sampling : 11-10-2024 Packing / Seal : Sealed Sample Received Date : 12-10-2024

Protocol / Purpose : Waste Water Analysis Date of Starting of Test : 12-10-2024

Date of Completion : 16-10-2024 Sampling Method : WI/WW/A & WI/MI/A Sample ID: : 1024/WW09740

RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	CETP LIMIT	Company of the St. Co.
1	pH	4101			METHOD REFERENCE
2	Colour		7.12(at 25.5°C)	6.5-8.5	IS 3025 (Part-11):2022
		Pt. Co.	50	-	APHA 24th Edi. (Part-2000, Section: 2120 C):2023
3	Temperature	°C	28.4	40	(Fait-2000, Section: 2120 C) 2023
4	Total Suspended Solids	mg/L	10.0		IS 3025 (Part 9) : 2023
5	Total Dissolved Solids (at 180°C)		1000	300	IS 3025 (Part 17): 2022
6	Oil & Grease	mg/L	1012	2100	IS 3025 (Part 16): 2023
0	A TANAMAT OF THE PARTY OF THE P	mg/L	2.0	10	IS 3025 (Part 39) : 2021
7	Chemical Oxygen Demand (COD)	mg/L	40,3	1000	IS 3025 (Part 58) : 2023
8	Biochemical Oxygen Demand (3 Days at 27"C)	mg/L	12.9	400	IS 3025 (Part 44) : 2023
9	Phenolic Compound	mg/L	BDL(<0.2)	4.6	
	The state of the s	night.	BDL(~0,2)	1.0	IS 3025 (Part 43/Sec 1) : 2022 Clause
10	Chloride (as CI)	mg/L	217	600	5
11	Sulphate (as SO ₄)				IS 3025 (Part-32):1988
11	Sarphato (dia 504)	mg/L	48.6	1000	IS 3025 (Part 24/Sec 1) : 2022 Clause
12	Iron (as Fe)	mg/L	PDI /en ny		5
_	Ammonical Nitrogen (as NH-N)		BDL(<0.2)	3.0	IS 3025 (Part-53):2003 Clause 7
_	DI :- Relew Detectable Live	mg/L	BDL(<0.2)	50	IS 3025 (Part 34):1988 Clause 2

Note: BDL:- Below Detectable Limit

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

CHECKED BY Zinal Rathod

REVIEWED AND AUTHORISED BY

Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf. Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in



Test Report

Format No : QR/7.8/01 Test Report No : TC588524000010728F Issue Date : 19-11-2024

ULR No : TC588524000010728F Discipline : Biological Group : Environment & Pollution

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : ETP Outlet

Sampling By : ENPRO Tearn-Mr. Vihang Patel

Qty / Nos of Sample : 5 L / 1 No.
Packing / Seal : Sealed

Date of Sampling : 12-11-2024 Sample Received Date : 13-11-2024

: 12-11-2024

Packing / Seal : Sealed
Protocol / Purpose : Waste \(\)

: Waste Water Analysis

Date of Starting of Test : 13-11-2024

Sampling Method

: 13-11-2024 : WI/WW/A & WI/MI/A Date of Completion Sample ID : 18-11-2024 : 1124/WW10728

RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	CETP LIMIT	METHOD REFERENCE
1	Bio- Assay Test	%	TABLE 1 TO THE RESERVE TO THE RESERV	90% Survival of fish after 96hrs in 100% effluent	IS 6582 (Part-2):2001

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

CHECKED BY Megha Gowda REVIEWED AND AUTHORISED BY

Harendra Solanki (Sr. Manager)

Note 1: This Report is subject to terms & conditions mentioned overleaf.

Note 2: Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in



Test Report

Format No : QR/7.8/01 Test Report No : TC588524000010728F Issue Date : 19-11-2024

ULR No : TC588524000010728F Discipline : Chemical Group : Pollution & Environment

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : ETP Outlet

Sampling By : ENPRO Team-Mr.Vihang Patel Qty / Nos of Sample : 5 L / 1 No.
Date of Sampling : 12-11-2024 Packing / Seal : Sealed

Sample Received Date : 13-11-2024 Protocol / Purpose : Waste Water Analysis

Date of Starting of Test : 13-11-2024 Date of Completion : 18-11-2024
Sampling Method : WI/WW/A & WI/MI/A Sample ID : 1124/WW10728

RESULT TABLE

_	RESULT TABLE						
S.NO.	TEST PARAMETER	UNIT	RESULT	CETP LIMIT	METHOD REFERENCE		
1	pH	.44	7.05(at 26.2 °C)	6.5-8.5	IS 3025 (Part-11):2022		
2	Colour	Pt. Co.	19	-	APHA 24th Edi. (Part-2000, Section:2120 C) 2023		
3	Temperature	,C	29.1	40	IS 3025 (Part 9) : 2023		
4	Total Suspended Solids	mg/L	10.0	300	IS 3025 (Part 17): 2022		
5	Total Dissolved Solids (at 180°C)	mg/L	1404	2100	IS 3025 (Part 16) 2023		
6	Oil & Grease	mg/L	1.6	10	IS 3025 (Part 39) 2021		
7	Chemical Oxygen Demand (COD)	mg/L	30.0	1000	IS 3025 (Part 58) : 2023		
8	Biochemical Oxygen Demand (3 Days at 27°C)	mg/L	7.2	400	IS 3025 (Part 44) : 2023		
9	Phenolic Compound	mg/L	BDL(<0.2)	1.0	IS 3025 (Part 43/Sec 1) : 2022 Clause 5		
10	Chloride (as CI)	mg/L	146	600	IS 3025 (Part-32):1988		
11	Sulphate (as SO ₄)	mg/L	26.9	1000	IS 3025 (Part 24/Sec 1) : 2022 Clause 5		
12	Iron (as Fe)	mg/L	BDL(<0.2)	3.0	IS 3025 (Part- 53):2003 Clause 7		
13	Ammonical Nitrogen (as NHs-N)	mg/L	2.9	50	IS 3025 (Part 34): 1988 Clause 2		

Note: BDL :- Below Detectable Limit

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

CHECKED BY Zinal Rathod

REVIEWED AND AUTHORISED BY Sweety Patel (Dy. TM)

Note 1 : This Report is subject to terms & conditions mentioned overleaf.

Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report *** Page 1 of 1



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in



Test Report

Issue Date: 18-12-2024 Format No : QR/7.8/01 Test Report No: TC588524000012115F Group: Environment & Pollution ULR No: TC588524000012115F Discipline: Biological

Customer's Name & Address: Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : ETP Outlet

HECKED BY

: ENPRO Team-Mr. Vihang Patel Sampling By

Packing / Seal : Sealed : 12-12-2024 Date of Sampling Protocol / Purpose Sample Received Date: 13-12-2024

Date of Starting of Test : 13-12-2024

: WI/WW/A & WI/MI/A Sampling Method

Qty / Nos of Sample : 5 L / 1 No.

: Waste Water Analysis

Date of Completion : 17-12-2024

: 1224/WW12115 Sample ID

RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	CETP LIMIT	METHOD REFERENCE
1	Bio- Assay Test	%	90% Survival of fish after 96hrs in 100% effluent	fish after 96hrs in	IS 6582 (Part-2):2001

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

REVIEWED AND AUTHORISED BY

Harendra Solanki (Sr. Manager)

Megha Gowda Note 1: This Report is subject to terms & conditions mentioned overleaf.

Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3. Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in



Test Report

Format No: QR/7.8/01	Test Report No : TC588524000012115F	Issue Date : 18-12-2024
ULR No: TC588524000012115F	Discipline : Chemical	Group : Pollution & Environment
		CLOUB : 1 GURDOU OF FUALOUTHEUF

Customer's Name & Address Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : ETP Outlet

Sampling By : ENPRO Team-Mr. Vihang Patel

Qty / Nos of Sample : 5 L / 1 No. : 12-12-2024

Date of Sampling Packing / Seal : Sealed Sample Received Date : 13-12-2024 Protocol / Purpose : Waste Water Analysis

Date of Starting of Test : 13-12-2024 Date of Completion : 17-12-2024

Sampling Method ; WI/WW/A & WI/MI/A Sample ID : 1224/WW12115

RESULT TABLE

7 1 1 1 1	ALLA DISCOURTS		THE SELECTION OF THE SE		
S.NO.	TEST PARAMETER	UNIT	RESULT	CETP LIMIT	METHOD REFERENCE
1	pH		7.09(at 24.5°C)	5.5-8.5	IS 3025 (Part-11):2022
2	Colour	Pt. Co.	14		APHA 24th Edi (Part-2000 Section:2120 C):2023
3	Temperature	°C	30	40	IS 3025 (Part 9) : 2023
4	Total Suspended Solids	mg/L	32.0	300	IS 3025 (Part 17) 2022
5	Total Dissolved Solids (at 180°C)	mg/L	1568	2100	IS 3025 (Part 16) 2023
6	Oil & Grease	mg/L	1.2	10	IS 3025 (Part 39) : 2021
7	Chemical Oxygen Demand (COD)	mg/L	69.2	1000	IS 3025 (Part 58) : 2023
8	Biochemical Oxygen Demand (3 Days at 27°C)	mg/L	19.3	400	IS 3025 (Part 44) : 2023
9	Phenolia Compound	mg/L	BDL(<0.2)	1.0	IS 3025 (Part 43/Sec 1) 2022 Clause
10	Chloride (as CI)	mg/L	164	600	IS 3025 (Part-32):1988
11	Sulphate (as SO ₄)	mg/L	20.2	1000	IS 3025 (Part 24/Sec 1) : 2022 Clause
12	Iron (as Fe)	mg/L	BDL(<0.2)	50	IS 3025 (Part- 53):2003 Clause 7
13	Ammonical Nitrogen (as NH-N)	mg/L	3.9	3.0	IS 3025 (Part 34):1988 Clause 2

Note: BDL :- Below Detectable Limit

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

CHECKED BY Zinal Rathod

REVIEWED AND AUTHORISED BY

Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf.

Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report.***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230, Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in



Test Report

Format No: QR/7.8/01	Test Report No : TC588525000000484F	Issue Date : 22-01-2025
ULR No: TC588525000000484F	Discipline : Biological	Group : Environment & Pollution

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : ETP Outlet

Sampling By : ENPRO Team-Mr. Nikunj Vaghasiya Qty / Nos of Sample : 5 L / 1 No. Date of Sampling : 15-01-2025 Packing / Seal : Sealed

Sample Received Date : 16-01-2025 Protocol / Purpose : Waste Water Analysis

Date of Starting of Test : 16-01-2025 Date of Completion : 21-01-2025 Sampling Method : WI/WW/A & WI/MI/A Sample ID : 0125/WW00484

RESULT TABLE

.NO.	THE PERSONNELLES	UNIT	RESULT	CETP LIMIT	METHOD REFERENCE
1	Bio- Assay Test	%	90% Survival of fish after 96hrs in 100% effluent	fish after 96hrs in	IS 6582 (Part-2):2001

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

REVIEWED AND AUTHORISED BY

Megha Gowda (Dy. TM)

CHECKED BY Divya Gupta

Note 1: This Report is subject to terms & conditions mentioned overleaf.

Note 2: Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in



Test Report

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : ETP Outlet

Sampling By : ENPRO Team-Mr. Nikuni Vaghasiya

NPRO Team-Mr.Nikunj Vaghasiya Qty / Nos of Sample : 5 L / 1 No.

Date of Sampling : 15-01-2025 Packing / Seal : Sealed Sample Received Date : 16-01-2025 Protocol / Purpose : Waste Wester Wester

Date of Starting of Test : 16-01-2025 Protocol / Purpose : Waste Water Analysis

Date of Starting of Test : 16-01-2025 Pale of Completion : 21-01-2025

Date of Starting of Test : 16-01-2025

Sampling Method : WI/WW/A & WI/MI/A

Sample ID : 21-01-2025

: 21-01-2025

RESULT TABLE

_			RESULT TABLE		
S.NO.	TEST PARAMETER	UNIT	RESULT	CETP LIMIT	METHOD REFERENCE
1	PH		7.02(at 25.1°C)	6.5-8.5	IS 3025 (Part-11):2022
2	Colour	Pt. Co.	25	-	APHA 24th Edi. (Part-2000, Section:2120 C) 2023
3	Temperature	°C	31	40	IS 3025 (Part 9) : 2023
4	Total Suspended Solids	mg/L	18.0	300	IS 3025 (Part 17) : 2022
5	Total Dissolved Solids (at 180°C)	mg/L	1860	2100	IS 3025 (Part 16) : 2023
6	Oil & Grease	mg/L	2.0	10	IS 3025 (Part 39) : 2021
7	Chemical Oxygen Demand (COD)	mg/L	58.8	1000	IS 3025 (Part 58) : 2023
8	Biochemical Oxygen Demand (3 Days at 27°C)	mg/L	16.4	400	IS 3025 (Part 44) : 2023
9	Phenolic Compound	mg/L	BDL(<0.2)	1.0	IS 3025 (Part 43/Sec 1) : 2022 Clause
10	Chloride (as CI)	mg/L	137	600	IS 3025 (Part-32):1988
11	Sulphate (as SO ₄)	mg/L	22.7	1000	IS 3025 (Part 24/Sec 1) : 2022 Clause
12	Iron (as Fe)	mg/L	BDL(<0.2)	3.0	IS 3025 (Part- 53):2003 Clause 7
13	Ammonical Nitrogen (as NHs-N)	mg/L	2.4	50	IS 3025 (Part 34):1988 Clause 2

Note: BDL:- Below Detectable Limit

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

Zinal Rathod

REVIEWED AND AUTHORISED BY Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf.

Note 2 ; Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in



Test Report

Format No: QR/7.8/01	Test Report No : TC588525000001716F	Issue Date : 26-02-2025
ULR No : TC588525000001716F	Discipline : Biological	Group : Environment & Pollution

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : ETP Outlet

Sampling By : ENPRO Team-Mr. Vihang Patel Qty / Nos of Sample : 5 L / 1 No.

Date of Sampling : 20-02-2025 Packing / Seal : Sealed

Sample Received Date : 21-02-2025 Protocol / Purpose : Waste Water Analysis

Date of Starting of Test : 21-02-2025

Sampling Method : WI/WW/A & WI/MI/A

Date of Completion : 26-02-2025

Sample ID : 0225/WW01716

RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	CETP LIMIT	METHOD REFERENCE
1	Bio- Assay Test	%		90% Survival of fish after 96hrs in 100% effluent	IS 6582 (Part-2):2001

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

REVIEWED AND AUTHORISED BY Megha Gowda (Dy. TM)

CHECKED BY Divya Gupta

Note 1 : This Report is subject to terms & conditions mentioned overleaf.

Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate. Gate No. 3. Sachin-Palsana Road, Sactor, Surar 394-230, Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.iii



Test Report

Format No: QR/7.8/01	Test Report No : TC588525000001716F	Issue Date: 26-02-2025	
ULR No: TC588525000001716F	Discipline : Chemical	Group : Pollution & Environment	

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : ETP Outlet

Sampling By : ENPRO Team-Mr.Vihang Patel Qly / Nos of Sample : 5 L / 1 No. Date of Sampling : 20-02-2025 Packing / Seal : Sealed

Sample Received Date : 21-02-2025 Protocol / Purpose : Waste Water Analysis

Date of Starting of Test : 21-02-2025
Sampling Method : WI/WW/A & WI/MI/A Sample ID : 0225/WW01716

RESULT TABLE

			LIEGOEI INDEE		
S.NO.	TEST PARAMETER	UNIT	RESULT	CETP LIMIT	METHOD REFERENCE
1	pH	+	7.12(at 25.6°C)	6.5-8.5	IS 3025 (Part-11):2022
2	Colour	Pt. Co.	27	1	APHA 24th Edi. (Part-2000, Section: 2120 C) 2023
3	Temperature	°C	34.4	40	IS 3025 (Part 9) : 2023
4	Total Suspended Solids	mg/L	12.0	300	IS 3025 (Part 17) : 2022
5	Total Dissolved Solids (at 180°C)	mg/L	1844	2100	IS 3025 (Part 16) : 2023
6	Oil & Grease	mg/L	1.6	10	IS 3025 (Part 39) : 2021
7	Chemical Oxygen Demand (COD)	mg/L	49.8	1000	IS 3025 (Part 58) : 2023
8	Biochemical Oxygen Demand (3 Days at 27°C)	mg/L	8.9	400	IS 3025 (Part 44) : 2023
9	Phenolic Compound	mg/L	BDL(<0.2)	1.0	IS 3025 (Part 43/Sec 1) : 2022 Clause
10	Chloride (as CI)	mg/L	287	600	IS 3025 (Part-32):1988
11	Sulphate (as SO ₄)	mg/L	24.9	1000	IS 3025 (Part 24/Sec 1) : 2022 Clause 5
12	Iron (as Fe)	mg/L	BDL(<0.2)	3.0	IS 3025 (Part- 53):2024 Clause 7
13	Ammonical Nitrogen (as NH-N)	mg/L	3.5	50	IS 3025 (Part 34):1988 Clause 2

Note: BDL:- Below Detectable Limit

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

CHECKED BY Zinal Rathod REVIEWED AND AUTHORISED BY Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf.

Note 2: Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ****



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in



Test Report

Format No : QR/7.8/01 Test Report No : TC588525000002762F Issue Date : 22-03-2025

ULR No : TC588525000002762F Discipling : Piclorical

LR No : 1C588525000002762F | Discipline : Biological | Group : Environment & Pollution

Customer's Name & Address Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : ETP Outlet

Sampling By : ENPRO Team-Mr. Vihang Patel Qty / Nos of Sample : 5 L / 1 No.

Sample Received Date : 17-03-2025

Packing / Seal : Sealed
Protocol / Purpose : Waste Wa

Date of Starting of Test : 17-03-2025

Sampling Method : WI/WW/A & WI/MI/A

Protocol / Purpose : Waste Water Analysis

Date of Completion : 22-03-2025

Sample ID : 0325/WW02762

RESULT TABLE

S.NO.	I COLLAWWELEK	UNIT	RESULT	CETP LIMIT	METUOD DESERVE
_	Bio- Assay Test	%	90% Survival of fish after 96hrs in 100% effluent	fish after 96hrs in	IS 6582 (Part-2):2001

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

Divya Gupta

REVIEWED AND AUTHORISED BY

Megha Gowda (Dy. TM)

Note 1 : This Report is subject to terms & conditions mentioned overleaf.

Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in



Test Report

Format No : QR/7.8/01 Test Report No: TC588525000002762F Issue Date: 22-03-2025 ULR No: TC588525000002762F Discipline: Chemical Group: Pollution & Environment

Customer's Name & Address Apple Organics.

Plot No -610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : ETP Outlet

Sampling By : ENPRO Team-Mr. Vihang Patel Qty / Nos of Sample : 5 L / 1 No. Date of Sampling : 15-03-2025

Packing / Seal Sample Received Date : 17-03-2025 : Sealed Protocol / Purpose Date of Starting of Test : 17-03-2025 : Waste Water Analysis

Date of Completion Sampling Method : 22-03-2025 : WI/WW/A& WI/MI/A Sample ID : 0325/WW02762

RESULT TADE

e ue			RESULT TABLE			
S.NO	- TOT I MINMIETER	UNIT	RESULT	CETP LIMIT	METHOD DESCRIPTION	
-	pH	**	7.10(at 24.8°C)	6.5-8.5	METHOD REFERENCE	
2	Colour	Pt. Co.		0.5-6.5	IS 3025 (Part-11):2022	
3	To an analysis of the second	13.00.	20		APHA 24th Edi	
-0	Temperature	°C	30	40	(Part-2000, Section 2120 C) 2023	
4	Total Suspended Solids	rng/L		40	IS 3025 (Part 9) : 2023	
5	Total Dissolved Solids (at 180°C)		24.0	300	IS 3025 (Part 17) : 2022	
6		mg/L	1396	2100	IS 3025 (Part 16) : 2023	
-	Oil & Grease	mg/L	2.0	10		
7	Chemical Oxygen Demand	mg/L	52		IS 3025 (Part 39) : 2021	
	(COD)	gen	32	1000	IS 3025 (Part 58) 2023	
8	Biochemical Oxygen Demand (3 Days at 27°C)	mg/L	15,3	400	IS 3025 (Part 44) : 2023	
9	Phenolic Compound	main III			(1 41) 2023	
	a design a designation	mg/L	BDL(<0.2)	1.0	15 3025 (Part 43/Sec 1) : 2022 Clause	
10	Chloride (as CI)	mg/L	0.11		5	
11	Sulphate (as \$O ₄)		314	600	IS 3025 (Part-32):1988	
22	55 printe (as 504)	mg/L	141	1000	IS 3025 (Part 24/Sec 1) : 2022 Clause	
12	Iron (as Fe)				5 Sozo (Fart 24/3ec 1) : 2022 Clause	
		mg/L	BDL(<0.2)	3.0	IS 3025 (Part- 53):2024 Clause 7	
	Ammonical Nitrogen (as NH-N)	mg/L	22	50		
ote : B	IDL :- Below Detectable Limit			-00	IS 3025 (Part 34).1988 Clause 2	

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

CHECKED BY Zinal Rathod

REVIEWED AND AUTHORISED BY Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf.

Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request. *** End of Report ***

Annexure - 3

Vapi Waste & Effluent Management Co. Ltd.

Registered Office: VIA House, Plot No.135, GIDC, VAPI 396 195, Gujarat. INDIA Tel.: (0260) 2428950 • Telefax: (0260) 2429950 • WEBSITE: www.vapicetp.org E-mail: vwemcl_ad1@sancharnet.in



Ref. No.CSWP_Memb.Certi/1281/13890

December 29, 2009

CSWP Membership No. 274

TO WHOMSOVER IT MAY CONCERN MEMBERSHIP CONFIRMATION CERTIFICATE

This is to certify that M/s. Apple Organics, Plot No. 610, 100 Shed Area, GIDC, Vapi, is a member of Common Solid Waste Project Site. Their Membership No. is 274.

This certificate is issued at the specific request of the above party for submission to GPCB.

For Vapi Waste & Effluent Management Co. Ltd. (CSWP-Site)

K. Shah Vice Chairman

Vapi Waste & Effluent Management Co. Ltd.





Ref. No.CETP_Memb.Certi/1234/13493

October 26, 2009

CETP Membership No. 642

TO WHOMSOVER IT MAY CONCERN MEMBERSHIP CONFIRMATION CERTIFICATE

This is to certify that M/s. Apple Organics, Plot No. 610, 100 Shed, GIDC, Vapi 396 195, is a member of VWEMCL for Common Effluent Treatment Plant. Their Membership No. is 642

This certificate is issued at the specific request of the above party for submission to GPCB.

For Vapi Waste & Effluent Management Co. Ltd.

A. K. Shah

I/c. Managing Director

D:Certy-CETP Certy VD/JGT/VC



VAPI GREEN ENVIRO LIMITED

VIA House, Plot No.135, Char Rasta, GIDC, VAPI - 396 195. Gujarat. INDIA

Mob.: 9714000828 | Tel.: (0260) 2428950, Telefax: (0260) 2429950 | Email: admin@vgelvapi.com

Website: www.vgelvapi.com | www.coevapi.com | CIN: U74210GJ1997GAP031525

Ref. no. VGEL/CMEE-CSD/2020-21/0486

March 25, 2021

To,
Apple Organics,
Plot No:610, 100 Shed Area
GIDC, Vapi 396 195.

Sub:

Booked base volume at CMEE/CSD/MVR facility of CETP for

treating concentrated high TDS/high COD effluent.

Dear Sir,

This is with reference to your letter dated 20.03.2021 requesting for concentrated effluent to be disposed in CMEE/CSD/MVR facility of VGEL as facility user with 10 KLD quantity. We would like to inform you that the requested volume of your unit will be accommodated in CMEE/CSD/MVR facilities of CETP-Vapi.

This is for your kind information and perusal.

Thanking you,

Yours faithfully, For **Vapi Green Enviro Limited**,

Chief Executive Officer

BEIL INFRASTRUCTURE LIMITED



(Formely Known As Bharuch Enviro Infrastructure Limited)

26TH DECEMBER, 2022

TO,
AARTI INDUSTRIES LTD. (APPLE ORGANIC DIVISION)
PLOT NO.610,100, SHED AREA,
GIDC ESTATE, VAPI-396195,
TA - PARDI, DIST - VALSAD.

Sub: Membership Certificate for Common Solid Waste Disposal Facility.

Dear Sir,

We hereby certify that you have become member for the common Solid/Hazardous waste disposal facility developed by **BEIL INFRASTRUCTURE LIMITED** (Formerly known as Bharuch Enviro Infrastructure Ltd), at GIDC, Dahej. You have booked solid waste quantity of **25 MT/Year**. You have also paid your capacity commitment charges. Your Membership No. is **OTH/1077**.

Waste will be accepted after submitting valid authorization of GPCB.

1) Total TSDF Capacity of BEIL Dahej: 1900000 MT

2) Total Consented Capacity: 1900000 MT
3) Total Occupied Capacity: 920264.023 MT

4) Spare Capacity: 979735.97 MT

Thanking you,

Yours faithfully,

For, BEIL Infrastructure Limited (Formerly Known as Bharuch Enviro Infrastructure Ltd)

AUTHORISED SIGNATORY

BEIL INFRASTRUCTURE LIMITED



(Formely Known As Bharuch Enviro Infrastructure Limited)

10th JULY,2020

To,
AARTI INDUSTRIES LTD. (APPLE ORGANIC DIVISION)
PLOT NO.609/610,
100 SHED AREA,
GIDC ESTATE,
VAPI.

Sub: Membership Certificate for Common Incineration Facility.

Dear Sir,

We hereby certify that you have become member for the common incineration facility of **BEIL INFRASTRUCTURE LIMITED** (FORMERLY KNOWN AS BHARUCH ENVIRO INFRASTRUCTURE LTD), at GIDC, Ankleshwar. You have booked quantity of **10 MT/Year**. You have paid Registration fees for common incinerator membership. Your Membership No. is **CI/OBD/262**.

Waste will be accepted after submitting valid authorization of GPCB.

Thanking you,

Yours faithfully,

For, BEIL INFRASTRUCTURE LIMITED

AUTHORISED STONATORY

Second Floor, G.I.D.C. Administrative Office, Plot No C/5/101, Nr. Char Rasta. G.I.D.C. VAPI ,Phone: 2421597

Water Supply Bill

CONSUMER COPY

Party Name :

AARTI INDUSTRIES LTD.

Property:

610 G.I.D.C., VAPI

Category:

Industrial

Size (m.m.):

25

Oct-2024

Connection No: 20838

Bill No :

1350960

Bill Month :

Bill Date :

15-Nov-2024

Account Summary

Last Date Of Payment : 30-Nov-2024

Total Outstanding Amount Total Interest		Gurrent Month's Bill	Total Amt. Payable By 30-Nov-2024	
Total Outstanding Amount	57.534	Rs 25697.00	Rs.25696.00	
Rs0.11	Rs.0.00	RS.25097.00	1(0,2000)	

Last Bill Pay Amount: 35298.00

Last Bill Pay Date : 22-Oct-2024

Current I	Month's	Bill
-----------	---------	------

Normal Meter Status : HEMANSHU HALPATI Reader Name

ReadingDateTime	21-Oct-2024 9:27 am
Current Reading in KL	38260
Previous Reading in KL	37797
Consumption in KL	463
Rate / KL	Rs.55.50
Normal Water Usages Charge	Rs.25697.00
Access Water Usages Charge	Rs.0.00
Fix Charges	Rs.17000.00
Penalty	Rs.0.00
Adjustment	Rs.0.00
Remarks	

Your Account Details

Outstanding	Na0.11
nterest	Rs 0.00
Penul Interest	Rs 0.00
Current Month's Bill	Rs.25697 00
Striet Month 2 City	De 25696 00

Gross Amount

Current Month's Bill

Rs.25697.00

Not Amount

RS 25696 00

Scan the QR to Download Our Mobile App



Deputy Engineer (W/S) N.A GIDC , Vapi

*Important Note:

- ->For on-line Billing and Payment system, Please provide your latest Mobile number and Email ID by registering on our website www.notifiedarea.org
- ->Please follow below steps for registration

Login(Top right corner of Menu)-> New Register -> Select Notified Area Vapi -> Connection No -> Last Bill No. -> Latest Mobile No. & Email ID. -> Verify -> Enter New Password and Register

Office Timings: 10:30 AM to 2:00 PM and 2:30 PM to 5:30 PM (Govt. Working Days)

(CASH PAYMENT ONLY UP TO RS.1000 WILL BE ACCEPTED UP TO 3:00 PM)

Address:

Second Floor, G.I.D.C. Administrative Office, Plot No C/5/101, Nr. Char Rasta. G.I.D.C. VAPI ,Phone: 2421597

Water Supply Bill

CONSUMER COPY

Party Name : AARTI INDUSTRIES LTD.

Property:

610 G.I.D.C., VAPI

Category:

Remarks

Industrial

Size (m.m.):

Connection No: 20838

Last Date Of Payment: 31-Dec-2024

Bill No :

1354889

Bill Month:

Nov-2024

Bill Date :

16-Dec-2024

Total Outstanding Amount	Total Interest	Current Month's Bill	Total Amt. Payable By 31-Dec-2024		
	Rs 0 00	Rs.32079.00	Rs.32078.00		
Rs -0.61	Rs.0.00	Rs.32079.00	17 31 22		

Account Summan

Rs.-0.61 Last Bill Pay Amount: 25697.00

Last Bill Pay Date: 26-Nov-2024

Current Month's Bill		Your Account Detail
Motor Status :	Normal	Outstanding

Meter Status : HEMANSHU HALPATI Reader Name 21-Nov-2024 11:03 am ReadingDateTime 38838 Current Reading in KL 38260 Previous Reading in KL

578 Consumption in KL Rs.55.50 Rate / KL Rs.32079.00 Normal Water Usages Charge

Access Water Usages Charge Fix Charges Penalty Adjustment

interest

Penal Interest Current Month's Bill

Gross Amount

Rs. 0.00 Rs 0 00 Rs.32079 00

Rs 32078.00

Rs-0.61

Rs.0.00 Rs.17000:00 Rs 0.00

Rs.0.00

Rs.32079.00

Net Amount

RS 32078 00

Scan the QR to Download Our Mobile App



Deputy Engineer (W/S) N.A GIDC , Vapi

*Important Note:

Current Month's Bill

- ->For on-line Billing and Payment system, Please provide your latest Mobile number and Email ID by registering on our website www.notifiedarea.org.
- ->Please follow below steps for registration

Login(Top right corner of Menu)-> New Register -> Select Notified Area Vapi -> Connection No -> Last Bill No. -> Latest Mobile No. & Email ID. -> Verify -> Enter New Password and Register

Office Timings: 10:30 AM to 2:00 PM and 2:30 PM to 5:30 PM (Govt. Working Days)

(CASH PAYMENT ONLY UP TO RS. 1000 WILL BE ACCEPTED UP TO 3:00 PM)

Address:

Second Floor, G.I.D.C. Administrative Office, Plot No C/5/101, Nr. Char Rasta. G.I.D.C. VAPI , Phone: 2421597

Water Supply Bill

CONSUMER COPY

AARTI INDUSTRIES LTD. Party Name :

Property:

610 G.I.D.C., VAPI

Category: Industrial

Size (m.m.):

25

Connection No: 20838

Last Date Of Payment: 31-Jan-2025

Bill No :

1361584

Bill Month:

Dec-2024

Bill Date:

16-Jan-2025

	700	oute outtoning	224, 244, 211, 311, 311, 311, 411, 411, 411, 411, 4
Total Outstanding Amount	Total Interest	Current Month's Bill	Total Amt. Payable By 31-Jan-2025
Rs0.61	Rs.0.00	Rs.27362,00	Rs.27361.00

Account Cumman

Last Bill Pay Amount: 32079.00

Last Bill Pay Date: 26-Dec-2024

Current Month's Bill

Mater Status . HEMANSHU HALPATI Reader Name 21-Dec-2024 9:55 am ReadingDateTime Current Reading in KL Previous Reading in KL Consumption in KL Rate / KL

Normal Outstanding Interest

> 39331 38838

493 Rs.55.50

Rs.0.00

Rs.0.00

Rs.27362.00 Normal Water Usages Charge Rs.0.00 Access Water Usages Charge Rs.17000.00

Fix Charges Penalty Adjustment

Remarks:

Your Account Details

Penal Interest

Current Month's Bill

Gross Amount

Rs.-0.61

Rs. 0.00

Rs.0.00 Rs.27362.00

Rs.27361.00

Current Month's Bill

Rs.27362.00

Net Amount

RS.27361.00

Scan the QR to Download Our Mobile App



Deputy Engineer (W/S) N.A GIDC , Vapi

*Important Note:

- -> For on-line Billing and Payment system, Please provide your latest Mobile number and Email ID by registering on our website www.notifiedarea.org.
- ->Please follow below steps for registration

Login(Top right corner of Menu)-> New Register -> Select Notified Area Vapi -> Connection No -> Last Bill No. -> Latest Mobile No. & Email ID. -> Verify -> Enter New Password and Register

> Office Timings: 10:30 AM to 2:00 PM and 2:30 PM to 5:30 PM (Govt. Working Days) (CASH PAYMENT ONLY UP TO RS.1000 WILL BE ACCEPTED UP TO 3:00 PM)

Address:

Second Floor, G.I.D.C. Administrative Office, Plot No C/5/101, Nr. Char Rasta. G.I.D.C. VAPI ,Phone: 2421597

Water Supply Bill

CONSUMER COPY

Party Name: AARTI INDUSTRIES LTD.

Property:

610 G.I.D.C., VAPI

Category: Industrial

Size (m.m.):

Connection No: 20838

BIII No: 1365199

Bill Month:

Jan-2025

Bill Date :

13-Feb-2025 Last Date Of Payment: 28-Feb-2025

	Pro-	oute administral	
Total Outstanding Amount Total Interest		Current Month's Bill	Total Amt. Payable By 28-Feb-2025
Rs0.11 Rs.0.00		Rs.22755.00	Rs.22755.00

Last Bill Pay Amount: 27361.00

Current Month's Bill

Meter Status:

Reader Name

ReadingDateTime

Consumption in KL

Current Reading in KL

Previous Reading in KL

Last Bill Pay Date: 22-Jan-2025

Your Account Details

Rs.-0.11 Outstanding Rs. 0.00

21-Jan-2025 11:17 am Penal Interest

Current Month's Bill 39331 Gross Amount

Interest

Rs.0.00 Rs 22755.00 Rs.22755.00

410 Pe 55 50

HEMANSHU HALPATI.

Rate / KL Normal Water Usages Charge Access Water Usages Charge

Rs.22755.00 Rs.0.00

Normal

Rs.17000.00 Rs.0.00 Rs.0.00

Adjustment Remarks:

Current Month's Bill

Fix Charges

Penalty

Rs.22755.00

Not Amount

RS.22755.00

Scan the QR to Download Our Mobile App



Deputy Engineer (W/S) N.A GIDC , Vapi

*Important Note:

- ->For on-line Billing and Payment system, Please provide your latest Mobile number and Email ID by registering on our website www.notifiedarea.org.
- ->Please follow below steps for registration

Login(Top right corner of Menu)-> New Register -> Select Notified Area Vapi -> Connection No -> Last Bill No. -> Latest Mobile No. & Email ID. -> Verify -> Enter New Password and Register

Office Timings: 10:30 AM to 2:00 PM and 2:30 PM to 5:30 PM (Govt. Working Days)

(CASH PAYMENT ONLY UP TO RS, 1000 WILL BE ACCEPTED UP TO 3:00 PM)

Address:

Second Floor, G.I.D.C. Administrative Office, Plot No C/5/101, Nr. Char Rasta. G.I.D.C. VAPI ,Phone: 2421597

Water Supply Bill

CONSUMER COPY

Party Name: AARTI INDUSTRIES LTD.

Property:

Bill No:

328

610 G.I.D.C., VAPI

Category: Industrial

1367894

Size (m.m.): 25

Bill Month: Feb-2025

HEMANSHU HALPATI

19-Feb-2025 11:30 am

40142

39741

Rs.0.00

Rs.0.00

Connection No: 20838

Bill Date :

14-Mar-2025

Account Summary

Last Date Of Payment: 29-Mar-2025

Total Outstanding Amount	Total Interest	Gurrent Month's Bill	Total Amt. Payable By 29-Mar-2025
Rs0.11	Rs.0.00	Rs.22256.00	Rs.22255.00

Last Bill Pay Amount: 22755.00

Current Month's Bill

Motor Status :

Reader Name

ReadingDateTime

Current Reading in KL.

Previous Reading in KL

Last Bill Pay Date: 21-Feb-2025

Your Account Details

Outstanding Interest

Penal Interest Current Month's Bill

Rs. 0.00 Rs.0.00 Rs.22256.00

Gross Amount

Rs.22255.00

Rs-0.11

401 Consumption in KL Pe 55 50 Rate / KL Rs.22256.00 Normal Water Usages Charge Rs.0.00 Access Water Usages Charge Rs.17000.00

Fix Charges Penalty Adjustment

Remarks:

Current Month's Bill

Rs.22256.00

Net Amount

RS.22255.00

Scan the QR to Download Our Mobile App



Deputy Engineer (W/S) N.A GIDC , Vapi

*Important Note:

- ->For on-line Billing and Payment system, Please provide your latest Mobile number and Email ID by registering on our website www.notifiedarea.org.
- ->Please follow below steps for registration Login(Top right corner of Menu)-> New Register -> Select Notified Area Vapi -> Connection No -> Last Bill No. -> Latest Mobile No. & Email ID. -> Verify -> Enter New Password and Register

Office Timings: 10:30 AM to 2:00 PM and 2:30 PM to 5:30 PM (Govt. Working Days) (CASH PAYMENT ONLY UP TO RS.1000 WILL BE ACCEPTED UP TO 3:00 PM)

Ground Floor, GIDC Administrative Building, Plot No. C5/101, Near Telephone Exchange, Char Rasta, GIDC Vapi.

07-Mar-2025 11:58:15 AM

Second Floor, G.I.D.C. Administrative Office, Plot No C/5/101, Nr. Char Rasta, G.I.D.C. VAPI, Phone: 2421597

Water Supply Bill

CONSUMER COPY

Party Name: AARTI INDUSTRIES LTD.

Property:

Bill No :

610 G.I.D.C., VAPI

Category: Industrial

Size (m.m.):

1374595

Bill Month:

Mar-2025

Connection No: 20838

Bill Date :

15-Apr-2025

A CCC	ARST.	152.81	uron	0.00	LP .
Accou	4111	-34	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	mar.	w.

Last Date Of Payment: 30-Apr-2025

Total Outstanding Amount	Total Interest	Current Month's Bill	Total Amt. Payable By 30-Apr-2025
Rs0.61	Rs.0.00	Rs.25086,00	Rs.25085.00

Last Bill Pay Amount: 22255.00

Access Water Usages Charge

Current Month's Bill	
Meter Status :	Normal
Reader Name	HEMANSHU HALPATI
ReadingDateTime	21-Mar-2025 10:53 am
Current Reading in KL	40594
Previous Reading in KL	40142
Consumption in KL	452
Rate / KL	Rs.55.50
Normal Water Usages Charge	Rs.25086.00

	Your	Account	Details
1		The same	

Interest Penal Interest

Current Month's Bill Gross Amount

Last Bill Pay Date: 25-Mar-2025

Rs.0 00 Rs.25086.00

Rs.25085.00

Rs.-0.61 Rs. 0.00

Rs.17000.00 Rs.0.00 Rs.0.00

Rs.0.00

Adjustment Remarks:

Fix Charges

Penalty

Current Month's Bill

Rs.25086.00

Net Amount

RS.25085.00

Scan the QR to Download Our Mobile App



Deputy Engineer (W/S) N.A GIDC , Vapi

*Important Note:

- ->For on-line Billing and Payment system, Please provide your latest Mobile number and Email ID by registering on our website www.notifiedarea.org.
- ->Please follow below steps for registration

Login(Top right corner of Menu)-> New Register -> Select Notified Area Vapi -> Connection No -> Last Bill No. -> Latest Mobile No. & Email ID. -> Verify -> Enter New Password and Register

Office Timings: 10:30 AM to 2:00 PM and 2:30 PM to 5:30 PM (Govt. Working Days)

(CASH PAYMENT ONLY UP TO RS.1000 WILL BE ACCEPTED UP TO 3:00 PM)

Address:



Annexure-5 ENPRO Enviro Tech and Engineers Pvt. Ltd.

Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in



Test Report

Format No: QR/7.8/01 Test Report No : TC588524000009741F Issue Date: 16-10-2024 ULR No: TC588524000009741F Discipline: Chemical Group: Atmospheric Pollution

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Stack attached to Boiler (2 MT/Hr)

Sampling By : ENPRO Team-Mr.Nikunj Vaghasiya

Date of Sampling : 11-10-2024

Sample Received Date : 12-10-2024

Date of Starting of Test : 12-10-2024 Sampling Method : WI/ST/A **Duration Sampling** : 60 min.

Qty / Nos of Sample : 1 / 1 No.

Packing / Seal : Sealed

Protocol / Purpose : Stack Gas Analysis

Date of Completion : 14-10-2024 Sample ID : 1024/ST09741 Fuel : Natural Gas

RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	DEGUUE		
1	Stack Height	UNIT	RESULT	GPCB LIMIT	METHOD REFERENCE
•		m	11	-	THE PRESENCE
2	Stack Diameter	m	0.60		-
3	StackTemperature			-	-
A		°C	84	-	IS 11255 (Part-3):2021
4	Velocity	m/s	4.00		
5	Flow Rate	Nm³/hr	3649		IS 11255 (Part-3):2021
6	Particulate Matter (PM)			17	IS 11255 (Part-3):2008
		mg/Nm³	8.9	150	IS 11255 (Part-1):1985
	Sulphur Dioxide (SO ₂)	ppm	10.5	100	
8	Oxides of Nitrogen (as NO ₂)	nom	1000		IS 11255 (Part-2):1985
	341 (45 1102)	ppm	19.1	50	IS 11255 (Part-7):2005

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

Zinal Rathod

REVIEWED AND AUTHORISED BY

Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf. Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Test Report

Format No: QR/7.8/01	20.0	
70mat No : QR/7.8/01	Test Report No: ETL/004870/24	Issue Date : 16-10-2024
ULR No: N.A.	Discipline : Chemical	
		Group : Atmospheric Pollution

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Fuel

Description of Sample : Stack attached to Boiler (2 MT/Hr)

Sampling By

: ENPRO Team-Mr. Nikunj Vaghasiya Qty / Nos of Sample : 1 / 1 No. Date of Sampling : 11-10-2024

Packing / Seal : Sealed Sample Received Date : 12-10-2024 Protocol / Purpose : Stack Gas Analysis

Date of Starting of Test : 12-10-2024 Date of Completion : 14-10-2024 Sampling Method : WI/ST/A Sample ID : 1024/ST09741 **Duration Sampling** : 60 min.

RESULT TABLE

CNO	water a track to the				
S.NO.	TEST PARAMETER	UNIT	RESULT	GPCB LIMIT	METHOD REFERENCE
1	VOC	mg/Nm³	BDL(<1)		
Mate D	DI - B-I B-I - I I I	mgam	DDL(~1)	-	SOP NoWI/ST/44-03

Note: BDL: Below Detectable Limit

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

CHECKED BY Zinal Rathod

REVIEWED AND AUTHORISED BY Sweety Patel (Dy. TM)

: Natural Gas

Note 1: This Report is subject to terms & conditions mentioned overleaf. Note 2: Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in



Test Report

Format No : QR/7.8/01	Test Report No : TC588524000009742F	Issue Date : 16-10-2024
ULR No: TC588524000009742F	Discipline : Chemical	Group : Atmospheric Pollution
		Group : Atmospheric Pollution

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Stack attached to DG 250 KVA

Sampling By : ENPRO Team-Mr.Nikunj Vaghasiya Qty / Nos of Sample : 1 / 1 No.

Date of Sampling : 11-10-2024 Packing / Seal : Sealed
Sample Received Date : 12-10-2024 Project / Purpose : Steek C

Date of Starting of Test : 12-10-2024 Protocol / Purpose : Stack Gas Analysis

Date of Completion : 14-10-2024

Sampling Method : WI/ST/A Sample ID : 10-2024

14-10-2024

Sample ID : 1024/ST09742

Duration Sampling : 60 min. Fuel : Diesel

RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	GPCB LIMIT	METHOD REFERENCE
1	Stack Height	m	11		METHOD REFERENCE
2	Stack Diameter	m	0.84		
3	StackTemperature	°C	119		IS 11255 (Part-3):2021
4	Velocity	m/s	8.40	-	IS 11255 (Part-3):2021
	Flow Rate	Nm³/hr	12404	-	IS 11255 (Part-3):2008
	Particulate Matter (PM)	mg/Nm³	80.7	150	IS 11255 (Part-1):1985
	Sulphur Dioxide (SO ₂)	ppm	23.7	100	IS 11255 (Part-2):1985
8	Oxides of Nitrogen (as NO ₂)	ppm	29.6	50	IS 11255 (Part-7):2005

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

CHECKED BY Zinal Rathod

REVIEWED AND AUTHORISED BY Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf.

Note 2: Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Test Report

Format No: QR/7.8/01	Test Report No: ETL/004676/24	Issue Date : 16-10-2024
ULR No: N.A.	Discipline : Chemical	Group : Atmospheric Pollution
		ordap : Admospheric Foliution

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Stack attached to DG 250 KVA

Sampling By

: ENPRO Team-Mr. Nikunj Vaghasiya

Date of Sampling : 11-10-2024 Sample Received Date : 12-10-2024

Date of Starting of Test : 12-10-2024 Sampling Method

Duration Sampling

: WI/ST/A : 60 min.

Qty / Nos of Sample : 1 / 1 No.

Packing / Seal : Sealed : Stack Gas Analysis

Protocol / Purpose Date of Completion

: 14-10-2024

Sample ID Fuel

: 1024/ST09742 : Diesel

RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	GPCB LIMIT	METHOD REFERENCE
1	VOC	mg/Nm³	BDL(<1)	-	SOP NoWI/ST/44-03
into D	DI - Delem B				001 140441/21/44-03

Note: BDL:- Below Detectable Limit

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

CHECKED BY Zinal Rathod

REVIEWED AND AUTHORISED BY

Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf. Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in



Test Report

Format No : QR/7.8/01 Test Report No : TC588524000010729F Issue Date : 19-11-2024

ULR No : TC588524000010729F Discipline : Chemical Group : Atmospheric Pollution

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad,

Description of Sample : Stack attached to Boiler (2 MT/Hr)

Sample Received Date : 13-11-2024 Protocol / Purpose : Stack Gas Analysis

Date of Starting of Test : 13-11-2024
Sampling Method : WI/ST/A Sample ID : 1124/ST10729
Duration Sampling : 60 min. Fuel : Natural Gas

STACK DETAILS :

Zinal Rathod

Stack Height m	Stack Diameter m	StackTemperature °C	Velocity m/s	Flow Rate Nm³/hr
11	0.60	90	4.30	3916

RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	GPCB LIMIT	METHOD REFERENCE
1	Particulate Matter (PM)	mg/Nm ³	11.0	150	IS 11255 (Part-1):1985
2	Sulphur Dioxide (SO ₂)	ppm	9.6	100	IS 11255 (Part-2):1985
3	Oxides of Nitrogen (as NO ₂)	ppm	15.4	50	IS 11255 (Part-7):2005

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

REVIEWED AND AUTHORISED BY Chintan Desai (TM)

Note 1 : This Report is subject to terms & conditions mentioned overleaf.

Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Test Report

Format No: QR/7.8/01	Test Report No : ETL/005402/24	Issue Date : 19-11-2024	
ULR No: N.A.	Discipline : Chemical	Group : Atmospheric Pollution	

Customer's Name & Address: Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample

: Stack attached to Boiler (2 MT/Hr)

Sampling By

: ENPRO Team-Mr. Vihang Patel

Date of Sampling

: 12-11-2024

Sample Received Date : 13-11-2024 Date of Starting of Test : 13-11-2024

Sampling Method **Duration Sampling**

: WI/ST/A : 60 min.

Qty / Nos of Sample : 1 / 1 No.

Packing / Seal : Sealed

Protocol / Purpose

: Stack Gas Analysis

Date of Completion Sample ID

: 14-11-2024 : 1124/ST10729

Fuel

: Natural Gas

STACK DETAILS:

Stack Height m	Stack Diameter m	StackTemperature °C	Velocity m/s	Flow Rate Nm³/hr
11	0.60	90	4,30	3916

RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	GPCB LIMIT	METHOD REFERENCE
1	VOC	mg/Nm³	BDL(<1)	-	SOP NoWI/ST/44-03

Note - BDL :- Below Detectable Limit

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

CHECKED BY Zinal Rathod

REVIEWED AND AUTHORISED BY Chintan Desai (TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf. Note 2: Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in



Test Report

Format N	o: QR/7.8/01	Test Report No : TC588524000010730F	Issue Date: 19-11-2024
ULR No:	TC588524000010730F	Discipline : Chemical	Group : Atmospheric Pollution

Customer's Name & Address : Apple Organics.

Zinal Rathod

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Stack attached to DG 250 KVA

Sampling By : ENPRO Team-Mr. Vihang Patel Qty / Nos of Sample : 1 / 1 No. Date of Sampling : 12-11-2024 Packing / Seal : Sealed

Sample Received Date : 13-11-2024 Protocol / Purpose : Stack Gas Analysis

Date of Starting of Test : 13-11-2024 Date of Completion : 14-11-2024

Sampling Method : WI/ST/A Sample ID : 1124/ST10730

Duration Sampling : 60 min. Fuel : Diesel

STACK DETAILS : Stack Height m Stack Diameter m StackTemperature °C Flow Rate Nm3/hr Velocity m/s 0.84 110 9.40 14301

RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	GPCB LIMIT	METHOD REFERENCE
1	Particulate Matter (PM)	mg/Nm³	82.6	150	IS 11255 (Part-1) 1985
2	Sulphur Dioxide (SO ₂)	ppm	26.8	100	IS 11255 (Part-2):1985
3	Oxides of Nitrogen (as NO ₂)	ppm	31.8	50	IS 11255 (Part-7):2005

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

REVIEWED AND AUTHORISED BY Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions montioned overleaf. Note 2: Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Test Report

Format No: QR/7.8/01	Test Report No: ETL/005161/24	Issue Date : 19-11-2024	
ULR No: N.A.	Discipline : Chemical	Group : Atmospheric Pollution	

Customer's Name & Address: Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Stack attached to DG 250 KVA

Sampling By

Qty / Nos of Sample : 1 / 1 No. : ENPRO Team-Mr. Vihang Patel

Packing / Seal Date of Sampling : 12-11-2024 : Sealed Protocol / Purpose : Stack Gas Analysis Sample Received Date: 13-11-2024

Date of Starting of Test : 13-11-2024 Date of Completion : 14-11-2024 : 1124/ST10730 : WI/ST/A Sampling Method Sample ID

Duration Sampling Fuel : Diesel : 60 min.

STACK DETAILS :	ACK DETAILS:					
Stack Height m	Stack Diameter m	StackTemperature °C	Velocity m/s	Flow Rate Nm³/hr		
11	0.84	110	9.40	14301		

RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	GPCB LIMIT	METHOD REFERENCE
1	VOC	mg/Nm³	BDL(<1)	-	SOP NoWI/ST/44-03

Note: BDL:- Below Detectable Limit

CHECKED BY

Zinal Rathod

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

REVIEWED AND AUTHORISED BY

Sweety Patel (Dv. TM)

Note 1: This Report is subject to terms & conditions mentioned overloaf.

Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3. Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in



TC - 5885

Test Report

Format No : QR/7.8/01	Test Report No : TC588524000012116F	Issue Date : 18-12-2024
ULR No : TC588524000012116F	Discipline : Chemical	Group : Atmospheric Pollution
		-ioob i intitiospilotto i olidilott

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Stack attached to Boiler (2 MT/Hr)

Sampling By : ENPRO Team-Mr. Vibana Batal

ENPRO Team-Mr. Vihang Patel Qty / Nos of Sample : 1 / 1 No. 12-12-2024 Packing / Seal : Sandad

Date of Sampling : 12-12-2024 Packing / Seal : Sealed Sample Received Date : 13-12-2024 Protocol / Purpose : Stack G

Date of Starting of Test : 13-12-2024 Protocol / Purpose : Stack Gas Analysis

Date of Completion : 14-12-2024

Sampling Method : WI/ST/A Sample ID : 1224/ST12116

Duration Sampling : 60 min. Fuel : Natural Gas

STACK DETAILS:

Stack Height m	Stack Diameter m	StackTemperature *C	Velocity m/s	Flow Rate Nm³/hr
11	0.60	85	3.80	3517

RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	GPCB LIMIT	METHOD REFERENCE
1	Particulate Matter (PM)	Town or Children Ti	10.0		
	the second secon	mg/Nm³	10.6	150	IS 11255 (Part-1):1985
2	Sulphur Dioxide (SO ₂)	ppm	11.4	100	
		ppiii	14.4	100	IS 11255 (Part-2):1985
3	Oxides of Nitrogen (as NO ₂)	ppm	18.5	50	IC 112EE (Ded 7) 200E
		12.0	1010	0.0	IS 11255 (Part-7):2005

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

CHECKED BY Zinal Rathod

REVIEWED AND AUTHORISED BY

Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf.

Note 2: Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230, Guiarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Test Report

Format No : QR/7.8/01 Test Report No: ETL/005839/24 Issue Date: 18-12-2024

ULR No: N.A. Discipline: Chemical Group: Atmospheric Pollution

Customer's Name & Address: Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Stack attached to Boiler (2 MT/Hr)

Sampling By

: ENPRO Team-Mr. Vihang Patel Qty / Nos of Sample : 1 / 1 No.

Date of Sampling : 12-12-2024 Packing / Seal : Sealed Sample Received Date : 13-12-2024 Protocol / Purpose : Stack Gas Analysis

Date of Starting of Test : 13-12-2024 Date of Completion : 14-12-2024 Sampling Method : WI/ST/A Sample ID : 1224/ST12116

Duration Sampling : 60 min. Fuel : Natural Gas STACK DETAILS :

Stack Height m Stack Diameter m StackTemperature °C Velocity m/s Flow Rate Nm3/hr 11 0.60 85 3.80 3517

RESULT TABLE

S.NO. TEST PARAMETER UNIT RESULT **GPCB LIMIT** METHOD REFERENCE VOC mg/Nm3 BDL(<1) SOP No.-WI/ST/44-03

Note: BDL:- Below Detectable Limit

CHECKED BY

Zinal Rathod

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

REVIEWED AND AUTHORISED BY Sweety Patel (Dv. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf.

Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request. *** End of Report ***



STACK DETAILS .

ENPRO Enviro Tech and Engineers Pvt. Ltd.

Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in



TC - 5885

Test Report

Format No: QR/7.8/01	Test Report No : TC588524000012117F	Issue Date : 18-12-2024
ULR No: TC588524000012117F	Discipline : Chemical	Group: Atmospheric Pollution

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Stack attached to DG 250 KVA

Sampling By : ENPRO Team-Mr Vihang Patel

ENPRO Team-Mr. Vihang Patel Qty / Nos of Sample : 1 / 1 No. 12-12-2024 Packing / Seal : Spaled

Sample Received Date : 13-12-2024 Protocol / Purpose : Stack Gas Analysis

Date of Starting of Test : 13-12-2024 Date of Completion : 14-12-2024

Sampling Method : WI/ST/A Sample ID : 1224/ST12117

Duration Sampling : 60 min. Fuel : Diesel

TACK DETAILS .				
Stack Height m	Stack Diameter m	StackTemperature *C	Velocity m/s	Flow Rate Nm³/hr
11	0.84	120	8.80	13093

RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	GPCB LIMIT	METHOD REFERENCE
1	Particulate Matter (PM)	mg/Nm ³	77.0	150	IS 11255 (Part-1):1985
2	Sulphur Dioxide (SO ₂)	ppm	24.6	100	IS 11255 (Part-2) 1985
3	Oxides of Nitrogen (as NO ₂)	ppm	30.3	50	IS 11255 (Part-7):2005

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

Zinal Rathod

REVIEWED AND AUTHORISED BY Sweety Patel (Dy. TM)

Note 1 : This Report is subject to terms & conditions mentioned overleaf.

Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230, Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Test Report

Format No: QR/7.8/01 Test Report No: ETL/001135/24 Issue Date: 18-12-2024 ULR No: N.A. Discipline: Chemical Group: Atmospheric Pollution

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Stack attached to DG 250 KVA

Sampling By : ENPRO Team-Mr. Vihang Patel

Date of Sampling : 12-12-2024

Sample Received Date : 13-12-2024 Date of Starting of Test : 13-12-2024

Sampling Method **Duration Sampling**

: WI/ST/A : 60 min.

Qty / Nos of Sample : 1 / 1 No.

Packing / Seal Protocol / Purpose

: Sealed

Date of Completion

: Stack Gas Analysis : 14-12-2024

Sample ID

: 1224/ST12117

Fuel

: Diesel

STACK DETAILS :

Stack Height m	Stack Diameter m	01-17		
dd.	Stack Diameter m	StackTemperature °C	Velocity m/s	Flow Rate Nm³/hr
77	0.84	120		TION TIQUE WITH THE
		120	8.80	13093

RESULT TABLE

S.NO. TEST PARAMETED				
TEOT PARAMETER	UNIT	RESULT	GPCB LIMIT	METHOD REFERENCE
1 VOC	mg/Nm³	DOL (-4)		METHOD KEPEKENCE
Note : BDI :- Balaw Datastable Limit	mg/xm	BDL(<1)		SOP NoWI/ST/44-03

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

Zinal Rathod

REVIEWED AND AUTHORISED BY

Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf. Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in



Test Report

Format No: QR/7.8/01 Test Report No: TC588525000000485F Issue Date: 22-01-2025 ULR No: TC588525000000485F Discipline: Chemical Group: Atmospheric Pollution

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Stack attached to Boiler (2 MT/Hr)

Sampling By : ENPRO Team-Mr. Nikunj Vaghasiya

Date of Sampling : 15-01-2025

Sample Received Date : 16-01-2025 Date of Starting of Test : 16-01-2025

Sampling Method : WI/ST/A **Duration Sampling** : 60 min.

Qty / Nos of Sample : 1 / 1 No.

Packing / Seal : Sealed

Protocol / Purpose : Stack Gas Analysis

Date of Completion : 17-01-2025 Sample ID : 0125/ST00485

Fuel

: Natural Gas

STACK DETAILS:

Stack Height m	Stack Diameter m	StackTemperature °C	Velocity m/s	Flow Rate Nm³/hr
11	0.60	90	3.40	3081

S.NO.	i mai i caracinim i mix	UNIT	RESULT	GPCB LIMIT	METHOD REFERENCE
_	Particulate Matter (PM)	mg/Nm³	9.4	150	IS 11255 (Part-1):1985
2	Sulphur Dioxide (SO ₂)	ppm	11.0	100	IS 11255 (Part-2):1985
3	Oxides of Nitrogen (as NO ₂)	ppm	17,3	50	IS 11255 (Part-7):2005

Zinal Rathod

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

REVIEWED AND AUTHORISED BY Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf. Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230, Guiarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Test Report

Format No: QR/7.8/01 Test Report No: ETL/000194/25-Issue Date: 22-01-2025 ULR No: N.A. Discipline: Chemical Group: Atmospheric Pollution

Customer's Name & Address: Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Stack attached to Boiler (2 MT/Hr)

Sampling By : ENPRO Team-Mr. Nikunj Vaghasiya Date of Sampling

: 15-01-2025

Sample Received Date : 16-01-2025 Date of Starting of Test : 16-01-2025

Sampling Method : WI/ST/A

Duration Sampling : 60 min. Qty / Nos of Sample : 1 / 1 No.

Packing / Seal : Sealed

Protocol / Purpose

Date of Completion : 17-01-2025

Sample ID

: 0125/ST00485

: Stack Gas Analysis

Fuel : Natural Gas

STACK DETAILS:

O1 1 mi			
	StackTemperature °C	Velocity m/s	Flow Rate Nm³/hr
0.60	90	3.40	3081
	Stack Diameter m 0.60	A de	velocity in s

RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	GPCB LIMIT	METHOD REFERENCE
1	VOC	mg/Nm³	BDL(<1)	-	
Mate . D	DI - Balana Batanta Li Li II		, ,,		SOP NoWI/ST/44-03

Note: BDL: Below Detectable Limit

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

CHECKED BY Zinal Rathod

REVIEWED AND AUTHORISED BY Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf. Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in



- 5885

Test Report

Format No: QR/7.8/01	Test Report No : TC588525000000486F	Issue Date : 22-01-2025
ULR No: TC588525000000486F	Discipline : Chemical	Group : Atmospheric Pollution

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Stack attached to DG 250 KVA

Sampling By : ENPRO Team-Mr.Nikunj Vaghasiya Qty / Nos of Sample : 1 / 1 No.

Date of Sampling : 15-01-2025 Packing / Seal : Sealed

Sample Received Date : 16-01-2025 Protocol / Purpose : Stack Gas Analysis

Date of Starting of Test : 16-01-2025

Date of Completion : 17-01-2025 Sampling Method : WI/ST/A Sample ID : 0125/ST00486

Duration Sampling : 60 min. Fuel : Diesel

STACK DETAILS:

Stack Height m	Stack Diameter m	StackTemperature °C	Velocity m/s	Flow Rate Nm³/hr
11	0.84	116	9.10	13645

RESULT TABLE

S.NO.		UNIT	RESULT	GPCB LIMIT	METHOD REFERENCE
_	Particulate Matter (PM)	mg/Nm³	80.6	150	IS 11255 (Part-1):1985
2	Sulphur Dioxide (SO ₂)	ppm	27.7	100	IS 11255 (Part-2):1985
3	Oxides of Nitrogen (as NO ₂)	ppm	32.9	50	IS 11255 (Part-7):2005

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

REVIEWED AND AUTHORISED BY

Sweety Patel (Dy. TM)

Zinal Rathod

Note 1: This Report is subject to terms & conditions mentioned overleaf. Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230, Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Test Report

Format No: QR/7.8/01	Test Report No: ETL/000195/25-	Issue Date : 22-01-2025
ULR No: N.A.	Discipline : Chemical	Group : Atmospheric Pollution

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Stack attached to DG 250 KVA

Sampling By

: ENPRO Team-Mr. Nikunj Vaghasiya

Date of Sampling : 15-01-2025

Sample Received Date : 16-01-2025

Date of Starting of Test : 16-01-2025 Sampling Method : WI/ST/A

Duration Sampling : 60 min. Qty / Nos of Sample : 1 / 1 No.

Packing / Seal : Sealed

Protocol / Purpose : Stack Gas Analysis

Date of Completion

: 17-01-2025

Sample ID

: 0125/ST00486

Fuel

: Diesel

STACK DETAILS:

Stack Height m	Stack Diameter m	StackTemperature "C	Velocity m/s	Flow Rate Nm³/hr
11	0.84	116	9.10	13645

RESULT TABLE

S.NO. TEST PARAMETER	UNIT	RESULT	GPCB LIMIT	METHOD REFERENCE
1 VOC	mg/Nm³	BDL(<1)	1	SOP NoWI/ST/44-03

Note: BDL:- Below Detectable Limit

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

CHECKED BY Zinal Rathod

REVIEWED AND AUTHORISED BY Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf. Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3. Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in



Test Report

Format No: QR/7.8/01	Test Report No : TC588525000001717F	Issue Date : 26-02-2025 Group : Atmospheric Pollution	
ULR No: TC588525000001717F	Discipline : Chemical		

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Stack attached to Boiler (2 MT/Hr)

Sampling By : ENPRO Team-Mr. Vihang Patel

Qty / Nos of Sample : 1 / 1 No. Date of Sampling : 20-02-2025 Packing / Seal : Sealed

Sample Received Date : 21-02-2025 Protocol / Purpose : Stack Gas Analysis

Date of Starting of Test : 21-02-2025 Date of Completion : 22-02-2025 Sampling Method : WI/ST/A Sample ID : 0225/ST01717

Duration Sampling : 60 min. Fuel : Natural Gas

STACK DETAILS:

Stack Height m	Stack Diameter m	StackTemperature *C	Velocity m/s	Flow Rate Nm³/hr
11	0.60	88	4.00	3674

RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	GPCB LIMIT	METHOD REFERENCE
1	Particulate Matter (PM)	rng/Nm³	8.8	150	IS 11255 (Part-1):1985
2	Sulphur Dioxide (SO _x)	ppm	10.3	100	IS 11255 (Part-2):1985
3	Oxides of Nitrogen (as NO ₂)	ppm	16.3	50	(S 11255 (Part-7):2005

CHECKED BY Zinal Rathod

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

REVIEWED AND AUTHORISED BY Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf. Note 2: Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230, Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Test Report

Format No : QR/7.8/01	Test Report No : ETL/000813/25-	Issue Date : 26-02-2025
ULR No: N.A.	Discipline : Chemical	Group : Atmospheric Pollution

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Stack attached to Boiler (2 MT/Hr)

Sampling By : ENPRO Team-Mr. Vihang Patel

Qty / Nos of Sample : 1 / 1 No. Date of Sampling : 20-02-2025 Packing / Seal. : Sealed

Sample Received Date : 21-02-2025 Protocol / Purpose : Stack Gas Analysis

Date of Starting of Test : 21-02-2025 Date of Completion : 22-02-2025 Sampling Method : WI/ST/A Sample ID : 0225/ST01717 **Duration Sampling** : 60 min. Fuel : Natural Gas

STACK DETAILS:

Stack Height m	Stack Diameter m	StackTemperature *C	Velocity m/s	Flow Rate Nm³/hr
11	0.60	88	4.00	3674

RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	GPCB LIMIT	METHOD REFERENCE
1	VOC	mg/Nm³	BDL(<1)	+	SOP NoWI/ST/44-03

Note: BDL:- Below Detectable Limit

CHECKED BY

Zinal Rathod

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

REVIEWED AND AUTHORISED BY Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf. Note 2: Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in



11977

Test Report

Format No: QR/7.8/01 Test Report No: TC688525000001718F Issue Date: 26-02-2025 ULR No : TC588525000001718F Discipline: Chemical Group: Atmospheric Pollution

Customer's Name & Address : Apple Organics.

11

CHECKED BY

Zinal Rathod

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

8.00

Description of Sample : Stack attached to DG 250 KVA

Sampling By : ENPRO Team-Mr. Vihang Patel

0.84

Qty / Nos of Sample : 1 / 1 No. Date of Sampling : 20-02-2025 Packing / Seal : Sealed

Sample Received Date : 21-02-2025 Protocol / Purpose : Stack Gas Analysis

Date of Starting of Test : 21-02-2025 Date of Completion : 22-02-2025 Sampling Method : WI/ST/A Sample ID : 0225/ST01718

Duration Sampling : 60 min. Fuel : Diesel

STACK DETAILS : Stack Height m Stack Diameter m StackTemperature "C Velocity m/s Flow Rate Nm3/hr

118 RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	GPCB LIMIT	METHOD REFERENCE
1	Particulate Matter (PM)	mg/Nm³	76.8	150	IS 11255 (Part-1):1985
2	Sulphur Dioxide (SO ₂)	ppm	25.7	100	IS 11255 (Part-2):1985
3	Oxides of Nitrogen (as NO ₂)	ppm	30.0	.50	IS 11255 (Part-7):2005

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

REVIEWED AND AUTHORISED BY Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf. Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request. *** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Test Report

Format No : QR/7.8/01 Test Report No : ETL/000815/25-		Issue Date : 26-02-2025
ULR No: N.A.	Discipline : Chemical	Group : Atmospheric Pollution

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Stack attached to DG 250 KVA

Sampling By : ENPRO Team-Mr. Vihang Patel

Qty / Nos of Sample : 1 / 1 No. Packing / Seal : 20-02-2025

Date of Sampling : Sealed Sample Received Date : 21-02-2025 Protocol / Purpose : Stack Gas Analysis

Date of Starting of Test : 21-02-2025 Date of Completion : 22-02-2025 Sampling Method : WI/ST/A Sample ID : 0225/ST01718

Duration Sampling : 60 min. Fuel : Diesel

STACK DETAILS: Stack Height m Stack Diameter m StackTemperature *C Velocity m/s Flow Rate Nm³/hr 0.84 118 8.00 11977

RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	GPCB LIMIT	METHOD REFERENCE
1	VOC	mg/Nm³	BDL(<1)	*	SOP NoWI/ST/44-03

Note: BDL:- Below Detectable Limit

Zinal Rathod

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

REVIEWED AND AUTHORISED BY Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf.

Note 2: Details about MU and Decision Rules are available with laboratory and same will be provided upon request. *** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in



Test Report

Format No: QR/7.8/01 Test Report No : TC588525000002763F Issue Date: 22-03-2025 ULR No: TC588525000002763F Discipline: Chemical Group: Atmospheric Pollution

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Stack attached to Boiler (2 MT/Hr)

Sampling By : ENPRO Team-Mr. Vihang Patel

Qty / Nos of Sample : 1 / 1 No. Date of Sampling : 15-03-2025 Packing / Seal

: Sealed Sample Received Date : 17-03-2025 Protocol / Purpose : Stack Gas Analysis

Date of Starting of Test : 17-03-2025 Date of Completion : 18-03-2025 Sampling Method

: WI/ST/A Sample ID : 0325/ST02763 **Duration Sampling** : 60 min. Fuel : Natural Gas

STACK DETAILS:

CHECKED BY

Zinal Rathod

Stack Height m	Stack Diameter m	OC. I.E.		
11	Stack Diameter m	StackTemperature °C	Velocity m/s	Flow Rate Nm³/hr
11	0.60	96	A 74	Tiow Itale Mill-Mill
		1 30	3.70	3298

RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	GPCB LIMIT	Andrew Control of the Control
1	1 Particulate Matter (PM)			GPCB LIMIT	METHOD REFERENCE
_		mg/Nm ³	9.3	150	IS 11255 (Part-1):1985
2	Sulphur Dioxide (SO ₂)	ppm	12.3	100	
3 Oxides of Nitrogen (as NO ₂)	rides of Nitrogen (as NOA		100	IS 11255 (Part-2):1985	
	The second second	ppm	18.8	50	IS 11255 (Part-7):2005

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

REVIEWED AND AUTHORISED BY

Sweety Patel (Dy TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf.

Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request. *** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Test Report

Format No: QR/7.8/01 Test Report No : ETL/001464/25-Issue Date: 22-03-2025 ULR No: N.A. Discipline: Chemical Group: Atmospheric Pollution

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Stack attached to Boiler (2 MT/Hr)

Sampling By

: ENPRO Team-Mr. Vihang Patel Qty / Nos of Sample : 1 / 1 No Date of Sampling : 15-03-2025 Packing / Seal

: Sealed Sample Received Date : 17-03-2025 Protocol / Purpose : Stack Gas Analysis

Date of Starting of Test : 17-03-2025 Date of Completion : 18-03-2025 Sampling Method : WI/ST/A

Sample ID : 0325/ST02763 **Duration Sampling** : 60 min. Fuel : Natural Gas

STACK DETAILS:

Stack Height m Stack Diameter m StackTemperature °C Velocity m/s Flow Rate Nm3/hr 11 0.60 96 3.70 3298

RESULT TABLE

S.NO. TEST PARAMETER	UNIT	RESULT	GPCB LIMIT	METHOD REFERENCE
1 VOC	mg/Nm³	BDL(<1)		
Note: BDL:- Below Detectable Limit		202(11)		SOP NoWI/ST/44-03

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

CHECKED BY Zinal Rathod

REVIEWED AND AUTHORISED BY

Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf. Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230, Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in



Test Report

Format No: QR/7.8/01 Test Report No: TC588525000002764F Issue Date: 22-03-2025 ULR No: TC588525000002764F Discipline: Chemical Group: Atmospheric Pollution

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Stack attached to DG 250 KVA

Sampling By : ENPRO Team-Mr. Vihang Patel Qty / Nos of Sample : 1 / 1 No.

Date of Sampling : 15-03-2025 Packing / Seal : Sealed Sample Received Date : 17-03-2025

Protocol / Purpose : Stack Gas Analysis Date of Starting of Test : 17-03-2025 Date of Completion : 18-03-2025

Sampling Method : WI/ST/A Sample ID : 0325/ST02764 **Duration Sampling** : 60 min. Fuel

STACK DETAILS :

CHECKED BY

Zinal Rathod

Stack Height m	Ctarl Di			
Older Fielgill III	Stack Diameter m	StackTemperature "C	Velocity m/s	Flow Rate Nm³/hr
11	0.84	111	8 20	
			0.20	12450

RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	GPCB LIMIT	America D. San Control Control
1	1 Particulate Matter (PM)	MA)		GFCB LIMIT	METHOD REFERENCE
	The state of the s	mg/Nm ³	89.0	150	IS 11255 (Part-1):1985
2	2 Sulphur Dioxide (SO ₂)	ppm	18.8	100	
3	3 Oxides of Nitrogen (as NO ₂)	vides of Nitrogen (as NO.)		100	IS 11255 (Part-2):1985
-		ppm 23.7	23.7	50	IS 11255 (Part-7):2005

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

: Diesel

REVIEWED AND AUTHORISED BY

Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf.

Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Test Report

Format No: QR/7.8/01 Test Report No: ETL/000325/25-Issue Date: 22-03-2025 ULR No: N.A

Discipline: Chemical

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Stack attached to DG 250 KVA

Sampling By

: ENPRO Team-Mr Vihang Patel Date of Sampling : 15-03-2025

Sample Received Date : 17-03-2025 Date of Starting of Test : 17-03-2025

Sampling Method **Duration Sampling** : WI/ST/A : 60 min

Qty / Nos of Sample : 1 / 1 No.

Packing / Seal : Sealed

Protocol / Purpose

: Stack Gas Analysis

Group: Atmospheric Pollution

Date of Completion Sample ID

: 18-03-2025 : 0325/ST02764

Fuel

: Diesel

STACK DETAILS :

Stack Height m	Stack Diameter m	0		
44		StackTemperature "C	Velocity m/s	Flow Rate Nm³/hr
- 11	0.84	111		
		171	8.20	12450

RESULT TABLE

S.NO. TEST PARAMETER		1273.00		
1 VOC	UNIT	RESULT	GPCB LIMIT	METHOD REFERENCE
1 100	mg/Nm ³	BDL(<1)		
Note: BDL: Below Detectable Limit		000(-1)	1	SOP No -WI/ST/44-03

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

CHECKED BY Zinal Rathod

REVIEWED AND AUTHORISED BY

Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf. Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Annexure-6 ENPRO Enviro Tech and Engineers Pvt. Ltd.

Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in



Test Report

Format No : QR/7.8/01	Toot Dancet M.	10-3005	
	Test Report No: TC588524000009743F	Issue Date : 16-10-2024	
ULR No: TC588524000009743F	Discipline: Chaminal		
0.11		Group : Atmospheric Pollution	

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Sample ID

Description of Sample : Common stack attached to Plant-1 & Plant-2 scrubber Sampling By

: ENPRO Team-Mr. Nikunj Vaghasiya Date of Sampling

Qty / Nos of Sample : 1 / 1 No. : 11-10-2024

Packing / Seal : Sealed Sample Received Date : 12-10-2024 Protocol / Purpose

: Stack Gas Analysis Date of Starting of Test : 12-10-2024 Date of Completion : 14-10-2024 Sampling Method : WI/ST/A

: 1024/ST09743 **Duration Sampling** : 60 min. Fuel . .

RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	COCO LINE		
1	Stack Height		INCOULT	GPCB LIMIT	METHOD REFERENCE	
2		m	10	-		
4	Velocity	m/s	1.00			
3	Flow Rate	Nm³/hr			IS 11255 (Part-3):2021	
4	Chlorine (as Cb)		109	9	IS 11255 (Part-3):2008	
7	Chionne (as CE)	mg/Nm ³	3.0	9.0		
5	Oulding - China		-17	200	SOP No.WVST/07 (Issue No.02 8	
5 0	Oxides of Nitrogen (as NO ₂)	mg/Nm ^a	13.8	25	Issue Date;02/09/19)	
			10,0	25	IS 11255 (Part 7) :2005	

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

CHECKED BY Zinal Rathod

REVIEWED AND AUTHORISED BY

Sweety Patel (Dy. TM) Note 1: This Report is subject to terms & conditions mentioned overleaf.

Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request. *** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Test Report

Format No: QR/7.8/01 Test Report No: ETL/004871/24 Issue Date: 16-10-2024 ULR No: N.A. Discipline: Chemical Group: Atmospheric Pollution

Customer's Name & Address: Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Common stack attached to Plant-1 & Plant-2 scrubber

Sampling By : ENPRO Team-Mr. Nikunj Vaghasiya

Qty / Nos of Sample : 1 / 1 No. Date of Sampling : 11-10-2024 Packing / Seal : Sealed

Sample Received Date : 12-10-2024 Protocol / Purpose : Stack Gas Analysis Date of Starting of Test : 12-10-2024

Date of Completion : 14-10-2024 Sampling Method : WI/ST/A Sample ID : 1024/ST09743 **Duration Sampling** : 60 min.

Fuel

RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	CDCD LIMIT	MARKON ST. CO.
1	VOC	7.11	77000000	GPCB LIMIT	METHOD REFERENCE
		mg/Nm³	BDL(<1)	+	SOP NoWI/ST/44-03
2	HCI	mg/Nm ³	4.60	20	
3	HBr	mg/Nm³	2.70	20	USEPA (Part-0050)
4	Brz		2.70	20	USEPA (Part-0050)
	DI : Beleve Between the control	mg/Nm³	1.30	9	EPA Method 26 A

Note: BDL:- Below Detectable Limit

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

CHECKED BY Zinal Rathod

REVIEWED AND AUTHORISED BY Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf.

Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230, Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in



Test Report

Format No : QR/7.8/01 Test Report No : TC588524000009744F Issue Date: 16-10-2024 ULR No: TC588524000009744F Discipline: Chemical Group: Atmospheric Pollution

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Stack attached to Plant 3 scrubber

Sampling By : ENPRO Team-Mr. Nikunj Vaghasiya Qty / Nos of Sample : 1 / 1 No. Date of Sampling

: 11-10-2024 Packing / Seal : Sealed Sample Received Date : 12-10-2024

Protocol / Purpose : Stack Gas Arialysis Date of Starting of Test : 12-10-2024

Date of Completion : 14-10-2024 Sampling Method : WI/ST/A Sample ID : 1024/ST09744 **Duration Sampling**

: 60 min. Fuel : -

RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	CDCD LIMIT	
1	Stack Height			GPCB LIMIT	METHOD REFERENCE
		m	10	-	*
	Velocity	m/s	1.20	2	IS 11255 (Part-3):2021
3	Flow Rate	Nm³/hr	130		
4	Ammonia (as NH _s)	College Arm	144		IS 11255 (Part-3):2008
	raminoma (as IVIB)	mg/Nm³	72.2	175	IS 11255 (Part-6):1999 Clause 5

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

CHECKED BY Zinal Rathod

REVIEWED AND AUTHORISED BY Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf.

Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Test Report

Format No : QR/7.8/01 Test Report No: ETL/004872/24 Issue Date: 16-10-2024 ULR No: N.A. Discipline: Chemical Group: Atmospheric Pollution

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Sample ID

Description of Sample : Stack attached to Plant 3 scrubber

Sampling By

: ENPRO Team-Mr. Nikunj Vaghasiya Qty / Nos of Sample : 1 / 1 No.

Date of Sampling : 11-10-2024 Packing / Seal : Sealed Sample Received Date : 12-10-2024

Protocol / Purpose : Stack Gas Analysis Date of Starting of Test : 12-10-2024 Date of Completion : 14-10-2024 Sampling Method : WI/ST/A

: 1024/ST09744 **Duration Sampling** : 60 min. Fuel :-

RESULT TABLE

0.110				
S.NO. TEST PARAMETER	UNIT	RESULT	GPCB LIMIT	METHOD REFERENCE
1 VOC	mg/Nm³	BDL(<1)		
Note - BDI - B-I - B	mg/run	DDL(~1)		SOP NoWI/ST/44-03

Note: BDL:- Below Detectable Limit

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

Zinal Rathod

REVIEWED AND AUTHORISED BY Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf. Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in



Test Report

Format No: QR/7.8/01		Test Report No : TC588524000010731F	Issue Date: 19-11-2024
ULR No :	TC588524000010731F	Discipline : Chemical	Group : Atmospheric Pollution

Customer's Name & Address: Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad,

Description of Sample : Common stack attached to Plant-1 & Plant-2 scrubber

Sampling By : ENPRO Team-Mr. Vihang Patel

Qty / Nos of Sample : 1 / 1 No.

Date of Sampling : 12-11-2024 Packing / Seal : Sealed Sample Received Date : 13-11-2024

Protocol / Purpose : Stack Gas Analysis Date of Starting of Test : 13-11-2024 Date of Completion : 14-11-2024

Sampling Method : WI/ST/A : 1124/ST10731 Sample ID

Duration Sampling : 60 min. Fuel

STACK DETAILS:

Stack Height m	Stack Diameter	Stack Temperature	Velocity m/s	Flow Rate Nm³/hr					
10	×-	-	1.10	119					

RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	GPCB LIMIT	METHOD REFERENCE
1	Chlorine (as Cb)	mg/Nm³	3.4	9,0	SOP No.W/ST/07 (Issue No.02 & Issue Date;02/09/19)
2	Oxides of Nitrogen (as NO ₂)	mg/Nm ^a	15.6	25	IS 11255 (Part 7) 2005

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

Zinal Rathod

REVIEWED AND AUTHORISED BY Sweety Patel (Dv. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf.

Note 2: Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Test Report

Format No: QR/7.8/01	Test Report No: ETL/001026/24	Issue Date : 19-11-2024
ULR No: N.A.	Discipline : Chemical	Group : Atmospheric Pollution

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Common stack attached to Plant-1 & Plant-2 scrubber

Sampling By

Qty / Nos of Sample : 1 / 1 No. : ENPRO Team-Mr. Vihang Patel : 12-11-2024 Packing / Seal : Sealed

Sample Received Date : 13-11-2024

: Stack Gas Analysis Protocol / Purpose

Date of Starting of Test : 13-11-2024 Sampling Method

Date of Completion : WI/ST/A Sample ID

: 14-11-2024

Duration Sampling

: 60 min.

Fuel

: 1124/ST10731

STACK DETAILS:

Date of Sampling

Stack Height m	Stack Diameter	Stack Temperature	Velocity m/s	Flow Rate Nm³/hr
10	-		1.10	119

RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	GPCB LIMIT	METHOD REFERENCE
1	VOC	mg/Nm³	BDL(<1)	-	SOP NoWI/ST/44-03
2	HCI	mg/Nm³	5,50	20	USEPA (Part-0050)
3	HBr	mg/Nm³	3.10	20	USEPA (Part-0050)
4	Br ₂	mg/Nm³	1.60	9	EPA Method 26 A

Note: BDL :- Below Detectable Limit

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

CHECKED BY Zinal Rathod

REVIEWED AND AUTHORISED BY Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf. Note 2: Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in



TC - 5885

Test Report

Format No: QR/7.8/01	Test Report No : TC588524000010732F	Issue Date : 19-11-2024
ULR No: TC588524000010732F	Discipline : Chemical	Group : Atmospheric Pollution

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Stack attached to Plant 3 scrubber

Description of Sample , Stack attached to Flant 3 scrubbe

Sampling By : ENPRO Team-Mr.Vihang Patel
Date of Sampling : 12-11-2024

Sample Received Date : 13-11-2024

Date of Starting of Test : 13-11-2024 Sampling Method : WI/ST/A

Duration Sampling

10

: 60 min.

Qty / Nos of Sample : 1 / 1 No.

Packing / Sealed : Sealed

Protocol / Purpose : Stack Gas Analysis

Date of Completion : 1

: 14-11-2024 : 1124/ST10732

Sample ID

200

STACK DETAILS :		
Stack Height m	Stack Diameter	Stack Tempera

Stack Temperature Velocity m/s Flow Rate Nm³/hr

RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	GPCB LIMIT	METHOD REFERENCE
1	Ammonia (as NH _s)	mg/Nm³	72.1	175	IS 11255 (Part-6):1999 Clause 5

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

CHECKED BY Zinal Rathod REVIEWED AND AUTHORISED BY Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf.

Note 2: Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Test Report

Format No: QR/7.8/01	Test Report No: ETL/005089/24	Issue Date : 19-11-2024
ULR No: N.A.	Discipline : Chemical	Group : Atmospheric Pollution

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Stack attached to Plant 3 scrubber

Sampling By : ENPRO Team-Mr. Vihang Patel

Qty / Nos of Sample : 1 / 1 No.

Date of Sampling : 12-11-2024 Packing / Seal : Sealed Sample Received Date: 13-11-2024 Protocol / Purpose : Stack Gas Analysis

Date of Starting of Test : 13-11-2024 Date of Completion : 14-11-2024 Sampling Method : WI/ST/A Sample ID : 1124/ST10732

Duration Sampling : 60 min. Fuel

STACK DETAILS: Stack Height m Stack Diameter Stack Temperature Velocity m/s Flow Rate Nm3/hr 10 1.20 130

RESULT TABLE

S.NO TEST PARAMETER UNIT RESULT **GPCB LIMIT** METHOD REFERENCE VOC mg/Nm^a BDL(<1) SOP No.-WI/ST/44-03

Note: BDL:- Below Detectable Limit

CHECKED BY

Zinal Rathod

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

REVIEWED AND AUTHORISED BY

Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf.

Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in



- 5885

Test Report

Format No: QR/7.8/01 Test Report No: TC588524000012118F Issue Date: 18-12-2024 ULR No: TC588524000012118F Discipline: Chemical Group: Atmospheric Pollution

Customer's Name & Address Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Common stack attached to Plant-1 & Plant-2 scrubber

Sampling By : ENPRO Team-Mr. Vihang Patel Qty / Nos of Sample 11/1 No.

: 12-12-2024 Packing / Seal : Sealed

Date of Sampling

Sample Received Date : 13-12-2024 Protocol / Purpose : Stack Gas Analysis Date of Starting of Test : 13-12-2024

Date of Completion : 14-12-2024 : WI/ST/A Sampling Method Sample ID : 1224/ST12118

Duration Sampling : 60 min. Fuel

STACK DETAILS :

Stack Height m	Stack Diameter	Stack Temperature	Velocity m/s	Flow Rate Nm³/hr
10	-		1.40	152

RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	GPCB LIMIT	METHOD REFERENCE
1	Chlorine (as Cb)	mg/Nm³	2.4	9.0	SOP No.WVST/07 (Issue No.02 & Issue Date;02/09/19)
2	Oxides of Nitrogen (as NO _z)	mg/Nm ³	11.3	25	IS 11255 (Part 7) :2005

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

CHECKED BY Zinal Rathod

REVIEWED AND AUTHORISED BY

Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf. Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230, Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Test Report

Format No: QR/7.8/01 Test Report No: ETL/006085/24 Issue Date: 18-12-2024 ULR No: N.A. Discipline: Chemical Group: Atmospheric Pollution

Customer's Name & Address: Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Common stack attached to Plant-1 & Plant-2 scrubber

Sampling By

: ENPRO Team-Mr. Vihang Patel

Qty / Nos of Sample : 1 / 1 No.

Date of Sampling

: 12-12-2024

Packing / Seal

: Sealed : Stack Gas Analysis

Date of Starting of Test : 13-12-2024

Sample Received Date : 13-12-2024

Protocol / Purpose Date of Completion

: 14-12-2024

Sampling Method

: WI/ST/A

Sample ID

: 1224/ST12118

Duration Sampling

: 60 min.

Fuel

STACK DETAILS:

Stack Height m	Stack Diameter	Stack Temperature	Velocity m/s	Flow Rate Nm³/hr
10	-	*	1.40	152

RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	GPCB LIMIT	METHOD REFERENCE
1	VOC	mg/Nm³	BDL(<1)	-	SOP NoWI/ST/44-03
2	HCI	mg/Nm³	4.20	20	USEPA (Part-0050)
3	HBr	mg/Nm³	2.80	20	USEPA (Part-0050)
4	Brz	mg/Nm³	1.40	9	EPA Method 26 A

Note: BDL:- Below Detectable Limit

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

CHECKED BY Zinal Rathod

REVIEWED AND AUTHORISED BY

Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf. Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request. *** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in



Test Report

Format No : QR/7.8/01 Test Report No : TC588524000012119F Issue Date : 18-12-2024

ULR No: TC588524000012119F Discipline: Chemical Group: Atmospheric Pollution

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Stack attached to Plant 3 scrubber

Sampling By : ENPRO Team-Mr. Vihang Patel

Date of Sampling : 12-12-2024

Sample Received Date : 13-12-2024

Date of Starting of Test : 13-12-2024 Sampling Method : WI/ST/A

Duration Sampling : 60 min.

: 13-12-2024 : WI/ST/A

Date of Completion Sample ID

Fuel

Packing / Seal

Protocol / Purpose

Qty / Nos of Sample : 1 / 1 No

: 14-12-2024

: Stack Gas Analysis

: Sealed

: 1224/ST12119

STACK DETAILS :

Stack Height m Stack Diameter Stack Temperature Velocity m/s Flow Rate Nm³/hr

RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	GPCB LIMIT	METHOD REFERENCE
1	Ammonia (as NH ₃)	mg/Nm³	75.4	175	IS 11255 (Part-6):1999 Clause 5

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

CHECKED BY Zinal Rathod

REVIEWED AND AUTHORISED BY

Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf.

Note 2: Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report *** Page 1 of 1

rage 1011



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Test Report

Format No : QR/7.8/01 Test Report No : ETL/001136/24 Issue Date : 18-12-2024

ULR No : N.A. Discipline : Chemical Group : Atmospheric Pollution

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Stack attached to Plant 3 scrubber

Sampling By : ENPRO Team-Mr Vihang Pa

ENPRO Team-Mr. Vihang Patel Qty / Nos of Sample : 1 / 1 No : 12-12-2024 Packing / Seal : Sealed

Date of Starting of Test : 13-12-2024

Sampling Method : WI/ST/A

Date of Completion : 14-12-2024

Sample ID : 1224/ST12119

Duration Sampling : 60 min Fuel :

STACK DETAILS :

Stack Height m	Stack Diameter	Stack Temperature	Velocity m/s	Flow Rate Nm³/hr
10	*	-	1.50	161

RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	GPCB LIMIT	METHOD REFERENCE
1	VOC	mg/Nm³	BDL(<1)	4	SOP NoWI/ST/44-03

Note: BDL:- Below Detectable Limit

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

Zinal Rathod

REVIEWED AND AUTHORISED BY Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf.

Note 2: Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230, Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in



Test Report

Format No : QR/7.8/01 Test Report No: TC588525000000487F Issue Date: 22-01-2025

ULR No: TC588525000000487F Discipline: Chemical Group: Atmospheric Pollution

Customer's Name & Address: Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Common stack attached to Plant-1 & Plant-2 scrubber

Sampling By

: ENPRO Team-Mr. Nikunj Vaghasiya Qty / Nos of Sample : 1 / 1 No.

Date of Sampling : 15-01-2025 Packing / Seal : Sealed

Sample Received Date : 16-01-2025 Protocol / Purpose : Stack Gas Analysis Date of Starting of Test : 16-01-2025

Date of Completion : 17-01-2025 Sampling Method : WI/ST/A Sample ID : 0125/ST00487

Duration Sampling : 60 min. Fuel 2-

STACK DETAILS :

CHECKED BY

Zinal Rathod

Stack Height m	Stack Diameter m	StackTemperature °C	Velocity m/s	Flow Rate Nm³/hr
10	0.20	37	1.20	130

RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	GPCB LIMIT	METHOD REFERENCE
	Chlorine (as Cl ₂)	mg/Nm³	3.0	9.0	SOP No.WVST/07 (Issue No.02 & Issue Date:02/09/19)
2	Oxides of Nitrogen (as NO ₂)	mg/Nm³	12.0	25	IS 11255 (Part 7) :2005

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

REVIEWED AND AUTHORISED BY Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf. Note 2: Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Test Report

Format No : QR/7.8/01 Test Report No : ETL/000244/25- Issue Date : 22-01-2025

ULR No : N.A. Discipline : Chemical Group : Atmospheric Pollution

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Common stack attached to Plant-1 & Plant-2 scrubber

Sampling By : ENPRO Team-Mr Nikuni Vaghasiya Oty / Nos o

: ENPRO Team-Mr.Nikunj Vaghasiya Qty / Nos of Sample : 1 / 1 No.

Date of Sampling : 15-01-2025 Packing / Seal : Sealed

Sample Received Date : 16-01-2025 Protocol / Purpose : Stack Gas Analysis

Date of Starting of Test : 16-01-2025

Sampling Method : WI/ST/A

Date of Completion : 17-01-2025

Sample ID : 0125/ST00487

Duration Sampling : 60 min. Fuel :-

STACK DETAILS:

Stack Height m	Stack Diameter m	StackTemperature °C	Velocity m/s	Flow Rate Nm³/hr
10	0.20	37	1.20	130

RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	GPCB LIMIT	METHOD REFERENCE
1	VOC	mg/Nm³	BDL(<1)	-	SOP NoWI/ST/44-03
2	HCI	mg/Nm³	4.90	20	USEPA (Part-0050)
3	HBr	mg/Nm³	3.00	20	USEPA (Part-0050)
4	Br ₂	mg/Nm³	1.20	9	EPA Method 26 A

Note: BDL:- Below Detectable Limit

CHECKED BY

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

Zinal Rathod

REVIEWED AND AUTHORISED BY Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf.

Note 2: Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report *** Page 1 of 1



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3. Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in.



Test Report

Format No: QR/7.8/01 Test Report No: TC588525000000488F Issue Date: 22-01-2025 ULR No: TC588525000000488F Discipline: Chemical Group: Atmospheric Pollution

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Stack attached to Plant 3 scrubber

Sampling By : ENPRO Team-Mr. Nikunj Vaghasiya

Date of Sampling : 15-01-2025

Sample Received Date : 16-01-2025

Date of Starting of Test : 16-01-2025 Sampling Method : WI/ST/A

Duration Sampling : 60 min. Qty / Nos of Sample : 1 / 1 No.

Packing / Seal : Sealed

Protocol / Purpose : Stack Gas Analysis : 17-01-2025

Date of Completion Sample ID

: 0125/ST00488

Fuel

: -

STACK DETAILS:

Stack Height m	Stack Diameter m	StackTemperature °C	Velocity m/s	Flow Rate Nm³/hr
10	0.20	37	1.00	109

RESULT TABLE

The state of the s	1			
S.NO. TEST PARAMETER	UNIT	RESULT	GPCB LIMIT	METHOD REFERENCE
1 Ammonia (as NH _b)	mm/hlmm3	00.0		WETHOD KEPEKENCE
- Transmartan raray	mg/Nm³	68.9	175	IS 11255 (Part-6):1999 Clause 5

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

CHECKED BY Zinal Rathod

REVIEWED AND AUTHORISED BY Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf.

Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request. *** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Test Report

Format No: QR/7.8/01 Test Report No: ETL/000068/25-Issue Date: 22-01-2025 ULR No: N.A. Discipline: Chemical Group: Atmospheric Pollution

Customer's Name & Address: Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample

: Stack attached to Plant 3 scrubber

: ENPRO Team-Mr. Nikunj Vaghasiya

: 15-01-2025

Sample Received Date : 16-01-2025 Date of Starting of Test : 16-01-2025

Sampling Method : WI/ST/A

Duration Sampling : 60 min. Qty / Nos of Sample : 1 / 1 No.

Packing / Seal : Sealed

: Stack Gas Analysis Protocol / Purpose

Date of Completion : 17-01-2025 Sample ID : 0125/ST00488

Fuel

: -

STACK DETAILS:

Sampling By

Date of Sampling

Stack Height m	Stack Diameter m	StackTemperature °C	Velocity m/s	Flow Rate Nm³/hr
10	0.20	37	1.00	109

RESULT TABLE

S.NO. TEST PARAMETER	UNIT	RESULT	GPCB LIMIT	METHOD REFERENCE
1 VOC	mg/Nm³	BDL(<1)	- 11	SOP NoWI/ST/44-03

Note: BDL:- Below Detectable Limit

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

CHECKED BY Zinal Rathod

REVIEWED AND AUTHORISED BY Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf.

Note 2: Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat – 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in



Test Report

Format No: QR/7.8/01	Test Report No : TC588525000001719F	Issue Date : 26-02-2025
ULR No: TC588525000001719F	Discipline : Chemical	Group: Atmospheric Pollution

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Sample ID

Description of Sample : Common stack attached to Plant-1 & Plant-2 scrubber

Sampling By : ENPRO Team-Mr.Vihang Patel

: WI/ST/A

NPRO Team-Mr.Vihang Patel Qty / Nos of Sample : 1 / 1 No.

Date of Sampling : 20-02-2025 Packing / Seal : Sealed Sample Received Date : 21-02-2025 Protocol / Purpose : Stack Gas Analysis

Date of Starting of Test : 21-02-2025 Date of Completion : 22-02-2025

Duration Sampling : 60 min. Fuel :-

STACK DETAILS:

Sampling Method

2010/01/2019				
Stack Height m	Stack Diameter m	StackTemperature °C	Velocity m/s	Flow Rate Nm³/hr
10	0.20	39	1.00	108

RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	GPCB LIMIT	METHOD REFERENCE
1	Chlorine (as Cb)	mg/Nm³	2.5	9.0	SOP No.WVST/07 (Issue No.02 & Issue Date;02/09/19)
2	Oxides of Nitrogen (as NO ₂)	mg/Nm³	11.4	25	IS 11255 (Part 7) :2005

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

CHECKED BY Zinal Rathod

REVIEWED AND AUTHORISED BY Sweety Patel (Dy. TM)

: 0225/ST01719

Note 1: This Report is subject to terms & conditions mentioned overleaf.

Note 2: Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Test Report

Format No: QR/7.8/01	Test Report No: ETL/000963/25-	Issue Date : 26-02-2025
ULR No: N.A.	Discipline : Chemical	Group : Atmospheric Pollution

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Common stack attached to Plant-1 & Plant-2 scrubber

Sampling By

: ENPRO Team-Mr. Vihang Patel

Qty / Nos of Sample : 1 / 1 No.

Date of Sampling

: 20-02-2025

Packing / Seal

: Sealed

Sample Received Date : 21-02-2025

Date of Starting of Test : 21-02-2025

Protocol / Purpose Date of Completion

: Stack Gas Analysis : 22-02-2025

Sampling Method

: WI/ST/A

Sample ID

: 0225/ST01719

Duration Sampling

: 60 min.

Fuel

STACK DETAILS:

Stack Height m	Stack Diameter m	StackTemperature *C	Velocity m/s	Flow Rate Nm³/hr
10	0.20	39	1.00	108

RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	GPCB LIMIT	METHOD REFERENCE
1	VOC	mg/Nm³	BDL(<1)	+	SOP NoWI/ST/44-03
2	HCI	mg/Nm³	5.20	20	USEPA (Part-0050)
3	HBr	mg/Nm³	2.50	20	USEPA (Part-0050)
4	Brz	mg/Nm³	1.60	9	EPA Method 26 A

Note: BDL:- Below Detectable Limit

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

CHECKED BY Zinal Rathod

REVIEWED AND AUTHORISED BY Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf. Note 2: Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in



151

Test Report

Format No: QR/7.8/01 Test Report No: TC588625000001720F Issue Date: 26-02-2025 ULR No: TC588525000001720F Discipline: Chemical Group: Atmospheric Pollution

Customer's Name & Address: Apple Organics.

Zinal Rathod

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

1.40

Description of Sample : Stack attached to Plant 3 scrubber

Sampling By

: ENPRO Team-Mr. Vihang Patel Qty / Nos of Sample : 1 / 1 No. Date of Sampling : 20-02-2025 Packing / Seal : Sealed

Sample Received Date : 21-02-2025 Protocol / Purpose : Stack Gas Analysis

Date of Starting of Test : 21-02-2025 Date of Completion : 22-02-2025 Sampling Method : WI/ST/A Sample ID : 0225/ST01720

Duration Sampling : 60 min. Fuel

STACK DETAILS: Stack Height m Stack Diameter m StackTemperature *C Velocity m/s Flow Rate Nm3/hr 10 0.20

39 RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	GPCB LIMIT	METHOD REFERENCE		
1	Ammonia (as NH _s)	mg/Nm³	71.8	175	IS 11255 (Part-6):1999 Clause 5		

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

REVIEWED AND AUTHORISED BY Sweety Patel (Dy. TM)

Note 1 : This Report is subject to terms & conditions mentioned overleaf.

Note 2: Details about MU and Decision Rules are available with laboratory and same will be provided upon request. *** End of Report *



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Test Report

Format No: QR/7.8/01	Test Report No: ETL/000919/25-	Issue Date : 26-02-2025
ULR No: N.A.	Discipline : Chemical	Group : Atmospheric Pollution

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Stack attached to Plant 3 scrubber

Sampling By : ENPRO Team-Mr. Vihang Patel

Qty / Nos of Sample : 1 / 1 No. Packing / Seal : Sealed : 20-02-2025

Date of Sampling Sample Received Date : 21-02-2025 : Stack Gas Analysis Protocol / Purpose

Date of Completion : 22-02-2025 Date of Starting of Test : 21-02-2025 : 0225/ST01720 : WI/ST/A Sample ID Sampling Method

Fuel **Duration Sampling** : 60 min.

STACK DETAILS: Flow Rate Nm³/hr Velocity m/s Stack Height m Stack Diameter m StackTemperature °C 0.20 39 1.40

RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	GPCB LIMIT	METHOD REFERENCE
1	VOC	mg/Nm³	BDL(<1)	-	SOP NoWI/ST/44-03

Note: BDL:- Below Detectable Limit

CHECKED BY

Zinal Rathod

10

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

REVIEWED AND AUTHORISED BY

Sweety Patel (Dy. TM)

151

Note 1: This Report is subject to terms & conditions mentioned overleaf.

Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request. Page 1 of 1 *** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: |ab@enpro.co.in



Test Report

Format No: QR/7.8/01 Test Report No : TC588525000002765F Issue Date: 22-03-2025 ULR No: TC588525000002765F Discipline: Chemical

Group: Atmospheric Pollution

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

1.30

Description of Sample : Common stack attached to Plant-1 & Plant-2 scrubber

Sampling By ENPRO Team-Mr. Vihang Patel

Qty / Nos of Sample : 1 / 1 No : 15-03-2025

Date of Sampling Packing / Seal Sample Received Date : 17-03-2025

Protocol / Purpose : Stack Gas Analysis Date of Starting of Test : 17-03-2025 Date of Completion

: 18-03-2025 Sampling Method : WI/ST/A Sample ID : 0325/ST02765 **Duration Sampling** : 60 min.

Fuel

STACK DETAILS: Stack Height m Stack Diameter m. StackTemperature °C Velocity m/s Flow Rate Nm3/hr 10 0.20

37 RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	GPCB LIMIT	Laborated to the state of the s
1	Chlorine (as Cb)			GPCB LIMIT	METHOD REFERENCE
		mg/Nm³	3.2	9.0	SOP No.WVST/07 (Issue No.02 &
2	Oxides of Nitrogen (as NO ₂)	mg/Nm ³	14.4		Issue Date;02/09/19)
	3-10-10-1	g/ixint	14.4	25	IS 11255 (Part 7) :2005

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

CHECKED BY Zinal Rathod

REVIEWED AND AUTHORISED BY

Sweety Patel (Dy. TM)

141

Note 1 : This Report is subject to terms & conditions mentioned overleaf. Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request. " End of Report "



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Test Report

Format No : QR/7.8/01	Test Report No : ETL/001497/25-				
	1001140 . E1L/001497/25-	Issue Date : 22-03-2025			
ULR No: N.A.	Discipline : Chemical	Group : Atmosphasia Rall at			
		Group : Atmospheric Pollution			

Customer's Name & Address . Apple Organics.

Plot No -610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Fuel

Description of Sample : Common stack attached to Plant-1 & Plant-2 scrubber

Sampling By

: ENPRO Team-Mr. Vihang Patel Qly / Nos of Sample : 1 / 1 No. Date of Sampling : 15-03-2025 Packing / Seal

: Sealed Sample Received Date : 17-03-2025 Protocol / Purpose

: Stack Gas Analysis Date of Starting of Test : 17-03-2025 Date of Completion

: 18-03-2025 Sampling Method : WI/ST/A Sample ID : 0325/ST02765 **Duration Sampling** : 60 min

STACK DETAILS:

Stack Height m	Charl Disease			
Stack neight m	Stack Diameter m	StackTemperature °C	Velocity m/s	Flow Rate Nm³/hr
10	0.20	27		, loss istate istil till
	0.20	31	1.30	141

RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	GPCB LIMIT	
1	VOC	ma/hlm3		GPCB LIMIT	METHOD REFERENCE
		mg/Nm³	BDL(<1)	-	SOP NoWI/ST/44-03
2	HCI	mg/Nm ³	4.40	20	
3	HBr	mg/Nm³	2.00		USEPA (Part-0050)
- 4	Bra		2.80	20	USEPA (Part-0050)
4	013	mg/Nm ³	1 30	9	EPA Method 26 A

Note: BDL: Below Detectable Limit

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

Zinal Rathod

REVIEWED AND AUTHORISED BY

Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf. Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in



Test Report

TC - 5885 Format No : QR/7.8/01 Test Report No : TC588525000002766F Issue Date: 22-03-2025 ULR No: TC588525000002766F Discipline: Chemical Group: Atmospheric Pollution

Customer's Name & Address Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Stack attached to Plant 3 scrubber

Sampling By

: ENPRO Team-Mr. Vihang Patel Qty / Nos of Sample : 1 / 1 No. Date of Sampling : 15-03-2025 Packing / Seal : Sealed

Sample Received Date : 17-03-2025 Protocol / Purpose Date of Starting of Test : 17-03-2025 : Stack Gas Analysis

Date of Completion Sampling Method : 18-03-2025 : WI/ST/A Sample ID **Duration Sampling** : 0325/ST02766

: 60 min. Fuel

STACK DETAILS :

Zinal Rathod

Stack Height m	Stack Diameter m	100			
10	-	StackTemperature °C	Velocity m/s	Flow Rate Nm³/hr	
10	0.20	34	1.70		
		Beer to a second	1.70	187	

RESULT TABLE

S.NO. TEST PARAMETER	44470	The state of the s				
1 Ammonia (as NH _b)	UNIT	RESULT	GPCB LIMIT	METHOD REFERENCE		
(as NFb)	mg/Nm³	65.4	18-			
			175	IS 11255 (Part-6):1999 Clause 5		

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

REVIEWED AND AUTHORISED BY

Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf.

Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230, Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Test Report

Format No: QR/7.8/01 Test Report No : ETL/000330/25-Issue Date: 22-03-2025 ULR No: N.A. Discipline: Chemical Group: Atmospheric Pollution

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Stack attached to Plant 3 scrubber

Sampling By : ENPRO Team-Mr. Vihang Patel

Qty / Nos of Sample : 1 / 1 No. Date of Sampling : 15-03-2025 Packing / Seal Sample Received Date : 17-03-2025 : Sealed

Protocol / Purpose : Stack Gas Analysis Date of Starting of Test : 17-03-2025 Date of Completion : 18-03-2025

Sampling Method : WI/ST/A Sample ID : 0325/ST02766 **Duration Sampling** : 60 min

Fuel STACK DETAILS:

Stack Height m Stack Diameter m

StackTemperature "C Velocity m/s Flow Rate Nm3/hr 10 0.20 34 1.70 187

RESULT TABLE

S.NO. TEST PARAMETER UNIT RESULT **GPCB LIMIT** METHOD REFERENCE VOC ma/Nm3 BDL(<1) SOP No.-WI/ST/44-03

Note: BDL:- Below Detectable Limit

Zinal Rathod

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

REVIEWED AND AUTHORISED BY

Note 1: This Report is subject to terms & conditions mentioned overleaf. Note 2: Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***

Page 1 of 1

Sweety Patel (Dy. TM)



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Analysis Summary Report for Ambient Air Quality Monitoring

Month: October- 2024

1. GENERAL DETAILS:

Name of Industry: Apple Organics, Plot No.610, 100 Shed Area, GIDC, Vapi.

Location: Near Security Gate-1

Duration of Sampling: 24 hours

2. Analysis Results:

Sr. No.	Date		Results										
	Parameters	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	CO	NHa	Ozone	Benzene	BaP	Pb	Ni	1 Am
	Unit	µg/m³	µg/m³	µg/m³	µg/m³	mg/m³	μg/m³	µg/m³	µg/m³	ng/m³	µg/m³	ng/m³	As ng/m
1.	02/10/2024	66.5	32.7	30.1	34.6	0.62	9.6	15.4	BDL	BDL	BDL	BDL	-
2.	03/10/2024	72.6	36.1	34.3	39.5	0.75	-	10.1		DDL	-		BDL
3.	09/10/2024	58.3	29.2	27.4	32.7	0.53	_	_	**	-		-	-
4.	10/10/2024	75.4	37.3	33.2	40.3	0.82	-	-					-
5.	16/10/2024	62.7	31.6	29.5	33.4	0.66		-				-	
6.	17/10/2024	55.2	27.4	25.6	29.8	0.54	-	-	**		-	-	-
7.	23/10/2024	76.8	39.2	35.7	41.2	0.79	-	-	-	-	144	-	-
8.	24/10/2024	69.3	34.5	32.8	36.3	0.65	-	-					
9.	30/10/2024	53.5	26.1	24.9	28.1	0.49	-	-					
10.	31/10/2024	70.1	35.4	31.7	37.3	0.68	-	-	-				
	Maximum	76.8	39.2	35.7	41.2	0.82	-	See .					
	Minimum	53.5	26.1	24.9	28.1	0.49	-	-			1000		
	Average	66.0	32,9	30.5	35.3	0.65	-	-		-7	***		
Limit NAA(issible (As Per QMS)	100	60	80	80	02	400	100	05	01	01	20	06

3. Remark: - 1. Method Followed: IS- 5182.

2. Note: BDL-Below Detectable Limit.

C. L. 00/0 **AUTHORIZED SIGNATORY**



Annexure-7 ENPRO Enviro Tech and Engineers Pvt. Ltd

Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Analysis Summary Report for Ambient Air Quality Monitoring

Month: October- 2024

1. GENERAL DETAILS:

Name of Industry: Apple Organics, Plot No.610, 100 Shed Area, GIDC, Vapi.

Location: Near Security Gate-1

Duration of Sampling: 24 hours

2. Analysis Results:

Date						R	esults					
Parameters	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	CO	NHs	Ozone	Renzena	RaD	Dh	Aff	
	µg/m³	µg/m³	µg/m³	µg/m³	mg/m ²						-	As
02/10/2024	66.5	32.7			-	-	_	The second leading to			-	ng/m
03/10/2024	72.6					0.0	10.4		BDL	BDL	BDL	BDL
09/10/2024	58.3					-	-				-	-
10/10/2024							**	**	-		24	
						-	94	_	**	**	-	-
The second secon						-	**	***	77	**	-	
The second secon						-	-	**	199		-	
						*	***		77	-++	77	
						**	mail	+				-
						-	-	-	**			-
				37.3	0.68	-	**	-	-	-0		
			35.7	41.2	0.82	-			-	-		
	53.5	26.1	24.9	28.1	0.49	144						-
Average	66.0	32.9	30.5	35.3						~*		wise
issible (As Per (MS)	100	60	80	80	02	400	100	05	01	01	20	06
	Parameters	Parameters PM₁0	Parameters PM₁0 PM₂5 Unit μg/m³ μg/m³ 02/10/2024 66.5 32.7 03/10/2024 72.6 36.1 09/10/2024 58.3 29.2 10/10/2024 75.4 37.3 16/10/2024 62.7 31.6 17/10/2024 55.2 27.4 23/10/2024 76.8 39.2 24/10/2024 69.3 34.5 30/10/2024 53.5 26.1 31/10/2024 70.1 35.4 Maximum 76.8 39.2 Minimum 53.5 26.1 Average 66.0 32.9 issible (As Per 100 60 MMS) 60 60	Parameters PM₁0 PM₂₅ SO₂ Unit μg/m³ μg/m³ μg/m³ 02/10/2024 66.5 32.7 30.1 03/10/2024 72.6 36.1 34.3 09/10/2024 58.3 29.2 27.4 10/10/2024 75.4 37.3 33.2 16/10/2024 62.7 31.6 29.5 17/10/2024 55.2 27.4 25.6 23/10/2024 76.8 39.2 35.7 24/10/2024 69.3 34.5 32.8 30/10/2024 53.5 26.1 24.9 31/10/2024 70.1 35.4 31.7 Maximum 76.8 39.2 35.7 Minimum 53.5 26.1 24.9 Average 66.0 32.9 30.5 issible (As Per 100 60 80	Parameters PM₁0 PM₂5 SO₂ NO₂ Unit μg/m³ μg/m³ μg/m³ μg/m³ 02/10/2024 66.5 32.7 30.1 34.6 03/10/2024 72.6 36.1 34.3 39.5 09/10/2024 58.3 29.2 27.4 32.7 10/10/2024 75.4 37.3 33.2 40.3 16/10/2024 62.7 31.6 29.5 33.4 17/10/2024 55.2 27.4 25.6 29.8 23/10/2024 76.8 39.2 35.7 41.2 24/10/2024 69.3 34.5 32.8 36.3 30/10/2024 53.5 26.1 24.9 28.1 31/10/2024 70.1 35.4 31.7 37.3 Maximum 76.8 39.2 35.7 41.2 Minimum 53.5 26.1 24.9 28.1 Average 66.0 32.9 30.5 35.3 issible <td>Parameters PM₁0 PM₂.5 SO₂ NO₂ CO Unit μg/m³ μg/m³ μg/m³ μg/m³ μg/m³ mg/m³ 02/10/2024 66.5 32.7 30.1 34.6 0.62 03/10/2024 72.6 36.1 34.3 39.5 0.75 09/10/2024 58.3 29.2 27.4 32.7 0.53 10/10/2024 75.4 37.3 33.2 40.3 0.82 16/10/2024 62.7 31.6 29.5 33.4 0.66 17/10/2024 55.2 27.4 25.6 29.8 0.54 23/10/2024 76.8 39.2 35.7 41.2 0.79 24/10/2024 69.3 34.5 32.8 36.3 0.65 30/10/2024 53.5 26.1 24.9 28.1 0.49 31/10/2024 70.1 35.4 31.7 37.3 0.68 Maximum 76.8 39.2 35.7 41.2 0.82<!--</td--><td>Parameters PM₁0 PM₂5 SO₂ NO₂ CO NH₃ Unit μg/m³ μg/m³ μg/m³ μg/m³ μg/m³ μg/m³ 02/10/2024 66.5 32.7 30.1 34.6 0.62 9.6 03/10/2024 72.6 36.1 34.3 39.5 0.75 — 09/10/2024 58.3 29.2 27.4 32.7 0.53 — 10/10/2024 75.4 37.3 33.2 40.3 0.82 — 16/10/2024 62.7 31.6 29.5 33.4 0.66 — 17/10/2024 55.2 27.4 25.6 29.8 0.54 — 23/10/2024 76.8 39.2 35.7 41.2 0.79 — 24/10/2024 69.3 34.5 32.8 36.3 0.65 — 30/10/2024 53.5 26.1 24.9 28.1 0.49 — 31/10/2024 70.1 35.4 31.7</td><td>Parameters PM₁0 PM₂₅ SO₂ NO₂ CO NH₃ Ozone Unit µg/m³ µg/m³<td>Parameters PM₁₀ PM₂₅ SO₂ NO₂ CO NH₃ Ozone Benzene Unit μg/m³ μg/m³<!--</td--><td>Parameters PM₁₀ PM_{2.5} SO₂ NO₂ CO NH₃ Ozone Benzene BaP Unit μg/m³ ηg/m³ ng/m³ 03/10/2024 66.5 32.7 30.1 34.6 0.62 9.6 15.4 BDL BDL 09/10/2024 72.6 36.1 34.3 39.5 0.75 —</td><td> Parameters PM₁₀ PM_{2.5} SO₂ NO₂ CO NH₅ Ozone Benzene BaP Pb </td><td> Parameters PM₁₀ PM_{2.5} SO₂ NO₂ CO NH₃ Ozone Benzene BaP Pb Ni Unit μg/m³ ng/m³ ng/m³</td></td></td></td>	Parameters PM₁0 PM₂.5 SO₂ NO₂ CO Unit μg/m³ μg/m³ μg/m³ μg/m³ μg/m³ mg/m³ 02/10/2024 66.5 32.7 30.1 34.6 0.62 03/10/2024 72.6 36.1 34.3 39.5 0.75 09/10/2024 58.3 29.2 27.4 32.7 0.53 10/10/2024 75.4 37.3 33.2 40.3 0.82 16/10/2024 62.7 31.6 29.5 33.4 0.66 17/10/2024 55.2 27.4 25.6 29.8 0.54 23/10/2024 76.8 39.2 35.7 41.2 0.79 24/10/2024 69.3 34.5 32.8 36.3 0.65 30/10/2024 53.5 26.1 24.9 28.1 0.49 31/10/2024 70.1 35.4 31.7 37.3 0.68 Maximum 76.8 39.2 35.7 41.2 0.82 </td <td>Parameters PM₁0 PM₂5 SO₂ NO₂ CO NH₃ Unit μg/m³ μg/m³ μg/m³ μg/m³ μg/m³ μg/m³ 02/10/2024 66.5 32.7 30.1 34.6 0.62 9.6 03/10/2024 72.6 36.1 34.3 39.5 0.75 — 09/10/2024 58.3 29.2 27.4 32.7 0.53 — 10/10/2024 75.4 37.3 33.2 40.3 0.82 — 16/10/2024 62.7 31.6 29.5 33.4 0.66 — 17/10/2024 55.2 27.4 25.6 29.8 0.54 — 23/10/2024 76.8 39.2 35.7 41.2 0.79 — 24/10/2024 69.3 34.5 32.8 36.3 0.65 — 30/10/2024 53.5 26.1 24.9 28.1 0.49 — 31/10/2024 70.1 35.4 31.7</td> <td>Parameters PM₁0 PM₂₅ SO₂ NO₂ CO NH₃ Ozone Unit µg/m³ µg/m³<td>Parameters PM₁₀ PM₂₅ SO₂ NO₂ CO NH₃ Ozone Benzene Unit μg/m³ μg/m³<!--</td--><td>Parameters PM₁₀ PM_{2.5} SO₂ NO₂ CO NH₃ Ozone Benzene BaP Unit μg/m³ ηg/m³ ng/m³ 03/10/2024 66.5 32.7 30.1 34.6 0.62 9.6 15.4 BDL BDL 09/10/2024 72.6 36.1 34.3 39.5 0.75 —</td><td> Parameters PM₁₀ PM_{2.5} SO₂ NO₂ CO NH₅ Ozone Benzene BaP Pb </td><td> Parameters PM₁₀ PM_{2.5} SO₂ NO₂ CO NH₃ Ozone Benzene BaP Pb Ni Unit μg/m³ ng/m³ ng/m³</td></td></td>	Parameters PM₁0 PM₂5 SO₂ NO₂ CO NH₃ Unit μg/m³ μg/m³ μg/m³ μg/m³ μg/m³ μg/m³ 02/10/2024 66.5 32.7 30.1 34.6 0.62 9.6 03/10/2024 72.6 36.1 34.3 39.5 0.75 — 09/10/2024 58.3 29.2 27.4 32.7 0.53 — 10/10/2024 75.4 37.3 33.2 40.3 0.82 — 16/10/2024 62.7 31.6 29.5 33.4 0.66 — 17/10/2024 55.2 27.4 25.6 29.8 0.54 — 23/10/2024 76.8 39.2 35.7 41.2 0.79 — 24/10/2024 69.3 34.5 32.8 36.3 0.65 — 30/10/2024 53.5 26.1 24.9 28.1 0.49 — 31/10/2024 70.1 35.4 31.7	Parameters PM₁0 PM₂₅ SO₂ NO₂ CO NH₃ Ozone Unit µg/m³ µg/m³ <td>Parameters PM₁₀ PM₂₅ SO₂ NO₂ CO NH₃ Ozone Benzene Unit μg/m³ μg/m³<!--</td--><td>Parameters PM₁₀ PM_{2.5} SO₂ NO₂ CO NH₃ Ozone Benzene BaP Unit μg/m³ ηg/m³ ng/m³ 03/10/2024 66.5 32.7 30.1 34.6 0.62 9.6 15.4 BDL BDL 09/10/2024 72.6 36.1 34.3 39.5 0.75 —</td><td> Parameters PM₁₀ PM_{2.5} SO₂ NO₂ CO NH₅ Ozone Benzene BaP Pb </td><td> Parameters PM₁₀ PM_{2.5} SO₂ NO₂ CO NH₃ Ozone Benzene BaP Pb Ni Unit μg/m³ ng/m³ ng/m³</td></td>	Parameters PM₁₀ PM₂₅ SO₂ NO₂ CO NH₃ Ozone Benzene Unit μg/m³ μg/m³ </td <td>Parameters PM₁₀ PM_{2.5} SO₂ NO₂ CO NH₃ Ozone Benzene BaP Unit μg/m³ ηg/m³ ng/m³ 03/10/2024 66.5 32.7 30.1 34.6 0.62 9.6 15.4 BDL BDL 09/10/2024 72.6 36.1 34.3 39.5 0.75 —</td> <td> Parameters PM₁₀ PM_{2.5} SO₂ NO₂ CO NH₅ Ozone Benzene BaP Pb </td> <td> Parameters PM₁₀ PM_{2.5} SO₂ NO₂ CO NH₃ Ozone Benzene BaP Pb Ni Unit μg/m³ ng/m³ ng/m³</td>	Parameters PM ₁₀ PM _{2.5} SO ₂ NO ₂ CO NH ₃ Ozone Benzene BaP Unit μg/m³ ηg/m³ ng/m³ 03/10/2024 66.5 32.7 30.1 34.6 0.62 9.6 15.4 BDL BDL 09/10/2024 72.6 36.1 34.3 39.5 0.75 —	Parameters PM ₁₀ PM _{2.5} SO ₂ NO ₂ CO NH ₅ Ozone Benzene BaP Pb	Parameters PM ₁₀ PM _{2.5} SO ₂ NO ₂ CO NH ₃ Ozone Benzene BaP Pb Ni Unit μg/m³ ng/m³ ng/m³

2. Note: BDL-Below Detectable Limit.

C. 2.00m **AUTHORIZED SIGNATORY**



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Analysis Summary Report for Ambient Air Quality Monitoring Month: October- 2024

1. GENERAL DETAILS:

Name of Industry: Apple Organics, Plot No.610, 100 Shed Area, GIDC, Vapi.

Location: Near Main Office Duration of Sampling: 24 hours

2. Analysis Results:

Sr. No.	Date		PM PM SO NO CO NH Ozone Benzene BaP Ph Ni As												
	Parameters	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	CO	NH ₃	Ozone	Benzene	BaP	Pb	Ni	As		
	Unit	μg/m ³	µg/m³	μg/m³	µg/m³	mg/m ³	µg/m³	µg/m³	µg/m³	ng/m³	µg/m³	ng/m³	ng/m ³		
1.	02/10/2024	71.2	36.3	33.6	38.7	0.68	8.4	14.2	BDL	BDL	BDL	BDL	BDL		
2.	03/10/2024	58.4	29.5	26.4	32.8	0.53	-	-			***		-		
3.	09/10/2024	66.1	32.2	29.3	34.6	0.69						-			
4.	10/10/2024	78.6	37.4	34.8	40.2	0.81	140	-			****		144		
5.	16/10/2024	69.2	35.1	32.2	37.5	0.73	-	-			-		1+		
6.	17/10/2024	53.8	26.8	24.7	29.3	0.55	-	len-			99		-		
7.	23/10/2024	61.9	30.7	27.5	33.9	0.64		les-		100		-			
8.	24/10/2024	50.5	24.3	22.1	27.6	0.48	-	14-	ww.	-	- No-				
9.	30/10/2024	67.3	33.6	31.9	36.2	0.69		-		-	196				
10.	31/10/2024	52.7	25.2	23.3	28.4	0.51	-			-	Art.	-	144		
	Maximum	78.6	37.4	34.8	40.2	0.81			-				+		
	Minimum	50.5	24.3	22.1	27.6	0.48	-	-			**				
	Average	62.9	31.1	28.5	33.9	0.63	-	-				**			
Limit	nissible t (As Per QMS)	100	60	80	80	02	400	100	05	01	01	20	06		

3. Remark: - 1. Method Followed: IS-5182.

Note: BDL-Below Detectable Limit.

ANAL PSED BY

C . 4 , 50/2 **AUTHORIZED SIGNATORY**



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Analysis Summary Report for Ambient Air Quality Monitoring Month: October- 2024

1. GENERAL DETAILS:

Name of Industry: Apple Organics, Plot No.610, 100 Shed Area, GIDC, Vapi.

Location: Near Security Gate-2 Duration of Sampling: 24 hours

2. Analysis Results:

Sr. No.	Date						Re	esults					
	Parameters	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	CO	NH ₃	Ozone	Benzene	BaP	Pb	Ni	As
	Unit	µg/m³	µg/m³	μg/m³	µg/m³	mg/m ³	µg/m³	µg/m³	μg/m³	ng/m³	µg/m³	ng/m³	ng/m
1.	02/10/2024	57.4	29.5	26.1	31.2	0.52	8.2	14.7	BDL	BDL	BDL	BDL	BDL
2.	03/10/2024	78.6	37.2	34.3	40.5	0.68	-	-				***	-
3.	09/10/2024	62.5	31.8	28,6	34.7	0.51	in	-			100	-	
4.	10/10/2024	80.7	39.3	36.4	41.8	0.86	in the	-	-		-	-	
5.	16/10/2024	59.2	30.7	27.2	33.6	0.57	52	22	-				
6.	17/10/2024	65.3	33.6	30.5	35.3	0.63	44		-	-01			-
7.	23/10/2024	72.1	36.4	32.8	38.1	0.74	22		-		-		
8.	24/10/2024	54.5	27.2	24.2	29.4	0.48		194	144		-		100
9.	30/10/2024	71.4	35.1	33.7	37.5	0.65	(144	144		-		-
10.	31/10/2024	68.2	32.3	29.4	36.1	0.71	***	-	-	-	***	-	-
	Maximum	80.7	39.3	36.4	41.8	0.86	-	-	-			**	
	Minimum	54.5	27.2	24.2	29.4	0.48	-			**		**	-
	Average	66.9	33.3	30,3	35.8	0.63	***		**	***	**		***
Limit	nissible t (As Per QMS)	100	60	80	80	02	400	100	05	01	01	20	06

3. Remark: - 1. Method Followed: IS-5182.

2. Note: BDL-Below Detectable Limit.

AUTHORIZED SIGNATORY



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Analysis Summary Report for Ambient Air Quality Monitoring

Month: November- 2024

1. GENERAL DETAILS:

Name of Industry: Apple Organics, Plot No.610, 100 Shed Area, GIDC, Vapi. Location: Near Security Gate-1 Duration of Sampling: 24 hours

2. Analysis Results:

Sr. No.	Date						R	esults					
	Parameters	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	CO	NHs	Ozone	Benzene	BaP	Pb	Ni	As
	Unit	μg/m³	µg/m³	μg/m³	µg/m³	mg/m ³	μg/m³	µg/m³	µg/m³	ng/m³	µg/m³	ng/m³	ng/m
1.	06/11/2024	69.8	33.2	29.5	37.4	0.63	11.3	17.5	BDL	BDL	BDL	BDL	BDL
2.	07/11/2024	75.4	36.5	32.7	40.6	0.71	200	-	200	-	DOL	DDL	BUL
3.	13/11/2024	83.6	40.3	37.4	44.2	0.92	-	4		_			-
4.	14/11/2024	78.9	37.4	33.6	41.7	0.51					400	-	-
5.	20/11/2024	87.2	42.6	38.3	46.8	0.92	-	**	-	-	-	-	
6.	21/11/2024	72.7	34.3	31.2	38.5	0.75	-					-	
7.	27/11/2024	67.5	31.8	28.5	35.3	0.58	+		-	40			-
8.	28/11/2024	81.3	39.1	33.8	43.6	0.77	-	-	-		-		-
	Maximum	87.2	42.6	38.3	46.8	0.92	-	-			-	-	-
	Minimum	67.5	31.8	28.5	35.3	0.51		_		20		-	
	Average	77.1	36.9	33.1	41.0	0.72		-	-	-		-	-
	issible (As Per QMS)	100	60	80	80	02	400	100	05	01	01	20	06

3. Remark: - 1. Method Followed: IS- 5182.

2. Note: BDL-Below Detectable Limit.

Patelfi A

- N. 2 . Der ai **AUTHORIZED SIGNATORY**



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Analysis Summary Report for Ambient Air Quality Monitoring | Month : November- 2024

1. GENERAL DETAILS:

Name of Industry: Apple Organics, Plot No.610, 100 Shed Area, GIDC, Vapi. Location: Near Main Office

Duration of Sampling: 24 hours

2. Analysis Results:

Sr. No.	Date						R	esults					
	Parameters	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	CO	NH ₃	Ozone	Benzene	BaP	Pb	Ni	As
	Unit	µg/m³	µg/m³	µg/m³	µg/m³	mg/m ³	µg/m³	µg/m³	μg/m³	ng/m³	µg/m³	ng/m³	ng/m
1.	06/11/2024	73.4	33.7	31.3	38.2	. 0.55	10.7	16.5	BDL	BDL	BDL	BDL	BDL
2.	07/11/2024	85.2	40.6	37.5	46.3	0.73	-			-	200		OUL
3.	13/11/2024	78.6	35.3	32.4	39.2	0.81	-				***		**
4.	14/11/2024	80.3	37.2	34.6	41.7	0.68	-	-	-		***		-
5.	20/11/2024	67.8	29.5	26.2	33.6	0.96	-	1		-	-	**	No.
6.	21/11/2024	76.5	36.4	33.1	40.8	0.54	-	-		-			
7.	27/11/2024	83.7	38.1	35.7	42.5	0.88	-	-		-			-
8.	28/11/2024	65.9	28.2	25.8	32.4	0.77	-			-	-		-
	Maximum	85.2	40.6	37.5	46.3	0.96	_			-			
	Minimum	65.9	28.2	25.8	32.4	0.54	-						-
	Average	76.4	34.8	32.0	39.3	0.74	-	-	144			75	
Limit	issible (As Per QMS)	100	60	80	80	02	400	100	05	01	01	20	06

3. Remark: - 1. Method Followed: IS-5182.

2. Note: BDL-Below Detectable Limit.

C (Reporte) **AUTHORIZED SIGNATORY**



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Analysis Summary Report for Ambient Air Quality Monitoring Month: November- 2024

1. GENERAL DETAILS:

Name of Industry: Apple Organics, Plot No.610, 100 Shed Area, GIDC, Vapi.

Location: Near Security Gate-2 Duration of Sampling: 24 hours

2. Analysis Results:

Sr. No.	Date		Results													
	Parameters	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	CO	NH ₃	Ozone	Benzene	BaP	Pb	Ni	As			
	Unit	μg/m³	µg/m³	µg/m²	µg/m³	mg/m³	µg/m³	μg/m³	µg/m³	ng/m³	µg/m³	ng/m³	ng/m			
1.	06/11/2024	81.7	38.4	35.6	41.7	0.77	11.5	15.6	BDL	BDL	BDL	BDL	BDL			
2.	07/11/2024	77.5	36.3	32.4	39.2	0.63	**	***	-4	-	***					
3.	13/11/2024	83.6	41.7	38.5	44.3	0.58	-	in a	44.				_			
4.	14/11/2024	74.3	35.8	31.7	38.4	0.72		154	24	-	-		-			
5.	20/11/2024	87.2	43.6	39.3	48.6	0.82			-				in.			
6.	21/11/2024	66.4	32.5	28.6	36.5	0.53		_		***		and .	-			
7.	27/11/2024	71.8	29.1	25.8	33.8	0.69	-			are.	100		-			
8.	28/11/2024	85.3	40.3	37.2	45.1	0.51	-	100		***	inv.		Descri			
	Maximum	87.2	43.6	39.3	48.6	0.82	-	100	***	44						
	Minimum	66.4	29.1	25.8	33.8	0.51	-44	44	20		~		-			
	Average	78.5	37.2	33.6	40.9	0.65				-		***				
	issible (As Per QMS)	100	60	80	80	02	400	100	05	01	01	20	06			

3. Remark: -1. Method Followed: IS-5182.

2. Note: BDL-Below Detectable Limit.

PUTEL P. A. ANALYSED BY

C Le Laconi

AUTHORIZED SIGNATORY



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230, Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Analysis Summary Report for Ambient Air Quality Monitoring

Month: December- 2024

1. GENERAL DETAILS:

Name of Industry: Apple Organics, Plot No.610, 100 Shed Area, GIDC, Vapi.

Location: Near Security Gate-1

Duration of Sampling: 24 hours

2. Analysis Results:

Sr. No.	Date						R	esults					
	Parameters	PM ₁₀	PM _{2.5}	SOz	NO ₂	CO	NH2	Ozone	Benzene	BaP	Pb	Ni	
	Unit	µg/m³	µg/m³	µg/m³	µg/m³	mg/m³	µg/m³	µg/m³	µg/m³	ng/m³			As
1.	04/12/2024	80.2	37.4	31.5	43.6	0.83	12.6	18.2	BDL		hg/m³	ng/m³	ng/m
2.	05/12/2024	76.4	35.1	29.8	41.7	0.65	15.0	10.2		BDL	BDL	BDL	BDL
3.	11/12/2024	95.3	45.2	38.6	52.3	0.93		-		77	-		- dec
4.	12/12/2024	86.1	41.5	35.4	48.2	0.77	_	-	-	***			-
5.	18/12/2024	65.8	31.6	27.2	37.5	0.68	-	-	-	Ar-	164	-	
6.	19/12/2024	78.3	36.4	30.1	44.4	0.52	-			-60		-775	-
7.	25/12/2024	81.9	38.7	32.3	46.8	0.47	_				94	-	
8.	26/12/2024	72.5	30.3	25.7	36.1	0.58	_		~				
	Maximum	95.3	45.2	38.6	52.3	0.93	-	-	-	.77	***	44	-
	Minimum	65.8	30.3	25.7	36.1	0.47	-				94		
	Average	79.5	37.0	31.3	43.8	0.68	-			46			
Perm	issible	10.0	07.0	01.0	43.0	0.00	**		-			-	
Limit	(As Per QMS)	100	60	80	80	02	400	100	05	01	01	20	06

3. Remark: - 1. Method Followed: IS- 5182.

2. Note: BDL-Below Detectable Limit.

ANALYSED BY

AUTHORIZED SIGNATORY



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Analysis Summary Report for Ambient Air Quality Monitoring | Month: December - 2024

1. GENERAL DETAILS:

Name of Industry: Apple Organics, Plot No.610, 100 Shed Area, GIDC, Vapi.

Location: Near Main Office

Duration of Sampling: 24 hours

2. Analysis Results:

Sr. No.	Date						R	esults			_		
	Parameters	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	CO	NHa	Ozone	Benzene	BaP	Pb	MIT	
	Unit	µg/m³	µg/m³	µg/m³	µg/m³	mg/m³	µg/m³	µg/m³	µg/m³		-	Ni	As
1.	04/12/2024	88.4	41.5	36.1	47.8	0.67	11.5	16.9	BDL	ng/m³ BDL	µg/m³	ng/m³	ng/m
2.	05/12/2024	75.3	35.2	30.4	42.5	0.71	-	10.0	- BUL		BDL	BDL	BDL
3.	11/12/2024	68.6	31.8	26.3	37.4	0.54	40			-	-		
4.	12/12/2024	73.8	33.6	28.2	39.2	0.62	-	-	**				741
5.	18/12/2024	89.7	42.1	38.5	51.6	0.83		94					-
6.	19/12/2024	78.2	36.2	31.6	43.7	0.92	-	-		-	***	24	H-
7.	25/12/2024	65.9	30.7	24.8	36.2	0.48	-			200		-	77
8.	26/12/2024	81.8	38.3	32.7	45.1	0.74	-	-			-	44	- 12
	Maximum	89.7	42.1	38.5	51.6	0.92	-	-		-	-		
	Minimum	65.9	30.7	24.8	36.2	0.48					***	***	
	Average	77.7	36.8	31.0	42.9	0.68			~	-	**		44
	issible (As Per	100	60	80	80	02	400	100	05	01	01	20	06

3. Remark: - 1. Method Followed: IS- 5182.

2. Note: BDL-Below Detectable Limit.

ANALYSED BY

AUTHORIZED SIGNATORY



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Analysis Summary Report for Ambient Air Quality Monitoring

Month: December- 2024

1. GENERAL DETAILS:

Name of Industry: Apple Organics, Plot No.610, 100 Shed Area, GIDC, Vapi.

Location: Near Security Gate-2 Duration of Sampling: 24 hours

2. Analysis Results:

Sr. No.	Date						R	esults					
	Parameters	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	CO	NH ₃	Ozone	Benzene	BaP	Pb	447	
	Unit	µg/m³	µg/m³	µg/m³	µg/m³	mg/m³	μg/m³	µg/m³			-	Ni	As
1.	04/12/2024	79.6	36.5	30.4	41.8	0.55	13.4	1.00	μg/m³	ng/m³	µg/m³	ng/m³	ng/m ²
2.	05/12/2024	84.3	39.2	32.6	45.3	0.73		17.2	BDL	BDL	BDL	BDL	BDL
3.	11/12/2024	90.2	41.8	35.3			-					-	-
4.	12/12/2024	81.7	38.6	31.5	48.2	0.91			144				-
5.	18/12/2024	76.5	35.4	28.7	43.1	0.67	127	144	nin .			-	100
6.	19/12/2024	88.4	42.7	34.2	39.7	0.73	-	p.s.		-	-	144	-
7.	25/12/2024	74.8	33.1	27.6	47.5	0.85	-	77	-		99	44	-
8.	26/12/2024	70.1	29.9		40.4	0.62	-		**		78	44	+
-	Maximum	90.2		24.1	36.9	0.53				194	***		-
	Minimum		42.7	35.3	48.2	0.91	-	-	-	/ West .	-		
		70.1	29.9	24.1	36.9	0.53		-		100	-	44	-
-	Average	80.7	37.1	30.5	42.8	0.69	-	_	20				
	issible (As Per QMS)	100	60	80	80	02	400	100	05	01	01	20	06

3. Remark: - 1. Method Followed: IS- 5182.

2. Note: BDL-Below Detectable Limit.

C. R. Onei **AUTHORIZED SIGNATORY**



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Analysis Summary Report for Ambient Air Quality Monitoring

Month: January- 2025

1. GENERAL DETAILS:

Name of Industry: Apple Organics, Plot No.610, 100 Shed Area, GIDC, Vapi.

Location: Near Security Gate-1

Duration of Sampling: 24 hours

2. Analysis Results:

Sr. No.	Date					-	R	esults				-	
	Parameters	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	CO	NH ₃	Ozone	Benzene	BaP	Pb	Ni	1 4-
	Unit	μg/m³	µg/m³	µg/m³	µg/m³	mg/m³	µg/m³	µg/m³	µg/m³	ng/m³	µg/m³	ng/m ³	As ng/m
1.	01/01/2025	89.7	43.2	36.7	50.3	0.82	13.5	19.4	BDL	BDL	BDL	BDL	-
2.	02/01/2025	94.9	45.1	39.3	52.4	0.68	-	19.7		DUL		-	BDL
3.	08/01/2025	75.4	36.5	30.2	41.6	0.76	_			44	-	-	-
4.	09/01/2025	85.5	40.6	33.6	47.5	0.91				**	-		
5.	15/01/2025	81.6	38.4	32.5	44.7	0.76			-			-	-
6.	16/01/2025	77.3	36.2	29.4	41.2	0.82		-				-	-
7,	22/01/2025	91.2	44.3	38.1	51.8	0.72	The same		-	-		-	-
8.	23/01/2025	65.8	29.5	24.7	35.9	0.64		44	-			-	-
9.	29/01/2025	70.9	33.4	28.9	39.4	0.94	-				***	-	
10.	30/01/2025	78.6	35.8	31.2	40.1	0.55	-	-	_				-
	Maximum	94.9	45.1	39.3	52.4	0.94		-	-				-
	Minimum	65.8	29.5	24.7	35.9	0.55	-	- Marie			-		-
	Average	81.1	38.3	32.4	44.4	0.76	-	-	**	-			-
	issible (As Per	100	60	80	80	02	400	100	05	01	01	20	06

3. Remark: - 1. Method Followed: IS- 5182.

2. Note: BDL-Below Detectable Limit.

RITUPA,

C. R. Desai AUTHORIZED SIGNATORY



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Analysis Summary Report for Ambient Air Quality Monitoring | Month: January- 2025

1. GENERAL DETAILS:

Name of Industry: Apple Organics, Plot No.610, 100 Shed Area, GIDC, Vapi.

Location: Near Main Office Duration of Sampling: 24 hours

2. Analysis Results:

Sr. No.	Date					-	R	esults					
	Parameters	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	CO	NH ₃	Ozone	Benzene	BaP	Pb	Ni	As
	Unit	µg/m³	µg/m³	μg/m³	µg/m³	mg/m³	µg/m³	µg/m³	µg/m³	ng/m³	µg/m³	ng/m³	ng/m
1.	01/01/2025	80.2	38.9	32.1	46.8	0.92	12.8	17.2	BDL	BDL	BDL	BDL	BDL
2.	02/01/2025	77.4	36.1	30.4	42.5	0.68		-		-	-		DUL
3.	08/01/2025	89.7	41.8	38.5	50.4	0.85	**				-	-	-
4.	09/01/2025	71.3	34.2	29.6	40.7	0.59			-			-	
5.	15/01/2025	82.1	37.6	31,3	44.1	0.47			24		_	-	-
6.	16/01/2025	68.2	32.7	25.8	38.3	0.61	4+	-			_		-
7.	22/01/2025	75.5	35.3	28.2	41.9	0.98			_				-
8.	23/01/2025	92.6	42.4	37.8	52.6	0.47				-		-	
9.	29/01/2025	73.7	34.1	27.5	39.2	0.78		-	-				-
10.	30/01/2025	95.8	46.5	40.3	57.4	0.61							-
	Maximum	95.8	46.5	40.3	57.4	0.98						-	
	Minimum	68.2	32.7	25.8	38.3	0.47							
	Average	80.6	37.9	32.1	45.4	0.69			144				-
Limit	issible (As Per QMS)	100	60	80	80	02	400	100	05	01	01	20	06

3. Remark: - 1. Method Followed: IS-5182.

2. Note: BDL-Below Detectable Limit,

PANALYSED BY

AUTHORIZED SIGNATORY



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Analysis Summary Report for Ambient Air Quality Monitoring

Month: January- 2025

1. GENERAL DETAILS:

Name of Industry: Apple Organics, Plot No.610, 100 Shed Area, GIDC, Vapi.

Location: Near Security Gate-2

Duration of Sampling: 24 hours

2. Analysis Results:

Sr. No.	Date						R	esults					
	Parameters	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	CO	NHs	Ozana	D	-			
	Unit	µg/m³	µg/m³	µg/m³	µg/m³	mg/m³	-	Ozone	Benzene	BaP	Pb	Ni	As
1.	01/01/2025	78.5	37.9	32.4	43.8		µg/m³	µg/m³	μg/m³	ng/m³	ha/w ₃	ng/m³	ng/n
2.	02/01/2025	90.2	43.5	38.2	53.6	0.81	13.1	16.5	BDL	BDL	BDL	BDL	BDI
3.	08/01/2025	74.1	35.4	26.5	41.7	0.69		in.		-	-		-
4.	09/01/2025	69.4	32.7	28.6		0.73	-	-	***	-	100		-
5.	15/01/2025	87.2	42.6	36.4	39.8	0.53	-		in.		N/A		-
6.	16/01/2025	71.8	34.3		48.2	0.54		14-	(***				1990
7.	22/01/2025	82.6	40.1	29.1	40.5	0.86		-			***		776
8.	23/01/2025	67.9		33.7	46.3	0.90	44	++	74	4	~	-	***
9.	29/01/2025		31.7	25.3	37.4	0.57	44	144		24			
10.	30/01/2025	76.4	34.2	27.2	42.1	0.49		4					44
10.		85.3	41.8	35.5	50.2	0.65	+4	144	-				44.
-	Maximum	90.2	43.5	38.2	53.6	0.90	-	- 24					-
-	Minimum	67.9	31.7	25.3	37.4	0.49						**	-
	Average	78.3	37.4	31.3	44.3	0.68				**		**	44
	issible (As Per IMS)	100	60	80	80	02	400	100	05	01	01	20	06

llowed: IS- 5182.

2. Note: BDL-Below Detectable Limit.

C.R. Desgi **AUTHORIZED SIGNATORY**



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Analysis Summary Report for Ambient Air Quality Monitoring

Month: February- 2025

1. GENERAL DETAILS:

Name of Industry: Apple Organics, Plot No.610, 100 Shed Area, GIDC, Vapi.

Location: Near Security Gate-1

Duration of Sampling: 24 hours

2. Analysis Results:

Sr. No.	Date						R	sults					
	Parameters	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	CO	NH ₃	Ozone	Benzene	BaP	Pb	Ni	As
	Unit	µg/m³	μg/m³	µg/m³	μg/m³	mg/m³	µg/m³	µg/m³	µg/m³	ng/m³	µg/m³	ng/m³	ng/m
1.	05/02/2025	85.9	41.3	38.5	45.3	0.81	15.3	21.6	BDL	BDL	BDL	BDL	BDL
2.	06/02/2025	71.6	34.5	29.6	39.5	0.69	-		***	84	-	010	10.00
3.	12/02/2025	91.1	43.2	39.1	47.4	0.81	**	44		70	70075	775	-
4.	13/02/2025	77.2	36.4	30.3	41.2	0.75	***	-				PET	-
5.	19/02/2025	81.7	39.6	32.7	43.6	0.94		-	-	160e	And the second		1000
6.	20/02/2025	90.2	44.1	40.8	50.4	0.86	No.	See .	-	N/m		-	-
7.	26/02/2025	88.4	42.7	37.4	46.1	0.59	-	1-4	, and	1600	-4		-
8.	27/02/2025	84.5	40.8	35.2	48.7	0.47	**	1000		1 6/60	-		1000
	Maximum	91.1	44.1	40.8	50.4	0.94	-	Japan,	200	No.			-
	Minimum	71.6	34.5	29,6	39.5	0.47	No.	~~					
	Average	83.8	40.3	35.4	45.2	0.74		and.		was	-		
Limit	nissible t (As Per QMS)	100	60	80	80	02	400	100	05	01	01	20	06

3. Remark: - 1. Method Followed: IS- 5182.

2. Note: BDL-Below Detectable Limit.

POTEL SA

AUTHORIZED SIGNATORY



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Analysis Summary Report for Ambient Air Quality Monitoring | Month: February- 2025

1. GENERAL DETAILS:

Name of Industry: Apple Organics, Plot No.610, 100 Shed Area, GIDC, Vapi.

Duration of Sampling: 24 hours Location: Near Main Office

2. Analysis Results:

Sr. No.	Date						R	esults					
	Parameters	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	CO	NHa	Ozone	Benzene	BaP	Pb	Ni	As
	Unit	µg/m³	µg/m³	μg/m³	μg/m³	mg/m ³	µg/m³	μg/m³	μg/m³	ng/m³	µg/m³	ng/m³	ng/m
1.	05/02/2025	81.3	39.4	34.2	43.6	0.73	13.6	19.3	BDL	BDL	BDL	BDL	BDL
2.	06/02/2025	78.6	37.2	32.5	41.3	0.52		700		and .	-		
3.	12/02/2025	83.7	40.5	35.4	45.2	0.71		+		-miles		***	10.0
4.	13/02/2025	76.2	36.7	31.3	40.1	0.68	-		-		-		
5.	19/02/2025	70.5	34.3	29.6	38.4	0.56	-	the .	inn	and a			
6.	20/02/2025	86.4	41.8	37.1	46.7	0.47	ine						
7.	26/02/2025	68.7	33.1	28.7	37.6	0.89	-	77		177			
8.	27/02/2025	89.9	42.6	36.3	49.5	0.77	24			77	100	ton:	***
	Maximum	89.9	42.6	37.1	49.5	0.89	-	-	**	***	-		
	Minimum	68.7	33.1	28.7	37.6	0.47	***	***		***	**	4.00	100
	Average	79.4	38.2	33.1	42.8	0.66	-	. ***	44	N/A	***		
Limi	nissible t (As Per QMS)	100	60	80	80	02	400	100	05	01	01	20	06

3. Remark: - 1. Method Followed: IS- 5182.

2. Note: BDL-Below Detectable Limit.

-- 0.000 **AUTHORIZED SIGNATORY**



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Analysis Summary Report for Ambient Air Quality Monitoring | Month : February - 2025

1. GENERAL DETAILS:

Name of Industry: Apple Organics, Plot No.610, 100 Shed Area, GIDC, Vapi.

Location: Near Security Gate-2 Duration of Sampling: 24 hours

2. Analysis Results:

Sr. No.	Date	Results											
	Parameters	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	CO	NH ₃	Ozone	Benzene	BaP	Pb	Ni	As
	Unit	µg/m³	µg/m³	µg/m³	µg/m³	mg/m³	µg/m³	μg/m³	µg/m³	ng/m³	µg/m³	ng/m³	ng/m
1.	05/02/2025	74.8	36.4	30.5	42.3	0.69	14.6	17.4	BDL	BDL	BDL	BDL	BDL
2.	06/02/2025	80.9	38.2	32.1	44.5	0.73		++		100	Man		
3.	12/02/2025	93.2	45.7	41.7	50.2	0.94		Alle			**	40	-
4.	13/02/2025	83.7	40.1	35.3	47.4	0.81	-464				are.		
5.	19/02/2025	71.9	39.3	33.4	43.1	0.62	-	200	wa.		24	in.	
6.	20/02/2025	85.6	41.8	37.2	48.6	0.77	-	le-	-	44.	66.0	int	ine
7.	26/02/2025	95.8	44.9	39.6	51.7	0.52		-	(max				ien.
8.	27/02/2025	79.1	37.5	31.8	40.8	0.58		-	(App.			-	inte
	Maximum	95.8	45.7	41.7	51.7	0.94		. 144	40	.000	mon.	and:	
	Minimum	71.9	36.4	30.5	40.8	0.52		100	-			44	M No.
	Average	83.1	40.5	35.2	46.0	0.70	***			76.00	1999	Sedi	M-1
Limit	nissible t (As Per QMS)	100	60	80	80	02	400	100	05	01	01	20	06

3. Remark: - 1. Method Followed: IS- 5182.

2. Note: BDL-Below Detectable Limit.

ANALYSED BY

AUTHORIZED SIGNATORY



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230, Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Analysis Summary Report for Ambient Air Quality Monitoring

Month: March- 2025

1. GENERAL DETAILS:

Name of Industry: Apple Organics, Plot No.610, 100 Shed Area, GIDC, Vapl.

Location: Near Security Gate-1

Duration of Sampling: 24 hours

2. Analysis Results:

Sr. No.	Date						R	esults					
	Parameters	PM10	PM _{2.5}	SO ₂	NO ₂	CO	NHa	Ozone	Benzene	BaP	Pb	Ni	At
	Unit	μg/m³	µg/m³	µg/m³	µg/m³	mg/m³	µg/m³	µg/m³	µg/m³	ng/m³	µg/m³	ng/m³	ng/n
1.	05/03/2025	85.9	40.3	34.1	46.5	0.81	16.7	22.3	BDL	BDL	BDL	BDL	BDI
2.	06/03/2025	71.6	33.5	27.3	39.7	0.69	-						100
3.	12/03/2025	91.8	43.1	36.9	49.3	0.81	-	-	-				
4.	13/03/2025	77.2	35.4	29.2	41.6	0.75	-			-			-
5.	19/03/2025	82.7	37.2	31.7	43.4	0.94	-		-	-			-
6.	20/03/2025	93.4	45.6	39.4	51.8	0.86	-	-				-	
7.	26/03/2025	87.3	42.7	36.5	48.9	0.59	-		-		-		-
8.	27/03/2025	70.5	34.8	28.6	40.2	0.47	-	14.5			-		-
	Maximum	93.4	45.6	39.4	51.8	0.94	100	-			-		
	Minimum	70.5	33.5	27.3	39.7	0.47	-	-			-		-
-	Average	82.5	39.0	32.8	45.1	0.74	-				-	-	
Lin	ermissible mit (As Per NAAQMS)	100	60	80	80	02	400	100	05	01	01	20	06

3. Remark: - 1. Method Followed: IS- 5182.

2. Note: BDL-Below Detectable Limit.

ANALYSED BY

AUTHORIZED SIGNATORY



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230, Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Analysis Summary Report for Ambient Air Quality Monitoring | Month: March- 2025

1. GENERAL DETAILS:

Name of Industry: Apple Organics, Plot No.610, 100 Shed Area, GIDC, Vapi. Duration of Sampling: 24 hours

2. Analysis Results:

Sr. No.	Date					-	-	an San					
	Parameters	PM ₁₀	PM _{2.5}	SO ₂	NO	-	R	esults					
-	Unit	µg/m³	µg/m³	-	NO ₂	CO	NH ₃	Ozone	Benzene	BaP	-		
1.	05/03/2025	72.9	34.6	µg/m³	µg/m³	mg/m ³	µg/m³	µg/m³	µg/m³		Pb	Ni	As
2.	06/03/2025	82.2	38.3	29.4	39.9	0.58	14.5	20.1	BDL	ng/m³	hg/m3	ng/m ³	ng/m
3.	12/03/2025	76.5	The second second	33.1	43.6	0.82				BDL	BDL	BDL	BDL
4.	13/03/2025	65.7	35.1	29.9	40.4	0.87	-	-	-	-	+=	-	
5.	19/03/2025	85.4	31.5	26.3	36.8	0.77		-	-	**	-		-
6.	20/03/2025		41.8	36.6	47.1	0.62		-		275.	**		
7.	26/03/2025	67.8	32.6	27.4	37.9	0.57		-	-	-	-	**	_
8.		87.3	42.2	37.1	47.5	0.43		100	-			-	-
٥.	27/03/2025	70.8	33,4	28.2	38.7	0.66	**	-		-	-	-	-
	Maximum	87.3	42.2	37.1	47.5		-			-			
-	Minimum	65.7	31.5	26.3		0.87	-	**		-		**	-
	Average	76.0	36.1	31.0	36.8	0.43	-	**			**	**	-
ermi	ssible			31.0	41,4	0.67	- ++	-	-				**
imit	As Per	100	60	-00	44	34.				**	**	***	
AAQ	MS) ark: - 1. Metho	1	100	80	80	02	400	100	05	01	01	20	06

ANALYSED BY

C. R Desul **AUTHORIZED SIGNATORY**



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat 394 230, Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Analysis Summary Report for Ambient Air Quality Monitoring Month: March- 2025

1. GENERAL DETAILS:

Name of Industry: Apple Organics, Plot No.610, 100 Shed Area, GIDC, Vapi.

Location: Near Security Gate-2

Duration of Sampling: 24 hours

2. Analysis Results:

Sr. No.	Date						R	esults			_		
	Parameters	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	CO	NH ₂	Ozone	Benzene	BaP	D.		-
	Unit	µg/m³	µg/m³	µg/m³	µg/m³	mg/m³	µg/m³	µg/m³		-	Pb	NI	As
1.	05/03/2025	91.2	43.5	37.8	50.1	0.91	15.8	-	µg/m³	ng/m³	µg/m³	ng/m³	ng/m
2.	06/03/2025	87.5	42.1	36,4	48.7	0.64		18.4	BDL	BDL	BDL	BDL	BDL
3.	12/03/2025	75.7	36.4	30.7	43.9		94		-				
4.	13/03/2025	84.7	40.6	34.9	47.2	0.58	64	-	.78"		-	***	
5.	19/03/2025	93.5	45.2	39.5		0.76	64 ·		**	-	***		-
6.	20/03/2025	89.4	46.7	41.1	51.8	0.81	45.	-	-	-		-	
7.	26/03/2025	78.6	33.3		53.3	0.67	22		-	-			4
8.	27/03/2025	82.8		27.6	39.9	0.89	-	(See		-			-
0.	Maximum		38.9	33.2	45.5	0.71	-	-		-	-		
		93.5	46.7	41.1	53.3	0.89				-			
	Minimum	75.7	33.3	27.6	39.9	0.58	***	ine.		40		_	**
	Average	85.4	40.8	35.1	47.4	0.75	**					**	**
	issible (As Per IMS)	100	60	80	80	02	400	100	05	01	01	20	06

3. Remark: - 1. Method Followed: IS- 5182.

2. Note: BDL-Below Detectable Limit.

ANALYSED BY

C Q DECO! **AUTHORIZED SIGNATORY**





POLICY SCHEDULE FOR PUBLIC LIABILITY (Act Only) INSURANCE

UIN NUMBER - IRDAN190P0076100001

Insured's Name	1	AARTI INDUSTRIES LTD			
		nsured's Details		las	uing Office Details
Customer ID	:	PO09969068	Office Code	1	C.D.U (120400)
Address	:	2ND FLOOR, 221, UDYOG KSHETRA, LBS MARG MULUND GOREGAON LINK ROAD, MULUND (WEST) MUMBAI ,MAHARASHTRA, 400080	Address	:	NEW INDIA CENTRE,4TH FLOOR 17 -A, COOPERAGE ROAD ,400001
Phone No	- 5	XXXXXX8086	Phone No		02222049713 / 02222815075
E-mail/Fax	\$	tanil.mathew@aarti-industries.com, i	E-mail/Fax	1	nia.120400@newindia.co.in / 02222842678
PAN No	:	AABCA2787L	S.Tax Regn. No	1	AAACN4165CST178
GSTIN/UIN	1	27AABCA2787L2ZB / NA	GSTIN		27AAACN4165C3ZP
	:		SAC	1	997139 (Other non-life insurance services excl RI)

		Po	licy Details						
Policy Number	4	12040036243300000004	Business Source Code						
Period of Insurance	1	From: 09/01/2025 12:00:01 AM To: 08/01/2026 11:59:59 PM	Dev.Off. level/Broker/Corp. Agent/Web Aggregator/CPSC User	**	Prudent Insurance Brokers Pvt. Ltd. (2D10077353) Prudent Ins Brokers_120400 - (SI00034592),				
Date of Proposal	t	09-Jan-25	Agent/Bancassurance/S pecified Person	**					
Prev. Policy no.	:		Phone No	:	NA / NA				
Client Type	:	Corporate	E-mall/Fax	1	11				

Premium(₹)	ERF Premium(₹)	GST(₹)	Total (₹)	Total (₹ in words)	Receipt No. & Date
9000	9000	1,620	19.620	RUPEES NINETEEN THOUSAND SIX HUNDRED TWENTY ONLY	1204008124000000130 7 - 09/01/25

Details of risk covered under current year policy:

								Deductible s	
Retroactive Date	Paid Up Capital	No Of Locations Involved	AOA	AOA:AOY	AOY	Annual Turnover - Previous Year	Annual Turnover - Proposed Year	No of workmen	No of Other Employee
09/01/202	<= 15 Crore	22	50000000	1:3	15000000	59550000	57410000 000	4000	2400

Retroactive Dates

									Deductibl es	
Retroactiv e Date Details	Date	te Paid Up Capital	No Of Locations Involved	AOA	AQA:AQY	AOY	Annual Turnover - Previous Year	Annual Turnover - Proposed Year	No of workmen	No of Other Employee
RETROA CTIVE DATE 1	09/01/20 22	<=15Cro re	22	5000000	1.3	1500000 00	5955000 0000	5741000 0000	4000	2400

RETRO-DATE IS SUBJECT TO LESSER OF LIMITS - NARROWER OF COVER.

Extensions under the Policy

Name of the Extension Sub Limit of the Extension Deductibles of the	s of the Extension	Deductibles of the Extension	Sub Limit of the Extension	Name of the Extension
---	--------------------	------------------------------	----------------------------	-----------------------



THE NEW INDIA ASSURANCE CO. LTD. (Government of India Undertaking)



Special Conditions	Claims ma	ide basis		
	Territory	Jurisdiction : India		
	NA			
Special Exclusions	NA			
Special Excess/Deductible	0			
Retroactive Dates		Date		
Retroactive da	ate		09/01/2022	

The Policy shall be subject to PUBLIC LIABILITY (Act Only) INSURANCE Policy clauses attached herewith.

Clauses	Descrip	tion
Premium and GST Details	Rate of Tax	Amount in INR
Premium		₹ 18,000
SGST	9	810
CGST	9	810
IGST	0	0

In witness whereof the undersigned being duly authorised by the Insurers and on behalf of the Insurers has (have) hereunder set his (their) hand(s) on this 09th day of January,2025.

For and on behalf of The New India Assurance Company Limited

Date of Issue: 09/01/2025

Duly Constituted Attorney(s)

Stamp Duty under the Policy is ₹1

Mudrank ______ Dt. _____ consolidated Stamp Fees Paid by Pay Order Number ______ vide receipt number ______ dt. _____.

We hereby declare that though our aggregate turnover in any preceding financial year from 2017-18 onwards is more than the aggregate turnover notified under sub-rule (4) of rule 48, we are not required to prepare an invoice in terms of the provisions of the said sub-rule.

Tax Invoice No : 12040024P0001589

IRDA Registration Number: 190

NIA PAN NUMBER: AAACN4165C



दि न्यू इन्डिया एश्योरन्स कंपनी लिमिटेड

(भारत सरकार का उपक्रम)

THE NEW INDIA ASSURANCE COMPANY LTD.

(Govt. of India Undertaking)

मं. का. 120400, न्यु इन्डिया सेंटर, 4थी मॅजिल, 17-ए, कुपरेंज रोड, मुंबई - 400 001.

D.O. 120400, New India Centre, 4th Floor, 17-A, Cooperage Road, Mumbai - 400 001.



Phone: 22815075, 22892800 E-mail: nia.120400@newindia.co.in

DATE: 09/01/2025

Public Liability Act policy

Issued at MUMBAI

Policy No: 12040036243300000004

Name of the Insured : AARTI INDUSTRIES LTD

Period of Insurance: From: 09/01/2025 00:00:01 AM To: 08/01/2026 11:59:59 PM

Risk Locations :

Sr No	Division	Bus Area Code	Plant Name	Address
1	Chemical	AN01	Amine	Plot No 285,286/1 A-1-322/23, 322/12, 322/24 II Phase,GIDC,Vapi- 396195
2	Chemical	AP01	Apple	PLOT NO. 610 , 609 & C1B/70, REVENUE SURVEY NO 234/P ,100,SHED AREA, GIDC , VAPI, VALSAD 396195
3	Chemical	DH1N	Dahej Diamond	PLOT NO Z/103/C SEZ-II, DAHEJ, TAL- VAGRA, DIST -
4	Chemical	DHI1	Dahej Neo	PLOT NO Z/103/H SEZ-II, DAHEJ, TAL- VAGRA, DIST - BHARUCH 392130
5	Chemical	DHJ2	Dahej Saffron	PLOT NO - Z/111/B, Z/111/C & D, GIDC Notified Industrial Estate, DAHEJ, SEZ-II, TAL VAGRA, DIST. BHARUCH 392130
6	Chemical	FA01	Fertilizer	PLOT NO. 801/15, TO 19, 21 AND 22 PHASE-III,
7	Chemical	JA04	Jhagdia 3M/Ash Land	PLOT NO 778 , 758/1-2-3 & 756/4-5, 779 AJANTA PAPER & GENERAL PROC, GIDC JHAGADIA - DIST BHARUCH 393110 PLOT NO 41-1 & 41-2 JHAGADIA GIDC ESTATE ANKLESHWAR, DIST BHARUCH 393110 Plot No 41/1, 41/2, 41/3/1, 41/3/2 & 41/3/3 ,GIDC
8	Chemical	Jhagadia	Jhagadia	Jhagadla - 393110, Dist - Bharuch, Gujarat (India)
9	Chemical	JHA1(Pearl)	Jhagadia	Plot No. 756 - 8/9, 758/1,2,3 Survey no. 345, 348.
10	Chemical	JHA2 (Ruby)	Jhagadia	356, 357, 358, 359, 360 & 364 Plot No. 756-2A/B, 3A/B, 4A/B, 5A/B,6,7,8,9 & Survey No. 122 GIDC Jhagadia, Dadheda, Bharuch
11	Chemical	JHA3 (Jade)	Jhagadia	393110
12	Chemical	JHA4 (Gold)	Jhagadia	Plot no. 778, P.B No. 24, GIDC, Jhagadia-393110, Dist- Bharuch, Gujarat
13	Chemical	R&D Jhagadia	R&D Jhagadia	Plot No 41/3/1-2-3, Jhagadia, Dist- Bharuch, Gujara PLOT NO. 756/2 A&B 756/3 A&B 756/4 A&B , GIDC
14	Chemical	JHA6(Onyx)	Jhagadia	NOTIFIED INDUSTRIAL ESTATE, JHAGADIA TRANSPORTE
15	Chemical	KU01	Anushakti	SURVEY NO. 1430/1, NATIONAL HIGHWAY NO. 8 N KUTCH BHACHAU, GUJARAT 370140
16	Chemical	NS01	Nascent	PLOT NO. 24, PHASE-I, G.I.D.C., DIST VALSADMENT PI 396195

17	Chemical	NU01	Nutrient	PLOT NO. 802,803,804/12-3, 801/15 TO 19, 21 AND 22 PHASE-III, G.I.D.C. ,INDUSTRIAL ESTATE, VAPI 396195
18	Chemical	RD01	R&D Vapi	PLOT NO. 802,803,804/12-3, 801/15 TO 19, 21 AND 22 PHASE-III, G.I.D.C., INDUSTRIAL ESTATE, VAPI 396195
19	Chemical	RD03	R&D Mhape	A/94-1 & A/94/1/1, Khairane, MIDC, TTC, India, Navi Mumbai - 400710
20	Chemical	VA01	Acid	Plot No 802, 803, 804/3, Phase III, GIDC, Vapi- 396195 Plot No. 801/15 to 19,21 & 22, Phase-III, GIDC Estate, Vapi-396195, Tal: Pardi, Dist: Valsad
21	Chemical	VA02	Organic	PLOT NO. 801-23, TO 802,803,804/1-2-3, 15 TO 19, 21 AND 22 PHASE-III, G.I.D.C., INDUSTRIAL ESTATE, VAPI 396195
22	Chemical	VA03	Alchemie Organic	PLOT NO. 902 923 PHASE-III, G.I.D.C, VAPI, DIST VALSAD, VAPI 396195
23	Chemical	TA02	Tarapur Unit- 2	Plot No. L-5,L-4, L-8,L-9/1, MIDC, Tarapur, Boisar, Maharashtra 401506

Sr No.	Bus Area Code	Address	Location	Rented or Owned
1	SL - STORAGE LOCATION	209 C/o Welcome Roadways, Lasudiya Mori, Halka No 17, Dewas Naka, Indore- 452010	Indore	Rented
2	ETO1	71 Udyog Kshetra 2nd Floor Mulund Goregaon Link Road, Mulund West, Mumbai 400080	Mumbai	Owned
3	SL - STORAGE LOCATION	Ankit Petro Products Private Limited, L12, MIDC, Tarapur 401506	Tarapur	Rented
4	SL - STORAGE LOCATION	BHIWANDI GODOWN -1 SHED NO. 4, PATWARDHAN COMPOUND, NEAR DAL MILL COMPOUND, PURNA VILLAGE, AGRA ROAD, PURNA THANE	Bhiwandi	Rented
5	SL - STORAGE LOCATION	C/O Nasibdar Group Of companies, Plot No . H-4/2/B, MIDC, Tarapur, Boisar , Maharashtra - 401506	Tarapur	Rented
6	SL - STORAGE LOCATION	D/6, Mayashree Compound, Survey No. 189/12356, 190/4, 190/5, 194/11, In Dal Mill Compound, Village Purna, Bhiwandi, Dist: Thane. 421302	Bhiwandi	Rented
7	SL - STORAGE LOCATION	GAT NO 706 SANDIP WAREHOUSE, AVHANE SHIVAR, KANALDA ROAD, AVHANE, JALGAON, DIST - JALGAON - 425002	Jalgaon	Rented
8	SL - STORAGE LOCATION	GAT NO 89 & 91 SANGHAVI WAREHOUSE, BAMBRUD PACHORA, DIST- JALGAON -424201	Jalgaon	Rented

9	SL - STORAGE LOCATION	GODOWN NO 1, 2, 3 & 4, GAT NO 68/1, VILLAGE BELAD, NH-6 BYE PASS ROAD, TAL- MALKAPUR, DIST - BULDHANA - 443102	Buldhana	Rented
10	SL - STORAGE LOCATION	GODOWN NO 1 PART B SURVEY NO 137, BEHALF OF SANTOSH HYBRID SEEDS CO PVT LTD, BHOKARDAN ROAD, JALNA, DIST - JALNA - 431114	Jalna	Rented
11	SL - STORAGE LOCATION	GODOWN NO 1 TO 4 SURVEY NO 108/A/2 CHAHURANA BUDRUK, NAGAR KALYAN ROAD, NALEGAON, THANGE MALA, AHMEDNAGAR - 414001	Ahmednagar	Rented
12	SL - STORAGE LOCATION	GODOWN NO 1, GAT NO 203, BEHLAF OF JEEVAN TRADING COMPANY, TUPPA VILLAGE, HYDERABAD HIGHWAY, DIST NANDED - 431603	Nanded	Rented
13	SL - STORAGE LOCATION	GODOWN NO 2 & 3 SURVEY NO 224/2 NEAR RADHASWAMI SATSANG , SHAHADA ROAD, VILLAGE DONDAICHA, TAL SHINDKHEDA, DIST - DHULE - 425408	Dhule	Rented
14	SL - STORAGE LOCATION	GODOWN ON SURVEY NO 163, GRAMPANCHYAT TEMBHURNE, KHAMGAN-AKOLA ROAD, DIST BULDHANA - 444303	Buldhana	Rented
15	VD09	GPC No. 932/1, 932/2 Hubbarwadi, Hubbarwadi Village, Raybag, Belagavi 591317, Karnataka	Belagavi	Rented
16	SL - STORAGE LOCATION	Industrial plot no 271 and 272 chanod tal.vapi dist valsad	Vapi	Owned
17	SL - STORAGE LOCATION	Industrial plot no 271 and 272 II Phase Gidc vapi 396195	Vapi	Rented
18	CS01	Khata no 430 survey no 452 village chival pardi valsad	Vapi	Owned
19	SL - STORAGE LOCATION	NAGESHWAR COMPOUND, GALA B 103 PART A THANE BHIWANDI AGRA ROAD VILLAGE PURNADANDEKARWAD, DISTRICT - THANE	Bhíwandi	Owned
20	HAZ1	Near LNG Terminal, Hazira Bypass Road, Hazira, Surat-394270, Gujarat	Hazira	Rented
21	SL - STORAGE LOCATION	Nepti Factory Godown No 3, Vaibhav Cattle Feed Factory Nepti, Survey No 65/2B/1, Nepti village, Kadegaon, Kadegaon Tal - Ahmednagar Dist - 414005	Ahmednagar	Rented
22	VD07	PLOT NO - 609, 610,100 SHED AREA, G.I.D.C. ESTATE, VAPI, GUJARAT- 396195	Vapi -	Rented

23	SL - STORAGE LOCATION	Plot no : d2/ch/77, Vedant Chlorochem ,Dahej, Tal : Vagra, Dist:Bharuch.	Dahej	Rented
24	TA04	PLOT NO 188 TO 190 2ND PHASE GIDC VAPI 396195	Vapi	Rented
25	SL - STORAGE LOCATION	Plot No 2006, 3 rd Phase, GIDC Vapi 396195	Vapi	Owned
26	SL - STORAGE LOCATION	PLOT NO 271 & 272, SURVEY NO 269, PAIKE, 269/P 270/P, 2ND PHASE GIDC ,CHANOD, VAPI DIST VALSAD - 396195	Vapi	Rented
27	JA05	Plot No 2900/115,2900/116 GIDC Ankleshwar ,Dist.Bharuch -393002 Gujarat	Ankleshwar	Rented
28	JA05	PLOT NO 2900/117, INDOKEM COMPOUND, GIDC ESTATE, DIST BHARUCH ANKLESHWAR - 393002	Ankleshwar	Rented
29	SL - STORAGE LOCATION	PLOT NO 927 PHASE III GIDC, REVENUE SURVEY NO 43/P CHIRI VAPI DIST - VALSAD - 396195	Vapi	Rented
30	SL - STORAGE LOCATION	PLOT NO. 13, JNPT LIQUID STORAGE AREA, NHAVA SHEVA, URAN NAVI MUMBAI, RAIGAD- 400707.	Uran	Rented
31	OS01	Plot No. 2900/115, 2900/116, 2900/117, Indokem, Compound, GIDC Estate, Ankleshwar, Bharuch, 393002, Gujarat	Ankleshwar	Rented
32	VD08	PLOT NO. 756/2 A&B 756/3 A&B 756/4 A&B GIDC NOTIFIED INDUSTRIAL ESTATE, JHAGADIA 393110	Jhagadia	Rented
33	VD06	PLOT NO.316 D AT 40 SHED AREA GIDC VAPI 396195	Vapi	Rented
34	SL - STORAGE LOCATION	PLOT/SHED NO 1106, GIDC VAPI, VILLAGE CHIRI, TALUKA-VAPI, DIST - VALSAD	Vapi	Rented
35	SL - STORAGE LOCATION	S-42, MIDC, Tarapur, Bolsar, Dist Palghar Aftab Silk Mills Pvt Limited	Tarapur	Rented
36	SL - STORAGE LOCATION	Shed No .7/5A, Arun Compound, Survey No. 172, Hissa No.2, 3,4 Dal Mill Compound, Village Purna , Bhiwandi , Dist: Thane. 421302	Bhiwandi	Rented
37	SL - STORAGE LOCATION	Shed No. 12A and 12B, Survey No. 178 Hissa No. 1 & 2, Sarvotam Compound, Dal Mill Compound, Village Purna, Bhiwandi, Dist; Thane. 421302	Bhiwandi	Rented
38	SL - STORAGE LOCATION	Shed No.8/6A, Arun Compound, Survey No. 172, Hissa No.2, 3,4 Dal Mill Compound, Village Purna, Bhiwandi, District Thane – 421302	Bhiwandi	Rented

39	SL - STORAGE LOCATION	Shed no-13, Sarvotam Compound, Survey No. 172, Hissa NO. 1 Dal Mill Compound, Village Purna, Bhiwandi, Dist: Thane. 421302	Bhiwandi	Rented
40	SL - STORAGE LOCATION	Shed no-16, Sarvotam Compound, Survey No. 172, Hissa NO. 1 Dal Mill Compound, Village Purna, Bhiwandi, Dist: Thane. 421302	Bhiwandi	Rented
41	VD10	SURVEY NO 108/A, NAGAR KALYAN ROAD, NEAR THANGE MALA, Ahmednagar 414001, Maharashtra	Ahmednagar	Rented
42	MW04	SURVEY NO. 137, BHOKARDHAN ROAD, NEAR JALNA BHOKARDHAN ROAD, JALNA, 431114, MAHARASHTRA	Jalna	Rented
43	SL - STORAGE LOCATION	TERMINAL AT PORT PIPAVAV, POST BAG 45, POST UCHHAIYA VIA RAJULA, UCHHAIYA,Amreli, Gujarat, 365560	Pipavav	Owned
44	SL - STORAGE LOCATION	WAREHOUSE AT GAT NO 87, VILLAGE GEVRAI TANDA, DIST - AURANGABAD - 431111	Aurangabad	Rented
45	MW05	GAT NO. 706, SANDIP WAREHOUSE, AVHANE SHIVAR KANALDA ROAD, AVHANE SHIVAR, JALGAON - 425002, MAHARASHTRA	Jalgaon	Rented
46	VD01	Plot No - 28 Phase-II, GIDC, Vapi 396195	Vapi	Owned
47	VD11	GAT NO. 68/1, NH-6, BY PASS ROAD,MALKAPUR, MAHARASHTRA 443102	Malkapur	Rented
48	SL - STORAGE LOCATION	Plot No. 25, GIDC, Phase 1 and 2, Vapi, Dist Valsad, Gujarat 396195	Vapi	Rented
49	SL - STORAGE LOCATION	PLOT NO.321/8, 40 SHED AREA, CHANOD, GIDC VAPI, DIST VALSAD 396 195	Vapi	Rented
50	SL - STORAGE LOCATION	Plot No. 328-329/B, A-1 Building Area, GIDC Estate , Ankleshwar, Bharuch, Gujarat 393002	Ankleshwar	Rented
51	SL - STORAGE LOCATION	Plot No.L-4 & L-5 M.I.D.C,Tarapur,Maharastra-401506	Tarapur	Owned
52	SL - STORAGE LOCATION	PLOT NO S-42, MIDC TARAPUR, BOISAR, DIST -PALGHAR, MAHARASHTRA 401501	Boisar	Rented
53	SL - STORAGE LOCATION	GODOWN NO 13 & 14 NEAR MARUTI SHOWROOM, HINGOLI ROAD, MARUTI SUZUKI ARENA, ASPA BRANDSONS AUTO PVT LTD, HINGOLI ROAD, WASHIM, MAHARASHTRA 444505	Washim	Rented
54	SL - STORAGE LOCATION	Plot No 1663, GIDC Sarigam, Vai Umbergam, Sarigam, Valsad, Gujarat,	Sarigam	Rented

		396155		
55	SL - STORAGE LOCATION	Survey No 846, Plot No 106, Namdha, Vapi, Valsad, Gujarat 396195	Vapí	Rented
56	SL - STORAGE LOCATION	Plot No 148/A Phase 2, GIDC Vapi Dist Valsad, Gujarat, 396195	Vapi	Rented
57	SL - STORAGE LOCATION	PLOT NO K 14, MIDC TARAPUR, SALWAD, BOISAR, PALGHAR, MAHARASHTRA 401506	Boisar	Rented

Sr No.	Bus Area Code	NEW ADDRESS	Location	Rented or Owned
1	KU02	PLOT NO. 5&6 ,KESAR TERMINAL & INFRASTRUCTURE LTD, OLD KANDLA 370220	Kutch	Rented
2	SL - STORAGE LOCATION	Shreeji terminal, plot no. 7 near jawaharlal nehru railway crossing, kandla 370210	Kutch	Rented
3	KU05	SURVEY NO 26 (OLD SURVEY NO 157), PADANA WAREHOUSE, PADANA, GANDHIDHAM, KUTCH GUJARAT	Kutch	Rented
4	SL - STORAGE LOCATION	SURVEY NO 26, (OLD SURVEY NO - 157), PAIKI -2 PADANA GANDHIDHAM 370240	Gandhidham	Rented
5	SL - STORAGE LOCATION	Survey No. 1430/2, N.H. No 41, Ta. Bhachau, Dist Kutch, Gujarat.	Kutch	Rented
6	KU04	NEAR OIL JETTY, IFFCO PLANT IFFCO ROAD, KUTCH, GUJARAT 370210	Kutch	Rented
7		Tank No 103, Plot No 7, Kandla, Kutch, Near Jawaharlal Nehru Railway Crossing, Kandla, Kutch, Gujarat 370210	Kutch	Rented
8		Tank No TK 122, Plot No 7, Pandit Jawahar Lal Nehru Marg, Gandhidham, Kandla, Kutch, Gujarat 370210	Kutch	Rented
9	17	NEAR OIL JETTY, CRL TERMINALS PVT LTD, POINT NO 1, NEAR WASTE GATE NI 1, KANDLA, KUTCH, GUJARAT 370210	Kutch	Rented
10	KU06	SURVEY NO 236/1 and 237, Warehouse No K-01, Village Mithi Rohar, Gandhidham, Kutch, Gujarat 370201	Kutch	Rented


S No	Stock At Doc List
1	Jawaharlal Nehru Port Trust Sheva, Navi Mumbai-400702
2	15-23, National highway 4B, Panvel-JNPT highway, Village Padeghar, Panvel, Maharashtra 410206
3	Balmer Lawrie & Co. Ltd., Container Freight Station (CFS), Sector: 7, Plot No: 1, P.B. No: 8, Dronagiri Node Navi Mumbai - 400707
4	MUMBAI AIRPORT ANDHERI:- AIR CARGO COMPLEX SAHARA ANDHERI
5	HAZIRA PORT Hazira LNG and Port Hazira, Dist: Surat Gujarat - India
6	PORT OF PIPAVAV, POST BAG 45, POST UCCHAIYAVIA RAJULA, AMRELI, Gujarat, India, 36556

Location 1: MUNDRA PORT Post Box No. 1 Mundra (Kutch), Gujarat 370421 Location 2: Deendayal Port, Kandla, Gujarat, Kutch, Pincode: 370210

For & On Behalf of The New India Assurance Co. Ltd

Duly Constituted Attorney(S)

Ammeture-90/C



ONSITE EMERGENCY RESPONSE PLAN
AARTI INDUSTRIES LIMITED, (Apple Organic Division) GIDC Vapi

ON-SITE EMERGENCY PLAN

(As per Schedule-8. A, Sub-Rule 68-J (12)(1) of GFR 1963 and Schedule 11, Rule 13(1) of MSIHC Rules 1989)



AARTI INDUSTRIES LIMITED (APPLE ORGANIC DIVISION), VAPI

Plot No.609/610, 100 Shed Area,
GIDC ESTATE, Vapi, District - Valsad,
Gujarat - 396195

Effective From 15.09.2024

१६११ई १९॥ में स्वास्थ्य आहर, जिल्लाकार्ग सेने स्वास्थ्य कार्याम्बर्ग सेने स्वास्थ्य के हा का इ.

	Fire Equipment Name	In Use	Spare
	Fire Extinguisher		
	Co2 4.5Kg	14	3
_	ABC 5 Kg	1	0
	ABC 6 Kg	1	1
-	ABC 2 Kg ABC 4 Kg	2 22	2
-		1	0
_	FE 36 Moduler Type		
_	Class D 9Kg	0	6
_	Total	41	12
2	Fire Hydrant Post	9	0
3	Safety Shower	5	1
4	SCBA Set	9	0
5	SCBA Spare Cylinder	0	3
5	First Aid Box	2	0
7	Fire Hose Box	7	5
8	Wind Sock	2	4
9	Hose Reel	7	0
0	Sand Bucket stand	3	0
	PPEs Box	2	3
	Fire Jet Monitor	4	0
	CL2 Kit	1	0
	Triple Purpose Branch	7	0
5		5	1
6	THE PART OF THE PA	3	1
0		3	1
,	GUN PATTERN MULTIPURPOSE		
7	-17-0-0-0-0	2	0
-	Foam Carba	32	46
9	THE CONTROL OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TW	1	0
0		1	0
1	VOC Meter-Portable	1	0
2	Chlorine Detector-Portable	1	0
3	HCN Detector-Portable	1.	0
4	Sox Detector-Portable	1	0
5	Nox Detector -Portable	1	0
6	Area Monitoring device	1	0
7	Fire Blanket (New)	10	0
8		1	0
9	Hydrogen Detector-Fixed	3	0
-	Chlorine Detector-Fixed	3	0
1	MCP Point	6	0
-	Hooter	2	0
	Smoke Detector	8	0
			4
	Fire Proxy suit	1	0
9	HR suit	1	0
	Turtle suit(Hydrojetting pressure		
5	suit)	1	0
7	Mega Phone	2	1
3	Confined space kit	1	0
9	Safety Shower Push Pull Handle	0	05 Pair
0	Butterfly Valve	0	02 Nos
1	Safety Net	0	04 Nos
2	Safety Harness	4	
3	Delevery Hose RRL	0	11 Nos
4	Safety Shower Body Wash	0	04 Nos
5	Blank Cap	0	0
5	Eye Wash Fountain	0	0
7	Ring Washer	0	08 Nos
3	Disc Washer		
-		0	10 Nos
,	Hose Box Glass	0	07 Nos
)	Jockey Pump Spider	0	01 Nos
1	Fire Hydrant Landing Valve	9	0
2	Co2 4.5 kg Extinguisher Handle	0	0
3	Permanent Lifeline-MPP Roof top	1	0
4	Permanent Lifeline-Vertical Ladder	3	0
ı	Permanent Lifeline-Overhead on		
5	Piperack	1	0
-	Spill Kit	2	0
5			



કલેક્ટર અને જિલ્લા મેજિસ્ટ્રેટ વલસાડની કચેરી જિલ્લા સેવા સદન,તિથલ રોડ,વલસાડ

e-mail:-collector-val@gujarat.gov.in

નં.ડીસીબી/એમએજી-૧/પેટ્રો.લા./રીન્યુ/વશી. શ(૯૭/૨૦૨૫

4129/03/2024

પ્રતિ, આરતી ઇન્ડસ્ટ્રીઝ લીમીટેડ, પ્લોટ નં.૮૦૧,૮૦૧/૨૩, થર્ડ ફેઇઝ, જી.આઇ.ડી.સી.વાપી તા.વાપી જી.વલસાડ

> વિષય :- પેટ્રોલીયમ પરવાનો રીન્યુ કરવા બાબત. પેટ્રોલીયમ પરવાના નં.૦૧/૨૦૨૩

ઉપરોક્ત વિષય બાબતેની આપશ્રીની તા.૦૧/૦૩/૨૦૨૫ના રોજની અરજીના અનુસંધાનમાં જણાવવાનું કે.આપની માંગણી અનુસાર આપનો પેટ્રોલીયમ પરવાનો વધુ એક વર્ષ તા.૩૧/૦૩/૨૦૨૬ની મુદત સુધીનો રીન્યુ કરી મુળ પરવાનો આ સાથે સામેલ કરી સાદર કરેલ છે. જે જાણવા વિનંતી છે.

બિડાણ :- મળ પરવાનો

અધિક જીલ્લા મેજીસ્ટ્રેટ વલસાડ



કલેક્ટર અને જિલ્લા મેજિસ્ટ્રેટ વલસાડની કચેરી જિલ્લા સેવા સદન,તિથલ રોડ,વલસાડ

ola dioesae-euasaa, doe diesasae e-mail:-collector-val@gujarat.gov.in

નં.ડીસીબી/એમએજી/પેટ્રો.લા./રીન્યુ/વશી. ૧૧૩૯/૨૦૨૪

AL 26/02/2028

પ્રતિ, મેનેજરશ્રી, આરતી ઇન્ડસ્ટ્રીઝ લીમીટેડ (એપલ ડિવિઝન), પ્લોટ નં.૮૦૧,૮૦૧/૨૩ થર્ડ ફ્રેઝ, જી.આઇ.ડી.સી. વાપી, તા.વાપી, જી.વલસાડ

> વિષય :- પેટ્રોલીયમ પરવાનો રીન્યુ કરવા બાબત પેટ્રોલીયમ પરવાના નં.૦૧/૨૦૨૩

ઉપરોક્ત વિષય બાબતેની આપશ્રીની તા.૧૩/૦૨/૨૦૨૪ના રોજની અરજીના અનુસંધાનમાં જણાવવાનું કે, આપની માંગણી અનુસાર આપનો પેટ્રોલીયમ પરવાનો વધુ એક વર્ષ તા.૩૧/૦૩/૨૦૨૫ની મુદત સુધી રીન્યુ કરી મુળ પરવાનો આ સાથે સામેલ કરેલ છે. જે જાણવા વિનંતી છે.

બિડાણ:- મુળ પરવાનો

અધિક જીલ્લા મેજીસ્ટ્રેટ વલસાડ



इतेइटर अने िएत्वा भेक्टिट्रेट वतसाडनी इसेरी જિલ્લા સેવા સદન, તિથલ રોડ, વલસાડ

कोल जं.०२६३२-२५३६५३, हेक्स जं.२४३४९७ e-mail:-collector-val@gujarat.gov.in

નં.ડીસીબી/એમએજી/પોઇ.રજી.૧૫/૨૩/વશી. & ૦૫૯/૨૦૨૩ તા.જી/૦૭/૨૦૨૩

प्रति. આરતી ઇન્ડસ્ટીઝ લીમીટેડ (એપલ ડિવિઝન)ના ઓર્થોરાઇઝ સિગ્નેટરીશ્રી. પ્લોટ નં.૮૦૧.૮૦૧/૨૩, થર્ડ ફેઝ, જી.આઇ.ડી.સી. વાપી, તા.વાપી જી.વલસાડ-૩૯૬૧૯૫

વિષય :- પેટોલીયમ પરવાનો મળવા બાબત

આપની તા.૧૩/૦૬/૨૦૨૩ના રોજની અરજીથી મોજે: વાપી, તા.વાપીના પ્લોટ નં.૬૦૯,૬૧૦, ૧૦૦ શેડ એરીયા, જી.આઇ.ડી.સી. વાપી, તા.વાપી જી.વલસાડ-૩૯૬૧૯૫ ખાતે પેટ્રોલીયમ નિયમો-૨૦૦૨ના આર્ટીકલ -3 મુજબ પેટ્રોલીયમ કલાસ-એ IPA, Toluene, MeOH, Heptane, Hexane Total: 200 Liters, . (At any point of time total Solvent quantity will not exceed 300 Liters) નો જથ્થો સ્ટોરેજ કરવા માટે માટે પેટ્રોલીયમ લાયસન્સ મેળવવા માટે અત્રેની કચેરીએ અરજી કરેલ છે. જે અન્વયે આપની માગણી મુજબ પેટ્રોલીયમ પરવાના નં.૦૧/૨૦૨૩ તા.૩૧/૦૩/૨૦૨૪ ની મુદત સુધીનો દર વર્ષે રીન્યુ કરાવવાની શરતે તૈયાર કરી આ સાથે સામેલ કરી સાદર કરેલ છે. જે જાણ થવા વિનંતી છે.

બિડાણ :- મળ પરવાનો

અધિક જિલ્લા મેજિસ્ટેટ વલસાડ

FORM XII

(See Article 3 of the first schedule)

LICENCE TO IMPORT AND STORE PETROLEUM CLASS A IN QUANTITY NOT EXCEEDING 300 LITRES IN A STORAGE SHED OR APPROVED BIN

Licence No. 1/2023

Fee Rs. 1000 (For every Calender Year or Part thereof.)

Licence is hereby granted to Aarti Industries Limitd, Plot No.801,801/23 HIrd Phase, G.I.D.C., Vapi, Taluka-Vapi, Dist.-Valsad, Gujarat. Valid only for the important and storage of 300 (At any point of time total solvent quantity will not exceed 300 Liters) (Three Hundred Only) Litres of Petroleum Class-A (IPA, TOLUENE, MeOH, HEPTANE, HEXANE) in the premises described below, subject to the provisions of the petroleum act, 1934, and the rules made thereunder and to the further conditions of this licence.

The licence shall remain in force up to the 31st day of March, 2024

Date:04/07/2023

Valsad



Add. District Magistrate. Valsad

Description and location of the licensed premises

The licensed premises consists of storage shed, Apple Organics Division,
Plot No.609,610 at 100 Shed Area, G.I.D.C., Vapi, Taluka-Vapi, Dist.Valsad, Gujarat An approved bin of type approved by the Chief controller and is
situated N.A., Village: Vapi Ta. Vapi, Police Station: Vapi G.I.D.C./
District: Valsad

(This licence shall be renewable without any concession in fee for ten years in the absence of contravention of any provisions of the petroleum act,1934, or of the rules farmed thereunder or any of the conditions of this licence)

date of renewal	date of expiry of licence	signature and office stamp of the licensing authority
RENEWED UP TO 31 03 - Fee Deposited Rs. 19 03 - Chalan No. 219 to 29 - Valsad. dt.29 - 02 - 2024 Additional Di Magistrata, V	Strict RENEWE Fee Depo	D UP TO 31-03-2026 sited Rs 1000/- 0.48

This licences is liable to be cancelled if the licensed premises are not found conforming to the descriptions and conditions attached here to and contravention of any of the rules and condition under which this licence is granted and the holder of this licence is also punishable for the first offence with simple imprionment which may extend to one month, or with fine which may extend to one thousand rupees, or with both, and for every subsequent offence with simple imprisonment which may extend to three months, or with fine which may extend to five thousand rupees, or with both.

Conditions

- 1. Petroleum class a shall be stored only-
 - In a storage shed constructed of suitable non-combustible materials on private ground, the doors and windows may be of wood; or
 - (ii) In a properly ventilated iron bin of a design approved by the chief controller and place on private ground in the open air.
- The storage shed shall be adeqately ventilated near the ground level and also near the roof. The ventilators shall be provided with two layers of noncorroding metal wire gauze having not less than 11 meshes per linear centimetere.
- 3. The storage shed shall not. From part, or be attached to, any building in which any person resides or works or where persons assemble for any purpose unless it is separated therefrom by a substantial roof and partition wall of masonry construction having no openings therein.
- The storage shed if in any building, shall not be situated under any staircase or under any other means of exit likely to be required to be used for escape in case of fire.
- Any two storage shed or bins or other storage permises not more than six meters apart shall be deemed to one storage shed.
- No alternations shall be carried out in the storage shd or bin without the previous sanction in writing of the licensing authority.
- 7. If the licensing authority calls upon the holder of a licensce, by a notice in writing to execute any repairs to the storage shed, which are, in the option of such authority necessary for the safety of the shed, the holder of the licence shall execute the repairs within such period as man be fixed by the notice.



- All empty receptacles which have contained petroleum class a shall except when they are opened for the purpose of cleaning them and rendering them free from petroleum vapour be kept securely closed unless they have been thoroughly cleaned and treated from petroleum vapour.
- 9. No receptacles shall be repaired on the premises and no person shall repair or cause to be repaired any receptacle in which to his knowledge, any petroleum class a is or has been kept until he has taken all resonable precautions to ensure that the receptacle has been rendered free from such petroleum and any inflammable vapour.
- 10.Adequate perseutions shall be taken at all times for the prevention of accident by fire or explosion.
- 11. Every care shall be taken to prevent any petroleum class a escaping into any drain, sewer, harbour, river or water course or a public road.
- 12.Adequate precautions shall be taken to prevent unauthorized persons having access to petroleum class a kept and to the vessel which contains or has contained such petroleum.
- 13. The license shall keep daily records and accounts of all receipts and issues of petroleum in such form as the licensing authority may from time to time prescribe and shall exhibit his stock and records to an inspector or sampling officer on demand.
- 14. Any accident, fire or explosion, occurring in the licensed premises, which is attended with loss of human life or serious injury to person or property shall be immediately reported to the nearest magistrate or to the officer-in-charge of the nearest police station and to the chief controller immediately by telephone/fax and also by telegram or telephone where such means of communication are available. (telegraphic address 'explosives, nagpur')
- 15. Free access to the licensed premises shall be given at all reasonable times to any inspector or sampling officer and every facility shall be afforded to such officer for ascertaining that rules and the conditions of this licence are duly observed.

FORM NO. 33 (Prescribed under Rule 68-T and 102)

Certificate of Fitness of employment in hazardous processes and operations.

1.	Serial number in the register	: 55008077	
2	of adult workers	- 15 u 15t	. 0
2.	Name of the person examined Father's Name	: Jaydip Kanjibha : Kanjibhai Paun	a roomay
4.	Sex	Kanjibbau Paren	wes .
5.	Residence	Н.	
6.	Date of birth, if available	10000	
7.	Name & address of the factory	10-10-1997	A-Sutomenda - Som
8.	The worker is employed/proposed	· · au- rars. Lu	
	(a) Hazardous process	LITTLE AND ADDRESS OF THE PARTY	
	(b) Dangerous operation	: Flot No. 801/23	a,llird
	(b) Dangerous operation	FIOL No. 801/23	1-3992195
who is desi	recrify that I have personally examined the rous of being employed in above mentione in is 2.6years.	d process/operation and that his/her, ago	n marks are MOU AN NECK a e, as can be ascertained from r
In	my opinion he/she is fit for employment in th	e Said manufacturing process/operation.	
In	my opinion he/she is unfit for employment in	the said manufacturing process/operation	n for the reason
***	He/She is referred for further e	xamination to the Certifying Surgeon.	
	e serial number of previous certificate is		
Th	e serial number of previous certificate is		tr-K-DWAN THEY
The nature or test	e serial number of previous certificate is		H-K-OWM Thuy
The nature or test	e serial number of previous certificate is	Signature of the I	Factory Medical Officer:
The nature or left	e serial number of previous certificate is	Signature of the I	
The nature or test	e serial number of previous certificate is	Signature of the I	Factory Medical Officer:
The nature or test	e serial number of previous certificate is	Signature of the I	MERCULA MERCULA Decilo C. 1771
The nature or test	e serial number of previous certificate is	Signature of the F	dical Officer with
The nature or test	e serial number of previous certificate is	Signature of the F	dical Officer with
The nature or test	e serial number of previous certificate is	Signature of the F	dical Officer with
The nature or test	e serial number of previous certificate is	Signature of the F	dical Officer with
The nature or test	e serial number of previous certificate is	Signature of the F	dical Officer with
nature or tell ression of the	e serial number of previous certificate is hand thumb person examined;	Signature of the F Stamp of factoryMe Name of the	dical Officer with
nature or test ression of the	hand thumb person examined:	Signature of the F Stamp of factoryMe Name of the	dical Officer with
nature or tenteression of the	hand thumb person examined : I extend this certificate unfit (if certificate is not	Signature of the F Stamp of factoryMe Name of the Signs and symptoms Sign Sign FactoryMe	dical Officer with Factory:
nature or tenteression of the	le serial number of previous certificate is Thand thumb person examined : I extend this certificate unfit (if certificate is not extended, the period	Signature of the F Stamp of factoryMe Name of the Signs and symptoms observed during Signature of the F	dical Officer with Factory:
I certify that I examined to person mentabove on (da	le serial number of previous certificate is hand thumb person examined : I extend this certificate unfit (if certificate is not extended, the period for which the worker	Signature of the F Stamp of factoryMe Name of the Signs and symptoms Sign Sign FactoryMe	dical Officer with Factory:
nature or tenteression of the	le serial number of previous certificate is hand thumb person examined : I extend this certificate unfit (if certificate is not extended, the period for which the worker	Signature of the F Stamp of factoryMe Name of the Signs and symptoms observed during Signature of the F	dical Officer with Factory:

1. If declared unfit, reference should be made immediately to the Certifying Surgeon.

2. Certifying Surgeon should communicate his findings to the occupier within 30 days of the receipt of this reference.]



REVIVAL

DIAGNOSTICS



Medical Form & EYE CHECK UP

emographic Inform	nation:				***************************************
Name :	Parma	you Jay dip Ka	njibhas .		Date: 020/07/2020
Age :	006	yod			
Sex :	Mal	L			
TALS CHECKUP	10.15				
lood Pressure	1-	130/82 ny	HEIGHT [IN CM]	1:-	172.
leart Rate	1:-	70/ ma.	Weight (in Kgs)	1:-	695
po2	1-	981.	BMI VALUE	1:-	23.3.
ULSE	3-	Fol mini	BMI STATUS	1-	MORMAL
ISTORY			T ALL STATE OF THE	-	HOKMHE
urrent Health Comp	laints	NO			
st History		ИО			
mily History		40			
llergies		ND			
ngoing Medication		MO-			
ny other problems	needing att	ention / Overall Assessm	ent:		
YE TEST	NO+	Any.			
VISION :- With	hrud	Glass.			
NEAR VISION			B. DISTANCE VISION	1	
		NIE	RIGHT EYE :-		9/6
	TEYE :-	M16.	LEFT EYE :-		6/6
		A	3. NIGHT VISION :-		
	HT EYE :-	(2)	3. NIGHT VISION :- RIGHT EYE :-		(a)

DOCTOR STATE Dr. Chirag Patel M.B.B.S. G-49432

Revival Diagnostic

401, Aqua Corridor, B/s. Star Bazar, Surat-395009 Mo. 91062-28601



revivaldiagnostics.surat@gmail.com

261-2747788, 9825947712

FLOOR, AQUA CORRIDOR, BESIDE STAR BAZAR ADAJAN 295009



Aarti Industries Limited

Self Declaration of Medical History

Name:	Parmar	Jandie	kanjibha	Age/Sex:	28 423	m-de
Agency Name:				Function:		
Division Name:				Emp. code/		

00 1	ou have any	of the following health problems?	Yes	No	Remark
-	ou there may	If Yes, specify in remark coloum			
1	High / low bloc			1	
2		tus (Blood Sugar Problem)		-	
3		problems - Chest pain, Heart Attack, Congenital conditions,		-	
4		ated problems - Asthma/Shortness of breath/Chronic		L	
5		m related problems - Convulsion/Fits/Paralysis/Polio etc.		_	
6		der related problems like jaundice /Hepatitis/Gall stones		_	
7		em related problems - Peptic ulcer/bloody vomiting or		L	
8		problems - Renal stones/Blood in urine etc		_	
9		problems - Anemia/Low platelet count/Sickle cell		1	
10		related disorder like thyroid conditions etc		2	
11		al disorders - Backache/Limb deformity/disc		~	
12		oblems - Refractive errors/colour blindness/squint/cateract		-	
13		ny contact lenses?		1	
14		oblems - Ear discharge/hearing loss/tinnitus etc.		1	
15		oblems - Rashes/psoriasis/scars etc.		1	
16		ing from any communicable diseases? -		1_	
17		related problem		-	
18		Prug/Food/Other		1	
19	Vertigo / Gidd			2	
20		f hight or closed places/darkness)		1	
21		/Hernia / Hydrocele/Abdominal swelling etc			
22	Any history of	hospitalisation in past?		1-	
23	Any history of	past surgeries?			
24	Consumption/	Habit - Drug/Alcohol/Tobbaco/Smoking?		~	
25	Any history of	long term medications? OR currently taking any		1	
26	Any history of	occupational injuries/illness in past?		1	
27	Any past histo	ry of cyanosis? (Bluish discolouration of tongue/lips/nails)		-	
28	Family History	of Diabetes/Hypertension/Heart Attack/Mental disorder/		-	
		Last Menstrual Period		X	
29	For Female	Any gynaecological disorder?		×	
30	Any present co				

I hereby declare that, to the best of my knowledge and belief, the particulars given above and the declaration made.

For non-routine work only: I hereby declare that I will not work in chemical process areas in violation of the company po

Date: 2010712014
Place: SU11

Sign/Left thumb Impression of candidate

Revival Diagnostic

401, Aqua Charidos B/s. Star Bazar, Sutat-395009 Mo. 91062-28601

Medical Examination Certificate for employment at AIL

(To be issued by General Physician or Industrial Physician Only)

Name :			Palmer	- Jayalio	PK	anj	ibhan	^
Age / Sex :			26 yr	imale				
Present Med	ical Illne	ss:	not-em	1				
Past Medica	l History	:	nula	ny				
Dietary Habit	s:			- 00				
Addiction History :				ro	_			
Family Medic	al Histo	ry:	of of em	4				
Occupationa	History	:	-	re	_			-
Height:	172	em	Weight:	69J Kgs	BN	AI:	ત્રુ. 3.	Kg/m2
Temperature: 98.		6 F	Pulse Rate :		70		/min	
Blood Pressure: /301		1301	2 mm Hg	SpO2:		98		%
Trismus Test		(M)						
Romberg's Te	st	0						

Revival Diagnostic

401, Aqua Corneat, B/s. Star Bazar, Surat-395009 Mo. 91062-28601

General Examination	ω
Central Nervous System	(M)
Ear/Nose/Throat	N
Cardiovascular System	(M)
Respiratory System	8
Gastrointestinal System	(N)
Integumentary System	(10)
Musculoskeletal System	N

	Right Eye	Left Eye
Far Vision	616	616
Near Vision	MG	No
Colour vision	N	

The	e following	investigation	on reports	are verified	d and attache	ed (Kindly	tick)
CBC+PS	15.4	Bld group	otre	RBS	105	LFT	(2)
RFT	(P)	G6PD		HBsAg	Non- Reactive	Ur R&M	
PFT	@	РТА	-	ECG	(20)	CXR	purne

I have personally examined Mr/Ms.Paranan Jaydin Kempibhan and have verified his/har reports to be authentic.

Remarks (If any):

Name of Physician	Dr. chirag & Rote	
Sign with Registration Stamp	ck. Raef.	Dr. Ch
Date	2010212024	
Place	Sural	

Revival Diagnostic 401, Aqua Corrdor, 8/s. Star Bazar, 30/at-395009 Mo. 91052-28601



Aarti Industries Limited

Self Declaration

Name:	Premar	Jaydip kanj	164	Age/Sex	26410 m
Agency Name:				EC No/Card N	

9	Any Allergy - Drug/Food/Other (एलजा) Anaemia (हीमोग्लोबिन की कमी)	-
8	Any Allergy - Drug/Food/Other (ऐलर्जी)	-
7	Limb Deformity (अंग विकृति)	-
6	Psychiatric Problem (मानसिक बीमारी)	-
5	Convulsion/fits (मिगी - खिंच आना)	L
4	Tuberculosis (टीबी - क्षय रोग)	-
2	Diabetes Mellitus (डायबिटीस) Asthama (दमा की बीमारी)	-
1	Hypertention (ब्लंड प्रेशर की बीमारी)	L

Date: 20/07/2024 Place: Sural

Sign/ I numb Impression of





Name	PARMAR JAYDIP KANJIBHAI	Age/Gender	26Yrs/Male
Reg No.	6744/24	Receipt No	6455
Referred By	SELF	Mode of Payment	CASH
Collection Type	CENTER	Collection DateTime	20-Jul-2024 09:05 AM

Parameter	Result	Biological Ref.Range	Method
-Blood Group	"O"		
-Rh Factor	POSITIVE		
CBC - 20072479 Released at 2	0-Jul-2024 12:53 PM		
Parameter	Result	Biological Ref.Range	Method
-Haemoglobin	15.4 gm/dL	(13.5 - 18 gm/dL)	Auto
-RBC Count	5.45 mill/cumm	(4.6 - 6.2 mill/cumm)	Auto
-Total WBC Count	4900 /cumm	(4000 - 10000 /cumm)	Auto
-Platelet Count	3.25 lakh/cumm	(1.5 - 4.5 lakh/cumm)	Auto
Blood Indices			
-НСТ	47.3 %	(40 - 55 %)	Auto
-MCV	86.8 fl	(80 - 92 fl)	Auta
-МСН	28.2 pg	(27 - 31 pg)	Auto
-мснс	32.5 gm/dL	(32 - 36 gm/dL)	Auto
-RDW	13.3 %	(11 - 15 %)	Auto
Diff WBC Count			
-Polymorphs	44 %	(40 - 80 %)	Microscopically
-Lymphocytes	50 %	H (20 - 40 %)	Microscopically
-Eosinophils	04 %	(1 - 6 %)	Microscopically
-Mc nocytes	02 %	(2 - 7 %)	Microscopically
-Basophils	00 %	(0 - 1 %)	Microscopically
PLATELET ON SMEAR	Adequate		Microscopically
MALARIAL PARASITES	Malarial Parasites No	t Detected	Microscopically

[Test performed on Fully Automated Hematology Analyzer ERBA H-360]

ESR - 20072479 Released at 20-Jul-2024 01:01 PM

Parameter	Result	Biological Ref.Range	Method
-E.S.R	02 mm/hr	(1 - 10 mm/hr)	

Revival Diagnostics

401-Aqua Corridor, Beside Star Bazar, Adajan, Surat-395009, Mo. 9825947717

Dr. Shivangi Gandhi M.B.B.S, M.D (Pathology)

PEVIVAL



Nan.a	PARMAR JAYDIP KANJIBHAI	Age/Gender	26Yrs/Male
Reg No.	6744/24	Receipt No	6455
Referred By	SELF	Mode of Payment	CASH
Collection Type	CENTER	Collection DateTime	20-Jul-2024 09:05 AM

RBS - 2007	72480 Release	1 at 20-Jul-2	024 01:27	PM
100 - 2007	2400 Release	I at 20-Jul-2	U64 U1.61	T. IAT

Parameter	Result	Biological Ref.Range	Method	
-RBS	105 mg/dL	(70 - 140 mg/dL)		
-RANDOM URINE SUGAR	Absent			
-RANDOM URINE ACETONE	Absent			

Dr. Shivangi Gandhi M.B.B.S, M.D (Pathology)





Name	PARMAR JAYDIP KANJIBHAI	Age/Gender	26Yrs/Male
Reg No.	6744/24	Receipt No	6455
Referred By	SELF	Mode of Payment	CASH
Collection Type	CENTER	Collection DateTime	20-Jul-2024 09:05 AM

LIVER FUNCTION TEST (LFT) - 20072481 Released at 20-Jul-2024 01:26 PM

Parameter	Result	Biological Ref.Range	Method
-Serum Total Bilirubin	1.0 mg/dL	(0 - 1.3 mg/dL)	Diazo
-Serum Direct Bilirubin	0.3 mg/dL	(0 - 0.4 mg/dL)	Diazo
-Serum InDirect Bilirubin	0.7 mg/dL	(0.1 - 1.3 mg/dL)	Calculated
-Total Protein (TP)	6.9 gm/dL	(6.4 - 8.3 gm/dL)	Biuret
-Albumin (ALB)	3.9 gm/dL	(3.5 - 5.2 gm/dL)	BCG
-Globulin	3.0 gm/dL	(2.3 - 3.6 gm/dL)	Calculated
-A/G Ratio	1.30 gm/dL	(1 - 2.3 gm/dL)	Calculated
-SGPT(ALT)	18 U/L	(5 - 45 U/L)	IFCC, Kinetic without Pyridoxal Phosphate
-SGOT (AST)	20 U/L	(0 - 35 U/L)	IFCC, Without Pyridoxal Phosphate
-Alkaline Phosph.	72 U/L	(42 - 128 U/L)	ALP-AMP
-GGT	22 U/L	(5 - 50 U/L)	Glupa-C

[Test performed on Fully Automated Biochemistry Analyzer ERBA EM200]

Revival Diagnostics

401-Aqua Corridor. Beside Star Bazar, Adajan, Surat-395009. Mo. 9825947712

Dr. Shivangi Gandhi M.B.B.S, M.D (Pathology)





Name	PARMAR JAYDIP KANJIBHAI	Age/Gender	26Yrs/Male
Reg No.	6744/24	Receipt No	6455
Referred By	SELF	Mode of Payment	CASH
Collection Type	CENTER	Collection DateTime	20-Jul-2024 09:05 AM

RENAL FUNCTION TEST (RFT) - 20072481 Released at 20-Jul-2024 01:26 PM

Parameter	Result	Biological Ref.Range	Method
-Urea	20 mg/dL	(13 - 45 mg/dL)	Urease-GLDH
-Creatinine	0.7 mg/dL	(0.6 - 1.4 mg/dL)	Enzymatic
-Blood Urea Nitrogen (BUN)	10 mg/dL	(6 - 20 mg/dL)	Calculated
-Uric Acid	4.9 mg/dL	(3.5 - 7.2 mg/dL)	Uricase
-Sodium (NA)	138 mmoL/L	(135 - 148 mmoL/L)	ISE Method
-Potassium (K)	2.9 mmoL/L	(2.8 - 6.2 mmoL/L)	ISE Method
-Chloride (Cl)	100 mmoL/L	(98 - 107 mmoL/L)	ISE Method
-Calcium	8.8 mg/dL	(8.4 - 10.4 mg/dL)	Arsenazó
-Phosphorus	3.10 mg/dL	(2.5 - 4.5 mg/dL)	Phosphomolybdate

[Test performed on Fully Automated Biochemistry Analyzer ERBA EM200]

Revival Diagnostics

401-Aqua Corridor, Beside Star Bazar, Adajan, Surat-395009, Mo. 9825947717

Dr. Shivangi Gandhi M.B.B.S, M.D (Pathology)





Name	PARMAR JAYDIP KANJIBHAI	Age/Gender	26Yrs/Male
Reg No.	6744/24	Receipt No	6455
Referred By	SELF	Mode of Payment	CASH
Collection Type	CENTER	Collection DateTime	20-Jul-2024 09:05 AM

Urine Routine & Micro Examination	- 20072482 Released at 20-Jul-2024 11:47 AM
-----------------------------------	---

Parameter	Result	Biological Ref.Range	Method
Physical Examination			
-Quantity	25		Manual
-Colour	Pale Yellow	Pale Yellow	Manual
-Appearance	Clear	Clear	Manual
-Reaction (pH)	Acidic		Dipstick
-Specific Gravity	1.025		Dipstick
Chemical Examination			
-Proteins.	Absent		Dipstick
-Sugar	Absent		Dipstick
-Acetone.	Absent		Dipstick
-Bile Salts	Absent	Absent	Dipstick
-Bile Pigments	Absent	Absent	Dipstick
-Occult Blood Test (OBT).	Negative		Dipstick
Microscopic Examination			
-Pus Cells	Occasional		Microscopically
-Red Blood Cells	Absent		Microscopically
-Epithelial Cells	Occasional		Microscopically
-Bacteria.	Absent		Microscopically
-Crystals	Absent	Absent	Microscopically
-Others	NIL	Absent	Microscopic Examination

Revival Diagnostics

401-Aqua Corridor, Beside Star Bazar, Adajan, Surat-395009, Mo. 9825947712

Dr. Shivangi Gandhi M.B.B.S, M.D (Pathology)





Name	PARMAR JAYDIP KANJIBHAI	Age/Gender	26Yrs/Male
Reg No.	6744/24	Receipt No	6455
Referred By	SELF	Mode of Payment	CASH
Collection Type	CENTER	Collection DateTime	20-Jul-2024 09:05 AM

HBsAg - RAPID - 20072481 Released at 20-Jul-2024 11:43 AM

Parameter	Result	Biological Ref.Range	Method	
-HBSAG RESULT	NON-REACTIVE			

- Method (Hbsag): Heapacard,path.USA Chromatographic Immunoassay.
- Test Description: The test is a screening test for qualitative detection of listed antigen/antibodies in Human

Remarks:

- This is only Screening Test. Reactive Sample to be confirmed by a Confirmatory test.
- · False Positive reaction may occur due to presence of other antigen or high levels of RA factor.

Revival Diagnostics

401-Aqua Corridor, Beside Star Bazar, Adajan, Surat-395009. Mo. 9825947712

Dr. Shivangi Gandhi M.B.B.S, M.D (Pathology)

Laboratory Test Result are Subject to technical limitation and should be clinically correlate for final diagnosis

9 4th Floor, Aqua Corridor, Hazira Road, Adajan Pal, Surat-395009.

2 0261 2747788, 9825947712 revivaldiagnostics.surat@gmail.com www.revivaldignostics.com
This medical report is not intended for medico-legal purposes.

REVIVAL



Name	PARMAR JAYDIP KANJIBHAI	Age/Gender	26Yrs/Male
Reg No.	6744/24	Receipt No	6455
Referred By	SELF	Mode of Payment	CASH
Collection Type	CENTER	Collection DateTime	20-Jul-2024 09:05 AM

G6PD - 20072479 Released at 20-Jul-2024 06:03 PM

Parameter Result Biological Ref.Range Method
-G6PD RESULT NON-DEFICIENT

Revival Diagnostic

401, Aqua Corridor, B/s. Star Bazar, Surat-395009 Mo. 91062-28601

Dr. Shivangi Gandhi M.B.B.S, M.D (Pathology)

DOCTOR/AUDIOLOGIST

Name _

AUDIOGRAM





PATIENT NAME PARMIAR P.T. ADDRESS SVRAT RESPONSE AIR OPP EAR MASKED PB% CORRECT MASKED MASKED BONE SRT AIR MCL TEST HEARING EVALUATION D-D 0-0 0-0 (Red) 1964 ISO 8 ٨ 10 (Blue ×·× 130 VALUES 120 110 100 90 80 70 60 50 0 Hearing Threshold Level in dB 125 SIGRAG 250 500 750 1k 1.5k 2k KAN JIBHAL SEX. 3k 4k 6k 8k 100 3 124 Hz -20 110 100 120 90 80 70 60 50 40 30 20 AGE MENT-DATE 20/07 214 TIS. SIS BING WEBER RINNE TEST SPECIAL TEST 20 Ear

Revival Diagnostics
401-Aqua Corridor,
Beside Star Bazar, Adajan,
Surat-395009, Mo. 9825947712

Remarks: HSYVVL

389, Phase-II, Industrial Area Medicaid Systems






13 14

F(1/s)


10

12









MEF50%

W FVC

JEF75%

Post: Normal Spirometry (%FEY1/FVC>80%Pred%FEV1/FVC and FVC>80%PredFVC) INTERPRETATION

3

ئ 4 ů

10mm/mvV The The Party 31/4

Tange Press 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	the state of the s	
Mangariths) Same are with the same are within the same are with the same are within the same are with the same are with the same are with the same are with the same are within the same are with the same are wi	7 6 7	
Mangariths) Same are with the same are within the same are with the same are within the same are with the same are with the same are with the same are with the same are within the same are with the same are wi	200	
Mangariths) Same are with the same are within the same are with the same are within the same are with the same are with the same are with the same are with the same are within the same are with the same are wi	T 6 11	
Medantika) Li	7 2 7 2 7 2	
Medantika) Li	E STEEL STEEL	
Medantika) Li	IN THE PARTY OF STREET	
Medantika) Li	8	I
Weight Care		
Weight Care		4
Weight Care		
Weight Care		
Weight Care		
To Co.	THE REST OF THE	
To Co.	1 1 1	
		F
	9 O 9	
	16 0	E
	The state of the s	E
	THE RESERVE	
		1
F	- V	
	12	1
	14	1
	B	T.

DR. ADITI PATEL
M. B.S., D. CARD (M. M)
C. CAL CARDOLO: THE REGING GA 2901

Revival Diagnostics 401-Aqua Corridor, Beside Star Bazar, Adajan, Surat-395009. Mp. 9825947713

REVIVAL



Name	PARMAR JAYDIP KANJIBHAI	Age/Gender	26Yrs/Male
Reg No.	6744/24	Receipt No	6455
Referred By	SELF	Mode of Payment	CASH
Collection Type	CENTER	Collection DateTime	20-Jul-2024 08:54 AM

ECG


- 1. The rhythm is sinus.
- 2. Heart rate is 86 beats per minute.
- 3. Normal P,QRS,T wave axis.
- 4. Normal PR, QRS, Q.T. Duration.
- 5. No pathological q wave or ST-T changes seen.
- 6. No evidence of chamber hypertrophy or enlargement seen.

IMPERESSION: ECG WITHIN NORMAL LIMITS

Signature

Revival Diagnostics

401-Aqua Corridor, Roside Star Bazar, Adajan, Surat-395009, Mo. 9825947712 DR. ADITI PATEL
M.B.B.S., D. CARD (MUM)
CLINICAL CARDOLOGIST
REG.NO.G-42901



PEVIVAL



Name	PARMAR JAYDIP KANJIBHAI	Age/Gender	26Yrs/Male
Reg No.	6744/24	Receipt No	6455
Referred By	SELF	Mode of Payment	CASH
Collection Type	CENTER	Collection DateTime	20-Jul-2024 08:54 AM

CHEST RADIOGRAPH (PA VIEW)

- · Hilar shadows are within normal limits.
- Pulmonary vasculature appears normal.
- · Cardiac appears normal in size.
- · Both domeh of the diaphragm are smooth.
- · Both costophrenic recesses are clear.
- · Both lung fields appear normal.
- · Visualized bones and soft tissue shadows appear normal.

IMPRESSION: NORMAL STUDY.

DR.CHIRAG K PATEL RADIOLOGIST

Pr. Chirag K. Patel
MBBS-DMPD
MBBS-DMPD

Revivadiologist
Ath Floor, Aqua corridor,
Nr. Star Bazar, Hazira Main Ro
Adajan, Surat-395009.
Mo. 97266 726683





Fitness Certificate

DATE: 20/07/2024

TO

AARTI INDUSTRIES LIMITED.

This is to certify that Mr.PARMAR JAYDIP has Completed Pre Employment medical Check-Up at Revival Diagnostics Surat on 20/07/2024.

He is declared medically (Fit / Unfit for the appropriate Job.

DR.CHIRAG PATEL

Dr. Chirag Patel M.B.B.S. G-49432

Revival Diagnostic 401, Aqua Corridor,

B/s. Star Bazar, Surat-395009 Mo. 91062-28601

FORM NO. 33 (Prescribed under Rule 68-T and 102)

Certificate of Fitness of employment in hazardous process and operations

(TO BE ISSUED BY FACTORY MEDICAL OFFICER)

1.	Serial number in the register		:
2.	of adult workers Name of the person examined		: Palmen Jaydip
3.	Father's Name		: beamjibhay
4.	Sex	:	male
5.	Residence		: Surat
6.	Date of birth, if available		: 10/10/2097.
7.	Name & address of the factory		: Phase-3, Napi GIDC, Napi
8.	The worker is employed/proposed		1
	(a) Hazardous process		4
	(b) Dangerous operation		it.

I certify that I have personally examined the above named person whose identification marks are maken and who is desirous of being employed in above mentioned process/operation and that his/her, age, as can be ascertained from my examination, is wears.

In my opinion he/she is fit for employment in the Said manufacturing process/operation.

In my opinion he/she is unfit for employment in the said manufacturing process/operation for the reasonHe/She is referred for further examination to the Certifying Surgeon.

The serial number of previous certificate is

Signature or left hand thumb impression of the person examined :

Signature of the Factory Medical Officer:

Dr. Ching Patel M.B.B.C. 0-49432

Stamp of factory Medical Officer with

Name of the Factory:

Revival Diagnostic

401, Aqua Corodor, B/s. Star Bazar, Surph-395009 Mo. 91062-28601

I certify that I examined the person mentioned above on (date of examination)	I extend this certificate unfit (if certificate is not extended, the period for which the worker is considered unfit for work is to be mentioned)	Signs and symptoms observed during examination	Signature of the Factory medical Officer with date.
-		-	-

Notes:

- 1. If declared unfit, reference should be made immediately to the Certifying Surgeon.
- Certifying Surgeon should communicate his findings to the occupier with 30 days of the receipt of this reference.]

REVIVAL



Name	PARMAR JAYDIP KANJIBHAI	Age/Gender	26Yrs/Male
Reg No.	6744/24	Receipt No	6455
Referred By	SELF	Mode of Payment	CASH
Collection Type	CENTER	Collection DateTime	20-Jul-2024 09:05 AM

G6PD - 20072479 Released at 22-Jul-2024 11:41 AM

Parameter	Result	Biological Ref.Range	Method
-G6PD VALUE	12.60 U/g Hb	>6.4	Genx(Quantitative/Kinetic)
-G6PD RESULT	NON-DEFICIENT		

Revival Diagnostics

401-Aqua Corridor, Beside Corridor, 6dajan, Surat-395009, Md. 7045947712

Dr. Shivangi Gandhi M.B.B.S, M.D (Pathology)

Laboratory Test Result are Subject to technical limitation and should be clinically correlate for final diagnosis

9 4th Floor, Aqua Corridor, Hazira Road, Adajan Pal, Surat-395009.

© 0261 2747788, 9825947712 revivaldiagnostics.surat@gmail.com www.revivaldignostics.com
This medical report is not intended for medico-legal purposes.

REVIVAL DIAGNOSTICS



Name	PARMAR JAYDIP KANJIBHAI	Age/Gender	26Yrs/Male
Reg No.	6744/24	Receipt No	6455
Referred By	SELF	Mode of Payment	CASH
Collection Type	CENTER	Collection DateTime	20-Jul-2024 09:05 AM

CRC	20072479	Released	at 22-Jul-2024	11-41	AM
LDL -	20072477	Refeased	さん イスープロリースリスペ	44.74	5.FTAT

Parameter	Result	Biological Ref.Range	Method
-Haemoglobin	15.4 gm/dL	(13.5 - 18 gm/dL)	Auto
-RBC Count	5.45 mill/cumm	(4.6 - 6.2 mill/cumm)	Auto
-Total WBC Count	4900 /cumm	(4000 - 10000 /cumm)	Auto
-Platelet Count	3.25 lakh/cumm	(1.5 - 4.5 lakh/cumm)	Auto
Blood Indices			
-нст	47.3 %	(40 - 55 %)	Auto
-MCV	86.8 fl	(80 - 92 fl)	Auto
-MCH	28.2 pg	(27 - 31 pg)	Auto
-MCHC	32.5 gm/dL	(32 - 36 gm/dL)	Auto
-RDW	13.3 %	(11 - 15 %)	Auto
Diff WBC Count			
-Polymorphs	44 %	(40 - 80 %)	Microscopically
-Lymphocytes	50 %	H (20 - 40 %)	Microscopically
-Eosinophils	04 %	(1 - 6 %)	Microscopically
-Monocytes	02 %	(2 - 7 %)	Microscopically
-Basophils	00 %	(0 - 1 %)	Microscopically
-PLATELET ON SMEAR	Adequate		Microscopically
-MALARIAL PARASITES	Malarial Parasites No	ot Detected	Microscopically
THE STATE OF THE S			

Smear Study

-P/s Remarks

- RBC are Normocytic Normocromic
- · WBC -No Premature Cells Seen.
- · Platets Adequate in Number.
- · Malarial Parasite is not Seen.

[Test performed on Fully Automated Hematology Analyzer ERBA H-360]

Revival Diagnostics

401-Aqua Corridor, Beside Star Bazar, Adajan, Surat-395009. Mo. 9825947717

Dr. Shivangi Gandhi M.B.B.S, M.D (Pathology)

Laboratory Test Result are Subject to technical limitation and should be clinically correlate for final diagnosis

9 4th Floor, Agua Corridor, Hazira Road, Adajan Pal, Surat-395009.

🕾 0261 2747788, 9825947712 🔤 revivaldiagnostics.surat@gmail.com 😊 www.revivaldignostics.com This medical report is not intended for medico-legal purposes.



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in



Test Report

TC - 5885

Format No: QR/7.8/03 Test Report No: TC588524000009746F Issue Date: 16-10-2024 ULR No: TC588524000009746F Discipline: Chemical Group: Atmospheric Pollution

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Monitoring : Noise Level Monitoring

Sampling By

: ENPRO Team-Mr.Nikunj Vagha: Sampling & Test Method : WI/N/01

Date of Sampling Description of Location

: 11-10-2024

Duration of Sampling Sample ID

: 1 hr / Location : 1024/N09746

Type of Test

: As per Table Given Below : On Site Testing

Protocol

: Ambient Noise Level Monitoring

RESULT TABLE

SR. NO.	Nr. Security Gate-1	DAY TIME NOISE LEVEL dB (A) Leq	NIGHT TIME NOISE LEVEL dB (A) Leq
	Nr. Security Gate-1	69.8	65.3
	Nr. Control Room	70.4	65.9
4	Nr. Scrubber	72.3	67.8
5	Nr. Main Office	67.9	63.4
	LIMIT	68.6	64.1
TE	: Day Time : 06:00 AM to 10:00 PM & Night Time : 10:00 P	75	70

NOTE: Day Time: 06:00 AM to 10:00 PM & Night Time: 10:00 PM To 06:00 AM

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

Zinal Rathod

REVIEWED AND AUTHORISED BY

Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf. Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in



Test Report

TC - 5885

Format No: QR/7.8/03	Test Report No : TC588524000010734F	Issue Date : 19-11-2024 Group : Atmospheric Pollution	
ULR No: TC588524000010734F	Discipline : Chemical		

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Monitoring : Noise Level Monitoring

Sampling By : ENPRO Team-Mr. Vihang Patel Sampling & Test Method : WI/N/01

Date of Sampling : 12-11-2024 Duration of Sampling : 1 hr / Location

Description of Location : As per Table Given Below Sample ID : 1124/N10734

Type of Test : On Site Testing Protocol : Ambient Noise Level Monitoring

RESULT TABLE

SR. NO.	LOCATION	DAY TIME NOISE LEVEL dB (A) Loq	NIGHT TIME NOISE LEVEL dB (A) Leq
1	Nr. Security Gate-1	71.2	66.7
2	Nr. Security Gate-2	69.4	64.9
3	Nr. Control Room	70.4	65.9
4	Nr. Scrubber	68.8	64.3
5	Nr. Main Office	72.0	67.5
	LIMIT	75	70

NOTE: Day Time: 06:00 AM to 10:00 PM & Night Time: 10:00 PM To 06:00 AM

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

CHECKED BY Zinal Rathod

REVIEWED AND AUTHORISED BY Sweety Patel (Dv. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf.

Note 2: Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: [ab@enpro.co.in



Test Report

TC - 5885

Format No: QR/7.8/03 Test Report No: TC588524000012121F Issue Date: 18-12-2024

ULR No: TC588524000012121F Discipline: Chemical Group: Atmospheric Pollution

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Monitoring : Noise Level Monitoring

Sampling By

: ENPRO Team-Mr. Vihang Patel

Sampling & Test Method: WI/N/01 Duration of Sampling

: 1 hr / Location

Date of Sampling Description of Location

: As per Table Given Below

Sample ID

: 1224/N12121

Type of Test

: On Site Testing

: 12-12-2024

Protocol

: Ambient Noise Level Monitoring

RESULT TABLE

SR. NO.	LOCATION	DAY TIME NOISE LEVEL dB (A) Leq	NIGHT TIME NOISE LEVEL dB (A) Leq
1	Nr. Security Gate-1	70.2	65.7
2	Nr. Security Gate-2	68.8	64.3
3	Nr. Control Room	71.2	66.7
4	Nr. Scrubber	69.4	64.9
5	Nr. Main Office	71.8	67.3
	LIMIT	75	70

NOTE: Day Time: 06:00 AM to 10:00 PM & Night Time: 10:00 PM To 06:00 AM

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

CHECKED BY Zinal Rathod

REVIEWED AND AUTHORISED BY Sweety Patel (Dv. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf. Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in



Test Report

TC - 5835

Format No: QR/7.8/03	Test Report No : TC588525000000490F	Issue Date : 22-01-2025	
ULR No: TC588525000000490F	Discipline : Chemical	Group : Atmospheric Pollution	

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Monitoring : Noise Level Monitoring

Sampling By

: ENPRO Team-Mr. Nikunj Vaghas Sampling & Test Method : WI/N/01

Date of Sampling

: 15-01-2025

Duration of Sampling

: 1 hr / Location

Description of Location

: As per Table Given Below

Sample ID

:0125/N00490

Type of Test

: On Site Testing

Protocol

: Ambient Noise Level Monitoring

RESULT TABLE

SR. NO.	LOCATION	DAY TIME NOISE LEVEL dB (A) Leq	NIGHT TIME NOISE LEVEL dB (A) Leq
1	Nr. Security Gate-1	69.7	65.2
2	Nr. Security Gate-2	70.2	66.0
3	Nr. Control Room	72.1	67.6
4	Nr. Scrubber	71.6	68.1
5	Nr. Main Office	68.9	64.4
	LIMIT	75	70

ote: Day Time: 06:00 AM to 10:00 PM & Night Time: 10:00 PM to 06:00 AM.

ENPRO Enviro Tech and Engineers Pvt, Ltd.(ETL)

Zinal Rathod

REVIEWED AND AUTHORISED BY Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf. Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in



Test Report

TC - 5885

Format No: QR/7.8/03	Test Report No : TC588525000001722F	Issue Date : 26-02-2025	
ULR No: TC588525000001722F	Discipline : Chemical	Group : Atmospheric Pollution	

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Monitoring : Noise Level Monitoring

Sampling By : ENP

: ENPRO Team-Mr. Vihang Patel Sampling & Test Method : WI/N/01

Date of Sampling

: 20-02-2025

Duration of Sampling : 1 hr / Location

Description of Location Type of Test

: As per Table Given Below : On Site Testing Sample ID : 0225/N01722
Protocol : Ambient Noise

: Ambient Noise Level Monitoring

RESULT TABLE

SR. NO.	LOCATION	DAY TIME NOISE LEVEL dB (A) Leq	NIGHT TIME NOISE LEVEL dB (A) Leq
1	Nr. Security Gate-1	70.4	65,9
2	Nr. Security Gate-2	68.8	64.3
3	Nr. Control Room	71.8	67,3
4	Nr. Scrubber	73.1	68.6
5	Nr. Main Office	72.0	67.5
	LIMIT	75	70

Note: Day Time: 06:00 AM to 10:00 PM & Night Time: 10:00 PM to 06:00 AM,

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

CHECKED BY Zinal Rathod

REVIEWED AND AUTHORISED BY Sweety Patel (Dy. TM)

Note 1 : This Report is subject to terms & conditions mentioned overleaf.

Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in



Test Report

Format No: QR/7.8/03	Trans.	10-3003
The second secon	Test Report No : TC588525000002768F	Issue Date : 22-03-2025
ULR No : TC588525000002768F	Discipline : Chemical	
	Siscipline, Chemical	Group : Atmospheric Pollution

Customer's Name & Address Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Monitoring : Noise Level Monitoring

Sampling By

: ENPRO Team-Mr. Vihang Patel Sampling & Test Method : WI/N/01

: 15-03-2025

Duration of Sampling

: 1 hr / Location : 0325/N02768

Description of Location

Date of Sampling

Type of Test

: As per Table Given Below

: On Site Testing

Sample ID Protocol

: Ambient Noise Level Monitoring

RESULT TABLE

SR. NO.	Nr. Security Gate-1	DAY TIME NOISE LEVEL dB (A) Leq	NIGHT TIME NOISE LEVEL dB (A) Leq
	Nr. Security Gate-1	71.2	66.7
	Nr Control Room	70.9	66.4
	Nr. Scrubber	72.2	67.7
	Nr. Main Office	71.9	67.4
	LIMIT	69.9	65.4
te:	Day Time: 06:00 AM to 10:00 PM & Night Time: 10:00 PM t	75	70

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

CHECKED BY Zinal Rathod

REVIEWED AND AUTHORISED BY Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf. Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***

	CCA Compliance for Consent Order No.: AWH Date of Issue: 07/01/2021 is valid up to 05/08	
Sr. No.	Consent Requirement	Compliance Status
1	Consent Order No.: AWH - 111008, Date of issue : 07/01/2021 is valid up to 05/08/2025	Noted & Complied
2	The consents shall be valid up to 05/08/2025 for use of outlet for the discharge of trade effluent and emission due to operation of industrial plant for manufacture of following items or products.	Complied
3	Conditions Under the Water (Prevention and Control of Pollution)	Act 1974
3.1	The quantity of total fresh water conservation shall not exceed 43 KLD as per breakup mentioned in form D submitted for consent application under the Water (Prevention and Control of Pollution) Act 1974. Source of fresh water shall be only from GIDC supply. a) Industrial - 38 KLD b) Domestic - 05 KLD	Compiled. Water consumption is well within limit. Source of fresh water shall be only from GIDC supply. Annexure-1
3.2	Total quantity of waste water generated from manufacturing process and other ancillary operation shall not exceed 14.5 KLD	Complied Waste water generation is well within limit.
3.3	4.5 KLD wastewater shall be treated in ETP and shell sent to CETP, Vapi for further treatment and disposal	Compiled. Waste water is being treated in ETP and waste water discharge to CETP Vapi is not exceeding 4.5 KLD. Annexure-2
3.4	10 KLD wastewater shall be sent to M/s. Detox India Private Limited, Ankleshwar / common MEE of M/s. VGEL Vapi for final disposal.	Compiled. Additional wastewater not exceeding 10 KLD, is being sent to M/s. VGEL Vapi. Annexure-3
3.5	The quantity of domestic wastewater(sewage) shall not exceed 4 KLD.	Compiled.

3.6	TRADE EFFLUENT	
3.6.1	The treated effluent from the industrial unit shall confirm to the CETP inlet norms mentioned in below table:	Complied Treated effluent is within the acceptance limit of CETP.
3.6.2	The final treated effluent confirming to the above standards mentioned in column 3 shall be discharged through GIDC underground drainage system into CETP, Vapi for further treatment and disposal.	Complied Final treated effluent is being discharged through GIDC underground drainage system into CETP, Vapi for further treatment and disposal.
3.6.3	The applicant shall either stop or curtail their production activities if the effluent is not adequately treated by CETP or CETP is not functional.	Noted.
3.6.4	Domestic effluent shall be disposed off through septic tank / soak pit	Complied Domestic effluent is being disposed of through a soak pit.
4	CONDITIONS UNDER THE AIR (PREVENTION AND CONTROL OF POLLUTION) ACT 1981	
4.1	The following shall be used as a fuel into the existing boiler 2 TPH. proposed DG set (Standby) 250 KVA.	Complied Fuel consumption is well within limit. Annexure-4
4.2	The flue gas emission through proposed stack shall confirm to the following standards:	No flue gas emissions are exceeding prescribed limits. Annexure-5
4.3	The process admission to various stack/vent of reactors process vessel shall conform to the following standard:	Complied No process gas emissions are exceeding prescribed limits. Annexure-6
4.4	The concentration of the following substances in the ambient air within the premises of industry and at a distance of 10 meters from the source (other than the stack or went with the height of more than 9 m from the ground level) shall not exceed the following levels:	Complied Ambient monitoring is being done on a weekly twice basis. All the parameters are well within limits.

		Annexure-7
4.5	The applicant shall provide portholes, ladder, platform etc. at the chimneys for monitoring the air emissions and the same shall be open for inspection to/and for use of Board's staff. The chimney vent attached to various sources of emission shall be designed by numbers such as S1 S2 etc. and these shall be painted or displayed to facilitate identification.	Complied We have provided sufficient facilities like portholes, ladder, platforms to stacks for easy access sampling.
4.6	The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to less than 75 dB(A) during daytime and 70 dB(A) during night time. Day time is reckoned between 6 a.m. to 10 p.m. and night time is reckoned between 10 p.m. to 6 a.m.	Complied Noise levels are being measured on a regular basis. Annexure-8
5	GENERAL CONDITIONS:	
5.1	Any change in personal, equipment or working conditions as mentioned in the consent from/order should immediately be intimated to this board.	Noted for Complied
5.2	Management of solid waste generated from the industrial activities shall be as per Solid Waste Management Rules - 2016 (solid waste as defined in Rule-3 (46)).	Noted and Complied
6	Authorisation under Hazardous and Other Waste (Mar Movement) Rules-2016. Form-2 (See rule 6(2))	nagement and Transboundar
6.1	Number of authorization : AWH-111008 date of issue 07/01/2021.	Noted
6.2	Reference of application No. 184513 dated 04/12/2020.	Noted
6.3	M/s. Apple Organics is hereby granted an authorization based on an enclosed signed inspection report for generation, collection, reception, storage, transport, reuse, recycling, recovery, pre-processing, co-processing utilization, treatment, disposal or any other use of hazardous or other waste or both on the premises situated at Plot No. 610, 100 Shed Area, GIDC Vapi, 396195 Tal: Pardi, Dist. Valsad	Noted
6.4	The authorization shall be valid for a period of 05/08/2025.	Noted
6.5	The authorization is subjected to the following general and specific conditions.	Noted
A	General conditions under Hazardous and other Waste (Manageme Rules 2016	nt and Transboundary Movement

1	The Authorized person shall comply with the provisions of the Environment protection Act 1986 and the rules made thereunder	Noted for compliance		
2	The authorization or its renewal shall be produced for inspection at the request of an officer authorized by the state pollution control board	Noted for compliance		
3	The board reserves the right to to review and/or revoke the consent and/or make variations in the conditions which the board deems fit in accordance with section 27 of the Act	Noted for compliance		
4	The person authorised shall not rent, sell, transfer or otherwise transport the hazardous and other waste except what is permitted through this authorisation			
5	Any unauthorised change in personnel equipment or working conditions as mentioned in the application by the person authorised shall constitutes a breach of the authorisation	Noted for compliance		
6	The person authorised shall implement Emergency Response Procedure ERP for which the authorisation is being granted considering all site specific possible scenarios such as spillages, leakages fire etc. and their possible impacts and also carry out mock drills in this regard at the regular interval of time	Noted for compliance		
7	The person authorized shall comply with the provisions outlined in Central Pollution Control Board guideline on "Implementing liabilities for environmental damage due to handling and disposal of hazardous waste and penalty"	Noted for compliance		
8	It is the duty of authorised person to take prior permission of the State Pollution Control Board to close down the facility	Noted for compliance		
9	The imported hazardous and other waste shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation	Noted for compliance		
0	The record of consumption and fate of the imported hazardous and other waste shall be maintained	Noted for compliance		
11	The hazardous and other waste which gets generated during recycling or reuse or recovery or preprocessing or utilisation of imported hazardous or other waste shall be treated and disposed of as per specific conditions of authorization	Noted for compliance		
12	The importer or exporter shall bear the cost of import or export and mitigation of damages if any	Noted for compliance		
13	An application for renewal of authorisation shall be made as laid down under this rules	Noted for compliance		

14	Any other conditions for the compliance as per the guidelines issued by the Ministry of environment forest and climate change for Central pollution control board from time to time	Noted for compliance	
15	Annual return shall be filed by June 30th for the period ensuring 31st March of the year	Noted for compliance	
В	Specific Conditions :		
1	The authorized actual user of hazardous and other waste shall maintain records of hazardous and other waste purchased in passbook issued by the state pollution control board along with the authorisation.		
2	Handing over hazardous and other waste to control users shall be only after making the entry into the Passbook of the actual user.	Noted for compliance	
3	In case of renewal of authorisation for self certified compliance report in respect of effluent emission standards and the conditions specified in authorisation for hazardous and other waste shall be submitted to SPCB.	Noted for compliance	
4	The occupier of the facility shall comply with standard operating procedure or guidelines published by MoEF or CPCB or GPCB from time to time.	Noted for compliance	
5	Unit shall comply with provisions of E-waste (Management) rules - 2016.	Noted for compliance	

Amendment CCA Compliance for Consent Order No.: AWH - 122690, Date of Issue: 30/12/2022 is valid up to 05/08/2025			
Sr. No.	Consent Requirement	Compliance Status	
1	Specific Condition:		
(i)	There shall be no increase in pollution load after proposed change in product mix.	Complied.	
(ii)	There shall be no change in plant layout after proposed change in product mix.		
2	Condition no 3.1 to 3.5 Of CCA AWH-111008 is amended and	shall be read as under:	
2.1	The quantity Of total water consumption shall not exceed 41.595 KLD as per below break up as	Complied.	

	mentioned in form D submitted for consent application under Water (Prevention and Control Of Pollution) Act-1974. a) Domestic: 05KLD b) Industrial: 31.595KLD c) Gardening: 05KLD	Water consumption is well within limit. Source of fresh water shall be only from GIDC supply Annexure-1.
2.2	Generation of industrial wastewater from manufacturing process and other ancillary operation shall not exceed 14.5 KLD. Out of which 4.5 KLD discharge to CETP Vapi after treatment, while 10 KLD shall be sent to CMEE of VGEL Vapi / M/s. Detox India Pvt Ltd -Ankleshwar.	Waste water generation is well within limit. Waste water is being treated in ETP and waste water discharge to CETP vapi is not exceeding 4.5 KLD. Additional wastewater not exceeding 10 KLD, is being sent to M/s. VGEL Vapi. Annexure-2 Annexure-3
2.3	The quantity of sewage effluent from the industry shall not exceed 4 KLD.	Complied.

2.4	Domestic effluent shall be disposed off through a septic tank/soak pit system.	Complied Domestic effluent is being disposed of through a soak pit.
3.	Condition no 6.3 of CCA AWH-111008 is amended and shall be read as under:	Noted
4.	All other conditions of CCA order AWH-111008 dated 07/01/2021. Issued vide No GPCB/CCA-VSD-508(2)/ID-23103/580957 dated: 12/01/2021 shall remain unchanged.	Noted

	Octobe	er 2024 to March 2025.		
Month	Total quantity in KLD	Maximum quantity in KLD	Minimum quantity in KLD	Monthly Averag KLD
Oct"24	567	31	0	18.29
Nov"24	584	33	0	19.46
Dec"24	353	34	0	11.38
Jan"25	508	30	1	16.38
Fab"25	410	25	5	14.64
March"25	427	32	2	13.77

	asteWater Discharged in KL for period tober 2024 to March 2025 to CETP Vapi		
Month	Discharge Quantity in KL	Daily Average in KL/D	
Oct"24	91	2.93	
Nov"24	74	2.46	
Dec"24	58.062	1.87	
Jan"25	41.962	1.35	
Fab"25	44	1.58	
March**25	14	0.43	
Prescribed Limit/Day	4.	5	

Month	Discharge Quantity in KL	Average quantity in KLD	
Oct"24	42.9	8.58	
Nov"24	16.16	8.08	
Dec"24	16.87	8.43	
Jan"25	16,81	8.4	
Fab"25	23.53	7.84	
March"25	0	0	

Month	Quantity in SCM	Qty in Scm/hr	
Oct"24	7266.030	10.09170833	
Nov"24	6584.270	9.144819444	
Dec"24	5589.450	7.763125	
Jan"25	3865.690	5.369013889	
Fab"25	6297.760	8.746888889	
March"25	1431.870	1.988708333	

Month	Quantity in Liter	Qty in Ltr/hr
Oct"24	205	0.2847222222
Nov"24	230	0.3194444444
Dec"24	130	0.1805555556
Jan"25	170	0.2361111111
Fab"25	395	0.5486111111
March"25	435	0.6041666667

Month	Stack attached to boiler					
	PM	SO2	NO2			
GPCB Limit	150 mg/Nm3	100 ppm	50 ppm			
Oct"24	8.90	10.50	19.10			
Nov"24	11.00	9.60	15.40			
Dec"24	10.60	11.40	18.50			
Jan"25	9.40	11.00	17.30			
Fab"25	8.80	10.30	16.30			
March"25	9.30	12.30	18.80			

Month	Stack attached to DG set					
	PM	SO2	NO2			
GPCB Limit	150 mg/Nm3	100 ppm	50 ppm			
Oct"24	80.70	23.70	29.60			
Nov"24	82.60	26.80	31.80			
Dec"24	77.00	24.60	30.30			
Jan"25	80.60	27.70	32.90			
Fab"25	76.80	25.70	30.00			
March"25	89.00	18.80	23.70			

Month	Scrubber attached to process stack				
GPCB Limit	CL2:9 mg/Nm3	NH3 :175 mg/Nm3	HCl: 20 mg/NM3		
Oct"24	3	72.2	4.6		
Nov"24	3.4	72.1	5.5		
Dec"24	2.4	75.4	4.2		
Jan"25	3	68.9	4.9		
Fab"25	2.5	71.8	5.2		
March"25	3.2	65.4	4.4		

	AIR AMBIENT MONITORING (all value for periodOctober 2024 to March				
MONTH	LOCATION	PM10	PM2.	SO2	NO
	Permissible GPCB limit		60	80	80
	SECURITY GATE-1	66	32.9	30.5	35.3
	SECURITY GATE-2	66.9	33.3	30.3	35.8
Oct'2024	Near Main office	62.9	31.1	28.5	33.9
	SECURITY GATE-1	77.1	36.9	33.1	41
	SECURITY GATE-2	76.4	34.8	32	39.8
Nov'2024	Near Main office	78.5	37.2	33.6	40.9
	SECURITY GATE-1	79.5	37	31.3	43.
	SECURITY GATE-2	80.7	37.1	30.5	42.
Dec'2024	Near Main office	77.7	36.8	31	42.5
	SECURITY GATE-1	81.1	38.3	32.4	44.
	SECURITY GATE-2	78.3	37.4	31.3	44.
Jan'2025	Near Main office	86.6	37.9	32.1	45.4
	SECURITY GATE-1	83.8	40.3	35.4	45.
	SECURITY GATE-2	83.1	40.5	35.2	46
Fab'2025	Near Main office	79.3	32.8	33.1	42.
	SECURITY GATE-1	82.5	39	32.8	45.
	SECURITY GATE-2	85.4	40.8	35.1	47.
March'2025	Near Main office	76	36.1	31	41.4

SNO	LOCATION (Day time)	GPCB limit Unit	Max. value (dBA)	Min. value (dBA)	Mean value (dBA)
1	Nr.Main Gate no 1		71.2	69.7	70.4
2	Nr.Main gate 2		70.9	68.8	69.75
3	Nr Control room		72.3	70.4	71.6
4	Near Scrubber		73.1	67.4	69.75
5	Nr. main office	75 dBA	72	68.6	70.5
SR	LOCATION (Night time)	GPCB limit	Max. value	Min. value	
SR .NO	(Night time)	GPCB limit Unit	(dBA)	Min. value (dBA)	Mean value (dBA)
	TANK AND THE STATE OF		THE STATE OF THE S	(dBA)	(dBA)
.NO	(Night time) Nr.Main Gate no 1		(dBA) 66.4	(dBA) 64.3	65.3
.NO 1 2	(Night time) Nr.Main Gate no 1 Nr.Main gate 2		(dBA) 66.4 66.4	(dBA) 64.3 64.3	(dBA) 65.3 65.3

DUTHAMI PROM WHITE HARD

OLD NAME: MANIDHABEN DALICHMOBIN (NEW NAME) ANISHMAN DALAL ADD -3/1364 CANESHWAD OFF SANCHIVA TOMPLEX UNIT VALBAD GUARAT SRIST TEAH NET

Andre Send Honga April (store of the Diller) all compression, but he would have not a and come you

misrain right well were made a season before spillers grown is from word of regio littles (was The spillers of the word fillings little (who will be spillers) and the spillers of the spille

ना र पारतरक सेक्ट्रीशीम्बर्धारक राष्ट्रवह

अवर् का

Service wheel would in the first plan sec.

40. L.L.O. (1.00 D4) 41.44

the books broke sent up Helic Helic Ster Big

THE PERSON OF STREET

gr < at / page or total

NOT BELLEVIS OF MALE

mand an war an E dationalism was an

हर करते। (१३३ विसे) करते

to be made to a surface of familieb felbe org. "Jest of every should be

- the real right also

at Partil dates where he

or whend we will ad-

INC. TATIO SAID HEAVY, NATE

of the Principal of the 2018 LVTDAM EXALECT-

the series well find the party of the control the series in the series in

of pr

JOHN ESC! B2018-0 SALE on these daily not began not you and the other had be कारदीया श्रीकर्तमः, ब्यू

Eazee Financial & Tax Consultancy

वर्ग प्रकान क्ष्मीर्थक स्थान विकास क्षेत्र क(अवेदरहाक्ट)

#L'espay

p. states at | EMD

2018 UTDNH 21,10,000- FFL000- FV00-

TLY, YOU! TWO!

שנו זינטו ושני של דצמט mi

time count by unor room and

व्यक्तितः दानश्च काले लागः क्रवेदी, बंगाजेतः, दान विकास (टी)

4-pers (mine et) ampais along apas de sout-ou raft souther wis stitum (8) their Walter, corn and not south therein was blest mind

wave driftenders gov in whether total was age and that running age to

Ein with

SHOOT T

2801.1

100 THE THE PLEASE WILLIAMS FROM FROM FROM FROM

3 made (1986 - 1884 m) and 2018 LITORIA (145,50,704) (194,000) (1960)

THE STATE OF STATE OF

की प्रकारक प्रकारों पर की पुण्यन है के पोक्रम एक की बक्त में १४०० वर्गक्रम गर ठठ सम्म हुने सकी कि

्रातिक वर्षा अन्य क्षितिक विद्वार कृत्य के प्रकार के प्रकार की प्रकार के प्रकार की प्रकार की प्रकार को प्रकार की प्

there is night and deficient green or make a part areas in the new of the term and two and the

中(如,何也点) #ઇવ્યોરવા militar des whitehin. क्ष्मचेन मान स्थिति तेस

MEN : 30 KITCHELL

Atm.

Kim

40 Ben

so Bas

of Ben

ed Day

en firm

Mo. No. 9329607913, 9834307913

me didness impered tranged solve VITER NAME OF OWNERS repel many con-

on court one later to better in order

out pristd.

mplicate and one

followers and not of lover many we of it, then some for early see, it though the est qui als de puis suite comme suns cas de la comme d the same and the same and the same and the same than the same and the are one for one or next pity the owner of mind name of the few years of the day

one and head and some

Sec.

there in cited ou broop.

बार जी तका हान वाणिकारी अने नावण क्वीहरर भारतीची केरेचा TAXA - 04/1010

FIG. 1984 Territorial rela-

all measurements and in only seems 54

Burn off and a soil or wast

the same of the sa red come measured region broaded also all ter-perature terms, but we need to assert from many beauty patient than the contract to any to began sold berte first times or him to be the first factor and to make the way for the district of the last of the first part of the first in which is

many manufactured in the control for the con-mit will be company makes \$ 7 are based using non-transport and manufactured the control of the conwhich dailed grows and responses to the wilder with a proper of the property of the prop

n Add Ball of help

-1551-(E)

ધરમપુર-ધોબીધોવાદ્યમાં માન્યગવતી જગદબાનો પારોત્સવ ઉજવાશે

SERIE INSIGNATION

DESCRIPTION OF THE ted want made to di salam fallen habet. E PROPERTY freed on bent plan www.combingling with the said of real invation indicated: feel out too, and employ on very ne tree wild all w

from one of the late. The second of the late of the la

टेरेस गणे छे



તેન એક્ટીવાન ભાગે તાલું

the flow was print has the or

वश्साह मां जनता देरेस तथा दियालमां ही आवता शेम ले કે કફીલીંગ કરી કેવીકલ્સ વળે વોટર પૂર્કીંગ કરી આપનાર

DO THE HEAD IN COLUMN

અર્દિ જો!, -- મો. 81402 20205

AEGIS LOGISTICS LIMITED

The first late of the property can be a second to the property	in comment	. 0			-	-	-
The formal and finding to the last of the	The state of the s	Posterior	Memorrale		4.00		-164
The same of the sa	THE PERSON NAMED IN COLUMN TWO	-	Mile!		14.14		110
The second secon	I designed the first three from	797	-	164	-has	-	FFW
THE RESERVE OF THE RE	The beating that the party has	199	line .	-	-	-	
The state of the s	the frequent care franchis has	- 100	100	-	79700	-	
The state of the s	田田一 田子さん	-	ITE	100	-	196	-
+ term	-	-	100	-	i.am	Line	10.00
	:=	:	Œ	16	10	10	12

	-	-		-	-	44.00
A STATE OF THE PARTY OF T	1.4	-	P 14TH	In Chapta Swidering Majori	Printer Talleran	-
The second second second	154	Lile	100	75.00		200
The second second	1.00	1418	- 14	Kee	140	-246
the second such that the last two con-	1966	160	100	Face	1.00	Three leads
	Thomas is	-	-	EE	1	-

९०० लिटर थी ९,००,००० लिटर डेपेसिटि घरावता सोलार वॉटर हिटर जनावनार

ગુજરાત એનર્જી ડેવેલોપમેન્ટ એજન્સી (GEDA) ના માન્ય મુજબ સોલારની બનાવટ कांक्रपण कंपनीना सांवार वॉटर क्रिटर, सोवार साहर, स्ट्रीटवासर, सांबार केन्द्रेन, जाजी पूर्वत विघेरींग करी स्वापवामां साधामे.

चुना भौधारना जा वामां नचा शोसार वारर हिंदर तथा भैश भित्रर भक्षशे













WHAT IS MESA

DRUG-RESISTANT SUPERBUG IS INVADING GUJARAT!

Headill Pedro In Samuel Printer

NOTICE II NO



PUBLIC NOTICE

PUPLIC NOTICE

or Service and providing subjected processing and processing subjected processing and processing subjected processing and proc

LESH AJITLAL MISTRY

ACHICATE

START HIS START, BOAT

START HER BOAT MATERIAL

Beer bash right under cops' nose Video Shows Revellers With Beer Cans Near Western Police Chowky



Woman jumps into well with four kids



Scrutiny of liquor permits begins

New Permits Only in City. Capital

All for a greed radio















Ref. No.: AARTI/VAPI/ENV/APL/2024-2025/021

Date:21/11/2024

To,
Deputy Director General,
Forest (Central) Regional Office - Gandhinagar,
A Wing - 407 & 409, Aryan Bhawan,
Near CH-3 Circle, Sector - 10A,
Gandhinagar - 382010.

Subject: Half yearly Environment clearance conditions compliance report for period April

2024 to September 2024.

Reference: EC No. SEIAA/GUJ/EC/5(f)/229/2019 dated: January 29th, 2019.

Respected Sir,

With reference to the above subject, we are submitting the Compliance report (monitoring period Of April 2024 to September 2024. as per condition (103) of the general conditions as mentioned in Environmental Clearance letter no. EC No.SEIAA/GUJ/EC/5(f)/229/2019 dated: January 29th, 2019, for our project - Expansion of Synthetic organic chemical manufacturing unit by M/s. Aarti Industries Limited (Apple Organic Division) at the plot no 609/610,100 shed area, GIDC Industrial Estate, Vapi, Tal: Pardi, Dist: Valsad, Gujarat. The Compliance report is supported with the required attachments.

Thank you.

Yours faithfully

For, Aarti Industries Limited (Apple Organic Division)

Authorized Signatory

Gujarat Poliution Control Formal Head Office
Sector No.-10-A.
Gandhinagar-382010

COPY TO

 Email The Regional Director, Central Pollution Control Board, Vadodara 2) Email to SEIAA, Gujarat

3) The Member Secretary Gujarat Pollution Control Board Paryavaran Bhavan, Sector – 10 / A Gandhinagar – 382010 4) Uploaded in Parivesh, MoEF&CC Portal



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230, Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in



Test Report

Format No : QR/7.8/01 Test Report No: TC588524000009745F Issue Date: 16-10-2024 ULR No: TC588524000009745F Discipline: Chemical Group : Pollution & Environment

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Soil Sample

Sampling By

: ENPRO Team-Mr.Nikunj Vaghasiya Qty / Nos of Sample : Approx 1 Kg / 1 No. Date of Sampling : 11-10-2024

Packing / Seal Sample Received Date : 12-10-2024 : Sealed Protocol / Purpose : Soil Analysis Date of Starting of Test : 12-10-2024 Date of Completion : 14-10-2024 Sampling Method : WI/S/A Sample ID : 1024/S09745

RESULT TABLE

S.NO.	TECT DADAMETER	1	KLOULI IMBLE		
1	TOT THE SHIELD	UNIT	RESULT	LIMIT	METHOD REFERENCE
1	pH		7.38 (at 26.0°C)	-	
2	Moisture Content	%	6.2		IS 2720 (Part-26):1987
3	Bulk Density	gm/cm3		-	SOP NoWI/S/03
4	Available Sodium		1.24		SOP No. WI/S/07
		mg/kg	1525	-	SOP No, WVS/08 (Issue No. 03.8
5	Available Potassium	mg/kg	73.5		Issue date:02/09/2023)
6	Chloride (as CI)		19,5	-	SOP No. WVS/08 (Issue No. 03 8
0	Gilloride (as CI)	mg/kg	47.4	*	Issue date:02/09/2023) SOP NoWVS/10 (Issue No. 03 8
7	Magnesium (as Mg)				Issue date:02/09/2023)
	magnesiani (ad mg)	meq/100gm	71.0	-	SOP No. WVS/09 (Issue No. 03 &
8	Available Calcium	meq/100 gm	111		Issue date:02/09/2023)
	1 6 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	medi ioo gm	140	-	SOP No. WVS/09 (Issue No. 03 &
9	Iron (as Fe)	mg/kg	DDI (-18)		Issue date:02/09/2023)
		mgrkg	BDL(<10)	8	SOP No. WVS/18 (Issue No. 03.8.
10	Copper (as Cu)	mg/Kg	BOL(<5)		Issue date:02/09/2023)
		mg/mg	מיניים)	7	SOP No. WVS/19 (Issue No. 03 &
11 (Chromium (as Cr)	mg/Kg	BDL(<5)		Issue date:02/09/2023)
te B	DL > Below Detectable Limit	g/itg	BUL(~3)		SOP No. WVS/20 (Issue No. 03 & Issue date:02/09/2023)

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

CHECKED BY Zinal Rathod

REVIEWED AND AUTHORISED BY

Sweety Patel (Dy. TM)

Note 1 : This Report is subject to terms & conditions mentioned overleaf, Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Test Report

Format No: QR/7.8/01 Test Report No: ETL/004660/24 Issue Date: 16-10-2024 ULR No: N.A. Discipline: Chemical Group: Pollution & Environment

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Soil Sample

Sampling By

: WI/S/A

: ENPRO Team-Mr. Nikunj Vaghasiya Qty / Nos of Sample : Approx 1 Kg / 1 No.

Date of Sampling : 11-10-2024 Sample Received Date : 12-10-2024 Date of Starting of Test : 12-10-2024

Sampling Method

Packing / Seal : Sealed

Protocol / Purpose : Soil Analysis Date of Completion : 14-10-2024 Sample ID

: 1024/S09745

RESULT TABLE

S.NO.	TEST PARAMETER	Thur	THE SEL TABLE		
1	Total Inorganic Solids	UNIT	RESULT	LIMIT	METHOD REFERENCE
-		%	58.70		
2	Total Acidity	mg/L	BDL(<5)		Calculation Method
2	T. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	mg/L	BDL(<5)		Method of Soil, Plant, Water
3	Total Alkalinity as CaCO ₃	mg/kg	80.00		Analysis:3rd Edition
			00,00	-	Method of Soil, Plant, Water
4	Sulphide	mg/L	DDIA		Analysis:3rd Edition
		mg/L	BDL(<1)	-	APHA 24th Edi. (Part:4000,
5	Heavy Metals	mg/kg	DDI (etc.		Section:4500 S-2)F, 2023
	DL :- Below Detectable Limit	mg/kg	BDL(<5)	*	Method of Soil, Plant, Water Analysis:3rd Edition & SOP No. WWW/45

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

Zinal Rathod

REVIEWED AND AUTHORISED BY Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf.

Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request. *** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in



Test Report

Format No : QR/7.8/01 Test Report No: TC588524000010733F Issue Date: 19-11-2024 ULR No: TC588524000010733F Discipline: Chemical Group: Pollution & Environment

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Soil Sample

Sampling By : ENPRO Team-Mr. Vihang Patel

Date of Sampling : 12-11-2024

Sample Received Date : 13-11-2024 Date of Starting of Test : 13-11-2024

Sampling Method

: WI/S/A

Oty / Nos of Sample : Approx 1 Kg / 1 No.

: Sealed

Packing / Seal Protocol / Purpose

: Soil Analysis Date of Completion : 18-11-2024

Sample ID

: 1124/S10733

RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	LIMIT	METHOD REFERENCE
1	Hq		7.38(at 25.2°C)	-	IS 2720 (Part-26), 1987
2	Moisture Content	%	6.2	-	SOP NoWI/S/03
3	Bulk Density	gm/cm3	1.24		SOP No. WI/S/07
4	Available Sodium	mg/kg	1525	+	SOP No. WVS/08 (Issue No. 03-8 Issue date.02/09/2023)
5	Available Potassium	mg/kg	73.5	+	SOP No. WVS/08 (Issue No. 03 & Issue date:02/09/2023)
6	Chloride (as CI)	mg/kg	48.1	*	SOP NoWVS/10 (Issue No. 03 8 Issue date:02/09/2023)
	Magnesium (as Mg)	meq/100gm	71.5	-	SOP No. WVS/09 (Issue No. 03 & Issue date:02/09/2023)
	Available Calcium	meq/100 gm	140	-	SOP No. WVS/09 (Issue No. 03 & Issue date:02/09/2023)
	Iron (as Fe)	mg/kg	BDL(<10)		SOP No. WVS/18 (Issue No. 03 & Issue date:02/09/2023)
	Copper (as Cu)	mg/Kg	BDL(<5)	-	SOP No. WVS/19 (Issue No. 03 & Issue date:02/09/2023)
	Chromium (as Cr)	mg/Kg	BDL(<5)	+	SOP No. WVS/20 (Issue No. 03 & Issue date:02/09/2023)

L :- Below Detectable Limit

CHECKED BY

Zinal Rathod

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

REVIEWED AND AUTHORISED BY

Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf.

Note 2: Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

"" End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Test Report

Format No: QR/7.8/01	Test Report No: ETL/005049/24	Issue Date: 19-11-2024	
ULR No: N.A.	Discipline : Chemical	Group : Pollution & Environment	

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Soil Sample

Sampling By

: ENPRO Team-Mr. Vihang Patel

: 12-11-2024

Date of Sampling Sample Received Date : 13-11-2024 Date of Starting of Test : 13-11-2024 Sampling Method

: WI/S/A

Qty / Nos of Sample : Approx 1 Kg / 1 No.

Packing / Seal : Sealed Protocol / Purpose

Date of Completion

: Soil Analysis : 18-11-2024

Sample ID

: 1124/S10733

RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	LIMIT	METHOD REFERENCE
1	Total Inorganic Solids	%	58.70	-	Calculation Method
2	Total Acidity	mg/L	BDL(<5)	-	Method of Soil, Plant, Water Analysis:3rd Edition
3	Total Alkalinity as CaCO ₃	mg/kg	80.00		Method of Soil, Plant, Water Analysis:3rd Edition
	Sulphide	mg/L	BDL(<1)	*	APHA 24th Edi. (Part 4000, Section: 4500 S-2)F, 2023
5	Heavy Metals	mg/kg	BDL(<5)	~	Method of Soil, Plant, Water Analysis:3rd Edition & SOP No. WWW/45

Note: BDL - Below Detectable Limit

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

CHECKED BY Zinal Rathod

REVIEWED AND AUTHORISED BY Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf. Note 2: Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat – 394 230, Gujarat, INDIA Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in



TC - 5885

Test Report

Format No : QR/7.8/01 Test Report No : TC588524000012120F Issue Date : 18-12-2024

ULR No : TC588524000012120F Discipline : Chemical Group : Pollution & Environment

Customer's Name & Address : Apple Organics.

: WI/S/A

Plot No.-610 100 SHED Area, GIDC Estate, Vapr- 396195, Pardi, Dist. - Valsad.

Description of Sample : Soil Sample

Sampling By : ENPRO Team-Mr. Vihang Patel Qty / Nos of Sample : Approx 1 Kg / 1 No.

Date of Sampling : 12-12-2024

Sampling Method

Sample Received Date : 13-12-2024 Date of Starting of Test : 13-12-2024 Packing / Seal Sealed

Protocol / Purpose : Soil Analysis
Date of Completion : 16-12-2024
Sample ID : 1224/S12120

RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	LIMIT	METHOD REFERENCE
1	pH	-	7.48(at 25.6°C)	-	IS 2720 (Part-26):1987
2	Moisture Content	%	7.0	+	SOP No -WI/S/03
3	Bulk Density	gm/cm3	1.12	-	SOP No. WI/S/07
4	Available Sodium	mg/kg	1480		SOP No, WVS/08 (Issue No. 03 & Issue date:02/09/2023)
5	Available Potassium	mg/kg	70.2	-	SOP No. WVS/08 (Issue No. 03 & Issue date 02/09/2023)
6	Chloride (as CI)	mg/kg	45.9	-	SOP NoWVS/10 (Issue No. 03 & Issue date:02/09/2023)
7	Magnesium (as Mg)	meq/100gm	63.4		SOP No. WVS/09 (Issue No. 03 & Issue date 02/09/2023)
8	Available Calcium	meq/100 gm	148	141	SOP No. WVS/09 (Issue No. 03 & Issue date:02/09/2023)
9	Iron (as Fe)	mg/kg	BDL(<10)	la la	SOP No. WVS/18 (Issue No. 03 & Issue date:02/09/2023)
10	Copper (as Cu)	mg/Kg	BDL(<5)	-	SCP No. Wi/S/19 (Issue No. 03 & Issue date:02/09/2023)
11	Chromium (as Cr)	mg/Kg	BDL(<5)	*	SOP No. WVS/20 (Issue No. 03 & Issue date 02/09/2023)

Note: BDL :- Below Detectable Limit

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

CHECKED BY Zinal Rathod

REVIEWED AND AUTHORISED BY

Sweety Patel (Dy. TM)

Note 1 : This Report is subject to terms & conditions mentioned overleaf.

Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230, Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Test Report

Format No: QR/7.8/01 Test Report No: ETL/005680/24 Issue Date: 18-12-2024 ULR No: N.A. Discipline: Chemical Group: Pollution & Environment

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Soil Sample

Sampling By

: ENPRO Team-Mr.Vihang Patel Date of Sampling

: 12-12-2024

Sample Received Date : 13-12-2024 Date of Starting of Test : 13-12-2024

Sampling Method

: WI/S/A

Qty / Nos of Sample : Approx 1 Kg / 1 No.

Packing / Seal

: Sealed

Protocol / Purpose

: Soil Analysis

Date of Completion Sample ID

: 16-12-2024 : 1224/S12120

RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	LIMIT	
1	Total Inorganic Solids			LIMIT	METHOD REFERENCE
2		%	60.00	-	Calculation Method
	Total Acidity	mg/L	BDL(<5)	*	Method of Soil, Plant, Water
	Total Alkalinity as CaCO ₃	mg/kg	88.00	-	Analysis:3rd Edition Method of Soil, Plant, Water
5	Sulphide	mg/L	BDL(<1)		Analysis:3rd Edition APHA 24th Edi. (Part:4000,
	Heavy Metals	mg/kg	BDL(<5)	7	Section:4500 S-2)F, 2023 Method of Soil, Plant, Water Analysis:3rd Edition & SOP No. WWW/45

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

CHECKED BY Zinal Rathod

REVIEWED AND AUTHORISED BY

Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf.

Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request. *** End of Report ***

Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in



Test Report

Forn.	P. CO. 11 CO. 1		7.74	
FORL.	.R/7.8/01	Test Report No : TC588525000000489F	Issue Date : 22-01-2025	
ULR No :	C588525000000489F	Discipline: Chemical	Group : Pollution & Fauta	
			Group : Pollution & Environment	

Customer's Name & Address: Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Soil Sample

Sampling By : ENPRO Team-Mr.Nikunj Vaghasiya

: 15-01-2025

Sample Received Date : 16-01-2025 Date of Starting of Test : 16-01-2025 Sampling Method : WI/S/A

Date of Sampling

Qty / Nos of Sample : Approx 1 Kg / 1 No.

Packing / Seal : Sealed Protocol / Purpose

: Soil Analysis Date of Completion : 20-01-2025

Sample ID

: 0125/S00489

RESULT TARLE

			KESULI TABLE		
S.NO.	TEST PARAMETER	UNIT	RESULT	LIMIT	METHOD REFERENCE
1	Hq	~	7.52(at 24.9°C)		
2	Moisture Content	%	8.2		IS 2720 (Part-26):1987
3	Bulk Density	gm/cm3			SOP NoWI/S/03
4	Available Sodium	-	1.30	-	SOP No. WI/S/07
5	Available Potassium	mg/kg	1491	+	SOP No, WVS/08 (Issue No. 03 8 Issue date:02/09/2023)
6		mg/kg	79.2	+	SOP No. WVS/08 (Issue No. 03 8 Issue date:02/09/2023)
	Chloride (as CI)	mg/kg	46.7	4	SOP NoW/S/10 (Issue No. 03 & Issue date:02/09/2023)
	Magnesium (as Mg)	meq/100gm	73.4		SOP No. WVS/09 (Issue No. 03 &
	Available Calcium	meq/100 gm	145	-	Issue date:02/09/2023) SOP No. WVS/09 (Issue No. 03 &
	Iron (as Fe)	mg/kg	BDL(<10)	-	Issue date:02/09/2023) SOP No. WVS/18 (Issue No. 03 &
10	Copper (as Cu)	mg/Kg	BDL(<5)		Issue date:02/09/2023) SOP No. WVS/19 (Issue No. 03 &
	Chromium (as Cr)	mg/Kg	BDL(<5)	14	Issue date:02/09/2023) SOP No. WVS/20 (Issue No. 03 & Issue date:02/09/2023)

Note: BDL:- Below Detectable Limit

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

Zinal Rathod

REVIEWED AND AUTHORISED BY

Sweety Patel (Dy. TM)

Note 1 : This Report is subject to terms & conditions mentioned overleaf. Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report =

Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Test Report

F -		
Fo ₁ . 2R/7.8/01	Test Report No: ETL/000135/25-	Issue Date : 22-01-2025
ULR No . N.A.	Discipline: Chemical	
		Group : Pollution & Environment

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Soil Sample

Sampling By : ENPRO Team-Mr. Nikunj Vaghasiya Date of Sampling

Qty / Nos of Sample : Approx 1 Kg / 1 No. : 15-01-2025

Sample Received Date : 16-01-2025

Packing / Seal : Sealed Protocol / Purpose : Soil Analysis

Date of Starting of Test : 16-01-2025 Sampling Method : WI/S/A

Date of Completion : 20-01-2025 Sample ID : 0125/S00489

RESULT TARLE

		THE PART STREET	•		
	UNIT	RESULT	LIMIT	METHOD DEFERENCE	
Total Inorganic Solids	9/0	RE 20	interior a	METHOD REFERENCE	
Total Acidity		4-10-6	7	Calculation Method	
	mg/L	BDL(<5)	+	Method of Soil, Plant, Water	
Total Alkalinity as CaCO ₃	ma/ka	70.00		Analysis:3rd Edition	
	mgrag	grag	79.00	*	Method of Soil, Plant, Water
Sulphide	mell	DDI (-4)		Analysis:3rd Edition	
	mg/L	BDL(<1)	*	APHA 24th Edi. (Part:4000,	
Heavy Metals	ess in He co			Section:4500 S-2)F, 2023	
	mg/kg	BDL(<5)		Method of Soil, Plant, Water Analysis:3rd Edition & SOP No. WWW/45	
	Total Inorganic Solids Total Acidity Total Alkalinity as CaCO ₃	Total Inorganic Solids % Total Acidity mg/L Total Alkalinity as CaCO ₃ mg/kg Sulphide mg/L Heavy Metals mg/kg	Total Inorganic Solids % 65.30 Total Acidity mg/L BDL(<5) Total Alkalinity as CaCO ₃ mg/kg 79.00 Sulphide mg/L BDL(<1) Heavy Metals mg/kg BDL(<5)	Total Inorganic Solids % 65.30 Total Acidity mg/L BDL(<5) Total Alkalinity as CaCO ₃ mg/kg 79.00 Sulphide mg/L BDL(<1) Heavy Metals mg/kg BDL(<5)	

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

Zinal Rathod

REVIEWED AND AUTHORISED BY Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf. Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat 394 230, Gujarat, INDIA, Lab Ph. : +91 95128 74754 E-mail : lab@enpro.co.in



Test Report

| Format No : QR/7.8/01 | Test Report No : TC588525000001721F | Issue Date : 26-02-2025 | ULR No : TC588525000001721F | Discipline : Chemical | Group : Pollution & Environment

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Soil Sample

Sampling By : ENPRO Team-Mr. Vihang Patel Qty / Nos of Sample : Approx 1 Kg / 1 No.

Date of Sampling : 20-02-2025 Packing / Seal : Sealed

Sample Received Date : 21-02-2025 Protocol / Purpose : Soil / Sediment Analysis

Date of Starting of Test : 21-02-2025
Sampling Method : WI/S/A Date of Completion : 24-02-2025
Sample ID : 0225/S01721

RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	LIMIT	METHOD REFERENCE
1	pH	-	7.30(at 25.5°C)	-	IS 2720 (Part-26):1987
2	Moisture Content	%	7.7	-	SOP NoWI/S/03
3	Bulk Density	gm/cm3	1.10	-	SOP No. WI/S/07
4	Available Sodium	mg/kg	1472.0	-	SOP No, WVS/08 (Issue No. 03 & Issue date:02/09/2023)
5	Available Potassium	mg/kg	70.5	-	SOP No. WVS/08 (Issue No. 03 & Issue date:02/09/2023)
6	Chloride (as CI)	mg/kg	45.1	-	SOP NoWVS/10 (Issue No. 03 & Issue date:02/09/2023)
7	Magnesium (as Mg)	meq/100gm	71.4	-	SOP No. WVS/09 (Issue No. 03 & Issue date:02/09/2023)
8	Available Calcium	meq/100 gm	125	-	SOP No. WVS/09 (Issue No. 03 & Issue date 02/09/2023)
9	Iron (as Fe)	mg/kg	BDL(<10)	4	SOP No. WVS/18 (Issue No. 03 & Issue date:02/09/2023)
10	Copper (as Cu)	mg/Kg	BDL(<5)	-	SOP No. WVS/19 (Issue No. 03 & Issue date:02/09/2023)
11	Chromium (as Cr)	mg/Kg	BDL(<5)		SOP No. WVS/20 (Issue No. 03 & Issue date:02/09/2023)

Note: BDL: - Below Detectable Limit

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

CHECKED BY Zinal Rathod

REVIEWED AND AUTHORISED BY Sweety Patel (Dy. TM)

Note 1 : This Report is subject to terms & conditions mentioned overleaf.

Note 2 : Details about MU and Decision Rules are available with isboratory and same will be provided upon request.

*** End of Report ***



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Test Report

Format No : OR/7.8/01 Test Report No: ETL/000836/25-Issue Date: 26-02-2025 ULR No: N.A. Discipline: Chemical Group: Pollution & Environment

Customer's Name & Address : Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad.

Description of Sample : Soil Sample

Sampling By : ENPRO Team-Mr. Vihang Patel

Qty / Nos of Sample : Approx 1 Kg / 1 No. : 20-02-2025

Date of Sampling Packing / Seal : Sealed Sample Received Date : 21-02-2025 Protocol / Purpose : Soil / Sediment Analysis

Date of Starting of Test : 21-02-2025 Date of Completion : 24-02-2025 Sampling Method : WI/S/A Sample ID : 0225/S01721

RESULT TABLE

S.NO.	TEST PARAMETER	UNIT	RESULT	LIMIT	METHOD REFERENCE
1	Total Inorganic Solids	%	50.80	-	Calculation Method
2	Total Acidity	mg/L	BDL(<5)	-	Method of Soil, Plant, Water Analysis:3rd Edition
3	Total Alkalinity as CaCO ₃	mg/kg	70.00	-	Method of Soil, Plant, Water Analysis:3rd Edition
4	Sulphide	mg/L	BDL(<1)	-	APHA 24th Edi. (Part 4000, Section: 4500 S-2)F, 2023
5	Heavy Metals	mg/kg	BDL(<5)	-	Method of Soil, Plant, Water Analysis:3rd Edition & SOP No. WWW/45

Note: BDL:- Below Detectable Limit

CHECKED BY

Zinal Rathod

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

REVIEWED AND AUTHORISED BY Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf.

Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request,

*** End of Report *** Page 1 of 1



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230, Gujarat, INDIA, Lab Ph. : →91-95128 74754 E-mail : lab@enpro.co.in



Test Report

Format No : QR/7.8/01	Took Donast M.	10-5885	
	Test Report No : TC588525000002767F	Issue Date : 22-03-2025	
ULR No: TC588525000002767F	Discipline: Chaminal		
CONTRACTOR OF THE CONTRACTOR O	Total Control of the	Group : Pollution & Environment	

Customer's Name & Address: Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad

Description of Sample : Soil Sample

Sampling By : ENPRO Team-Mr. Vihang Patel

Date of Sampling : 15-03-2025

Sample Received Date : 17-03-2025 Date of Starting of Test : 17-03-2025

Sampling Method : WI/S/A

Qty / Nos of Sample : Approx 1 Kg / 1 No.

Packing / Seal : Sealed

Protocol / Purpose : Soil / Sediment Analysis

Date of Completion : 19-03-2025 Sample ID : 0325/S02767

RESULT TABLE

S.NO.	TEST PARAMETER	1 1 1 1 1 1 1	RESULT TABLE		
1	IDH	UNIT	RESULT	LIMIT	METHOD REFERENCE
7		17	7.44(at 25.2°C)	-	IS 2720 (Part-26):1987
2	Moisture Content	11/0	6.2	-	
3	Bulk Density	gm/cm3	1.23		SOP NoWI/S/03
4	Available Sodium	mg/kg			SOP No. W!/S/07
5	Available Potassium	10.0	1525	-	SOP No, W/S/08 (Issue No. 03 8 Issue date:02/09/2023)
		mg/kg	.73.5	*	SOP No. WVS/08 (Issue No. 03 &
6	Chloride (as CI)	mg/kg	48.9	-	SOP NoWVS/10 (Issue No. 03.8
7	Magnesium (as Mg)	meg/100gm	-		Issue date:02/09/2023)
		med/100gm	63.7	100	SOP No. WVS/09 (Issue No. 03 &
8	Available Calcium	meq/100 gm	138		Issue date:02/09/2023)
		med roo giii	130	14	SOP No. WVS/09 (Issue No. 03 &
9	Iron (as Fe)	mg/kg	BDL(<10)	-	Issue date:02/09/2023)
10	Copper (as Cu)				SOP No. WVS/18 (Issue No. 03 & Issue date:02/09/2023)
	sopper (as Cu)	mg/Kg	BDL(<5)	-	SOP No. WVS/19 (Issue No. 03 &
11	Chromium (as Cr)	nium (as Cr) mg/Kg	0007-0		Issue date:02/09/2023)
	DL - Below Detectable Limit	marka	BDL(<5)		SOP No. WVS/20 (Issue No. 03 & Issue dale:02/09/2023)

Note : BDL :- Below Detectable Limit

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

CHECKED BY Zinal Rathod

REVIEWED AND AUTHORISED BY Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf.

Note 2: Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

*** End of Report *** Page 1 of 1



Environmental Testing Laboratory

Plot No. D/29/16-17, Road No. 17, Hojiwala Industrial Estate, Gate No. 3, Sachin-Palsana Road, Sachin, Surat - 394 230. Gujarat, INDIA. Lab Ph.: +91-95128 74754 E-mail: lab@enpro.co.in

Test Report

Format No: QR/7.8/01 Test Report No: ETL/001235/25-Issue Date: 22-03-2025 ULR No: N.A Discipline: Chemical Group: Pollution & Environment

Customer's Name & Address: Apple Organics.

Plot No.-610 100 SHED Area, GIDC Estate, Vapi- 396195, Pardi, Dist. - Valsad

Description of Sample : Soil Sample

Sampling By : ENPRO Team-Mr Vihang Patel Date of Sampling

Qty / Nos of Sample : Approx 1 Kg / 1 No. : 15-03-2025 : Sealed

Packing / Seal Sample Received Date : 17-03-2025 Protocol / Purpose Date of Starting of Test : 17-03-2025

: Soil / Sediment Analysis Date of Completion Sampling Method : 19-03-2025 : WI/S/A Sample ID : 0325/S02767

RESULT TABLE

S.NO.	TEST DAS ALLES		MEGULI IABLE		
1	- TOT I WINDIE I EK	UNIT	RESULT	LIMIT	A Parameter Communication Comm
1	Total Inorganic Solids	%	55.60	P-10101	METHOD REFERENCE
2	Total Acidity	mg/L		-	Calculation Method
3	Total Alkalinity as CaCO ₃		BDL(<5)		Method of Soil, Plant, Water
	Total Alkalinity as CaCO3	mg/kg	82.00		Analysis:3rd Edition
4	Sulphide	100 100			Method of Soil, Plant, Water Analysis:3rd Edition
	1000	mg/L	BDL(<1)	8	APHA 24th Edi. (Part 4000.
5	Heavy Metals	mg/kg	BDL(<5)		Section:4500 S-2)F, 2023
ote : B	DL:- Below Detectable Limit		552(45)		Method of Soil, Plant, Water Analysis:3rd Edition & SOP No WWW/45

ENPRO Enviro Tech and Engineers Pvt. Ltd.(ETL)

Zinal Rathod

REVIEWED AND AUTHORISED BY Sweety Patel (Dy. TM)

Note 1: This Report is subject to terms & conditions mentioned overleaf. Note 2 : Details about MU and Decision Rules are available with laboratory and same will be provided upon request.

" End of Report ""



सत्यमेव जयद

Certificate No.

Certificate Issued Date

Account Reference

INDIA NON JUDICIAL **Government of Gujarat**

Certificate of Stamp Duty

IN-GJ36794909310867X

13-Jan-2025 11:54 AM

IMPACC (AC)/ g/13228511/ SURAT/ GJ-SU

Unique Doc. Reference SUBIN-GJGJ1322851185953377256743X

Purchased by S B LUBRICANTS

Description of Document Article 5(h) Agreement (not otherwise provided for)

Description MOU

Consideration Price (Rs.)

(Zero)

First Party S B LUBRICANTS

AARTI INDUSTRIES LIMITED APPLE ORGANIC DIVISION Second Party

Stamp Duty Paid By S B LUBRICANTS

Stamp Duty Amount(Rs.) 300

(Three Hundred only)












The authenticity of this Stamp certificate should be verified at 'www.shollestamp.com' or using e-Stamp Mobile App of Stock Holding.
 Any discrepancy in the details on this Certificate and as available on the website / Mobile App renders if Invalid.
 The onus of checking the legitimacy is on the users of the certificate.

spancy please inform the Compatent Authority.







Particulars	Generator	Recycler
Name	M/s. Aarti Industries Limited (Apple Organic Division)	M/s, S.B. Lubricants
Address	Plot No. 609,610,100 Shed Area,GIDC Vapi-396195,Tal Pardi, Dist Valsad	Survey No : 90, Plot No 1 to 6, Panjroli Birla road, Tal : Hansot, Dist- Bharuch, Gujarat
CC&A No./ Consent No.	AWH-111008 Issued On 07.01.2021. Valid till 05.08.2025 Amendment AWH 122690 Issued On 30,12,2022. Valid till 05.08.2025	AWH-115718 Issued on 03.11.2021 & Valid up to 29.06.2026
CC&A/Consent Issuer	Gujarat Pollution Control Board, Gujarat	Gujarat Pollution Control Board, Gujarat
Name of Hazardous Waste	Used Oil (Car. N	No. 5.1)
CC&A Quantity	0.2 MT/Year	3000 KL/Month
MOU Quantity	Generator's Consented Quantity	
Validity of MOU	Validity till Expiry of Consent/CC&A of of execution, whiche	

The particulars of this MOU including terms and conditions between the Generator & the Recycler are mentioned herewith:

That

- As a part of this MOU, the Recycler has agreed to accept the hazardous Waste generated from the various activities of the Generator.
- Hazardous waste shall be sent with the proper online manifest generated through GPCB XGN site invariably.
- Generator & Recycler shall ensure entry of consignment details on "Passbook issued by GPCB" before the vehicle leaves the premises.
- Hazardous waste shall be transported through AIS-140 compliant Global Positioning System (GPS)
 enabled dedicated tankers/trucks only.
- Both the parties, the Generator and the Recycler, shall install and operate CCTV surveillance systems with 24x7 recordings at their factory premises and at least one month's storage of footage be made available for inspection at any given point of time.
- The Transporter shall be responsible in case of any illegal disposal of hazardous waste during the transportation and shall safely transport the hazardous waste from the premises of the Generator till the premises of the Recycler.
- Both the parties, the Generator and the Recycler, shall keep record of inventory of hazardous waste generation, reception, recycling (as applicable) as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and shall make inventory available for inspection.
- Both the parties, the Generator and the Recycler, shall strictly follow CPCB guidelines of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and its amendments.
- Transporter shall be responsible for the compliance of Motor Vehicle Act and Rules framed there under for carrying Hazardous Chemicals/waste.
- The Transporter shall ensure that the trucks shall be dedicated for transportation of hazardous wastes and shall not be used for any other purposes.

The Transporter shall ensure the cleaning of vehicles carrying Hazardous waste shall be carried out at designated places duly authorized by respective Pollution Control Board/Committee.

3 3HAT12. Recycler shall ensure returning of duly signed and stamped copy of manifest system (Copy-6) to generator as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016

Recycler shall ensure to accept the manifest on GPCB XGN site after receiving the consignment of

waste as per GPCB-XGN requirements.

The Recycler shall ensure return of duly signed and stamped copy of manifest system (Copy-4) to the transporter after accepting the consignment of hazardous waste as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.

15. Transporters shall be responsible for maintaining the record of Manifest system-Copy-4 at their end

for inspection/verification.

HARIJSHIN B. SHARMA

GREATER MUMBAI

SALAN SALAN

16. Recycler shall ensure written communication to Generator through mail for acceptance of consignment and integrity of seal applied on valves/manholes of the vehicles carrying hazardous waste.

> M/s. Aarti Industries Limited (Apple Organic Division)

> > Authorized Signatory


M/s. S.B. Lubricants

Authorized Signatory

2 7 JAN 2025


HARKISHIN B. SHARMA ADVOCATE & NOTARY 1. OJAS BLDG, GROUND FLOOR, NEAR RATION OFFICE, S. N. ROAD. MULUND (W), MUMBAI - 400 080.













Particulars	Generator	Utilizer (End user)
Name	M/s. Aarti Industries Limited (Apple Organics Division)	M/s. Aarti Industries Ltd. (Alchemie Organics Division)
Address	Plot No: 609/610, 100 Shed Area. GIDC Estate, Vapi - 396195, Tal: Pardi, Dist: Valsad.	Plot No. 902, 923,927 and 930, Phase-III, GIDC Industrial Estate, Vapi - 396195, Dist.: Valsad, Gujarat.
CC&A No./ Consent No.	AWH - 111008,122690 Valid Up to 05.08.2025	AWH-123323 Valid Upto 30.09.2029
CC&A/Consent Issuer	Gujarat Pollution Control Board, Gujarat	Gujarat Pollution Control Beard, Gujarat
Name of Hazardous Waste	Spent Hydr	rochloric acid
CC&A/Rule - 9 / Quantity	111.12 MT/Year	21132 MT/Vear
MOU Quantity	111,12	MT/Year
Validity of MOU		of either generator or Utilizerend user,

The particulars of this MOU including terms and conditions between the Generator & the Utilizer are mentioned herewith:

That

- As a part of this MOU, the Utilizer/End user has agreed to accept the Hazardous Waste generated from the manufacturing activities of the Generator.
- Hazardous Waste shall be sent with the proper online manifest generated through GPCB XGN site invariably.
- Hazardous Waste shall be transported through AIS-140 compliant Global Positioning System (GPS)
 enabled dedicated tankers/trucks only.
- 4. Both the parties, the Generator and the Utilizer/End user, shall install and operate CCTV surveillance system with 24x7 recordings at their factory premises and at least one month's storage of footage be made available for inspection at any given point of time.
- The Transporter shall be responsible in case of any illegal disposal of Hazardous waste during the transportation and shall safely transport the waste from the premises of the Generator till the premises of the Utilizer/end user.
- Both the parties, the Generator and the Utilizer/End user, shall keep record of inventory of Hazardous waste generation, reception, disposal & utilization (as applicable) as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and shall make inventory available for inspection.
- Both the parties, the Generator and the Utilizer/End user, shall strictly follow CPCB guidelines of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and its amendments.
- 8. Transporter shall be responsible for the compliance of Motor Vehicle Act and Rules framed thereunder for carrying Hazardous Chemicals/waste.
- The Transporter shall ensure that the trucks shall be dedicated for transportation of hazardous wastes and shall not be used for any other purposes.
- The Transporter shall ensure the cleaning of vehicles carrying hazardous waste shall be carried out at designated places duly authorized by respective Pollution Control Board/Committee.

Utilizer/end users shall ensure returning of duly signed and stamped copy of manifest system (Copy-6) to generator as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.

12/20tilizer/end users shall ensure submission of duly signed and stamped copy of manifest system (Copy-7) to the generator's State Pollution Control Board as per Hazardous and Other Wastes

(Management and Transboundary Movement) Rules, 2016.

13. Utilizer/end users shall ensure return of duly signed and stamped copy of manifest system (Copy-4) to the transporter after accepting the consignment of hazardous waste as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.

14. Transporters shall be responsible for maintaining the record of Manifest system-Copy-4 at their end

for inspection/verification.

15. Utilizer/end users shall ensure written communication to Generator through mail for acceptance of consignment and integrity of seal applied on valves/manholes of the vehicles carrying hazardous waste.

M/s. Aarti Industries Limited (Apple Organics Division)

Authorized Signatory

M/s. Aarti Industries Ltd. (Alchemie Organics Division)

Authorized Signatory



HARKISHIN B. SHARMA
ADVOCATE & NOTARY
1, OJAS BLDG, GROUND FLOOR,
NEAR RATION OFFICE, S. N. ROAD,
MULUND (W), MUMBAI-400 080.






No. Ta/laward fy: IRDUSTRIES CON/IB Figur







MEMORANDUM OF UNDERSTANDING

Particulars	Generator	Utilizer (End user)
Name	M/s. Aarti Industries Limited (Apple Organics Division)	M/s. Aarti Industries Ltd. (Alchemie Organics Division)
Address	Plot No: 609/610, 100 Shed Area, GIDC Estate, Vapi - 396195, Tal: Pardi, Dist: Valsad.	Plot No. 902, 923,927 and 930, Phase-III, GIDC Industrial Estate, Vapi - 396195, Dist.: Valsad, Gujarat.
CC&A No./ Consent No.	AWH - 111008, Valid Up to 05.08.2025	AWH-123323 Valid Upto 30.09.2029
CC&A/Consent Issuer	Gujarat Pollution Control Board, Gujarat	Gujarat Pollution Control Board Gujarat
Name of Hazardous Waste	Spent Sul	phuric scid
CC&A/Rule - 9 / Quantity	382.32MT/Year	38400 MT/Year
MOU Quantity	382,32	MT/Year
Validity of MOU	Validity till Expiry of Consent/CC&A	of either generator or Utilizer end nser, wer earlier

The particulars of this MOU including terms and conditions between the Generator & the Utilizer are mentioned herewith:

That

- As a part of this MOU, the Utilizer/End user has agreed to accept the Hazardous Waste generated from the manufacturing activities of the Generator.
- Hazardous Waste shall be sent with the proper online manifest generated through GPCB XGN site invariably.
- Hazardous Waste shall be transported through AIS-140 compliant Global Positioning System (GPS)
 enabled dedicated tankers/trucks only.
- 4. Both the parties, the Generator and the Utilizer/End user, shall install and operate CCTV surveillance system with 24x7 recordings at their factory premises and at least one month's storage of footage be made available for inspection at any given point of time.
- The Transporter shall be responsible in case of any illegal disposal of Hazardous waste during the transportation and shall safely transport the waste from the premises of the Generator till the premises of the Utilizer/end user.
- Both the parties, the Generator and the Utilizer/End user, shall keep record of inventory of Hazardous waste generation, reception, disposal & utilization (as applicable) as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and shall make inventory available for inspection.
- Both the parties, the Generator and the Utilizer/End user, shall strictly follow CPCB guidelines of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and its amendments.
- Transporter shall be responsible for the compliance of Motor Vehicle Act and Rules framed thereunder for carrying Hazardous Chemicals/waste.
- The Transporter shall ensure that the trucks shall be dedicated for transportation of hazardous wastes and shall not be used for any other purposes.
- 10. The Transporter shall ensure the cleaning of vehicles carrying hazardous waste shall be carried out at designated places duly authorized by respective Pollution Control Board/Committee.

THE PERSON NAMED IN

T. Utilizer/end users shall ensure returning of duly signed and stamped copy of manifest system (Copy-6) to generator as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.

Utilizer/end users shall ensure submission of duly signed and stamped copy of manifest system (Copy-7) to the generator's State Pollution Control Board as per Hazardous and Other Wastes

(Management and Transboundary Movement) Rules, 2016.

Utilizer/end users shall ensure return of duly signed and stamped copy of manifest system (Copy-4)
to the transporter after accepting the consignment of hazardous waste as per Hazardous and Other
Wastes (Management and Transboundary Movement) Rules, 2016.

14. Transporters shall be responsible for maintaining the record of Manifest system-Copy-4 at their end

for inspection/verification.

15. Utilizer/end users shall ensure written communication to Generator through mail for acceptance of consignment and integrity of seal applied on valves/manholes of the vehicles carrying hazardous waste.

M/s. Aarti Industries Limited (Apple Organics Division)

Authorized Signatory

M/s. Aarti Industries Ltd. (Alchemie Organics Division)

Authorized Signatory




HARRISHIN B. SHARMA
ADVOCATE & NOTARY
1, OJAS BLDG, GROUND FLOOR,
NEAR RATION OFFICE, S. N. ROAD,
MULUND (W), MUMBAI-400 080.











MEMORANDUM OF UNDERSTANDING

Particulars	Generator	Utilizer (End user)
Name	M/s. Aarti Industries Limited (Apple Organics Division)	M/s, Aarti Industries Ltd. (Alchemie Organic Division)
Address	Plot No: 609/610, 100 Shed Area, GIDC Estate, Vapi - 396195, Tal: Pardi, Dist : Valsad.	Plot No. 902, 923,927 and 930, Phase-III, GIDC Industrial Estate, Vapi - 396195, Dist.: Valsad, Gujarat.
CC&A No./ Consent No.	AWH - 111008,122690 Valid Up to 05.08.2025	AHW-123323 (Valid Upto 30.09,2029)
CC&A/Consent Issuer	Gujarat Pollution Control Board, Gujarat	Gujarat Pollution Control Board Gujarat
Name of Hazardous Waste	Nitrosyl Si	Aphuric acid
CC&A/Rule - 9 / Quantity	96.36 MT/Year	5718 MT/Year
MOU Quantity	96.36	MT/Year (19)
Validity of MOU		of either generator or Utilizer/end user,

The particulars of this MOU including terms and conditions between the Generator & the Utilizer are mentioned herewith:

That

- As a part of this MOU, the Utilizer/End user has agreed to accept the Hazardous Waste generated from the manufacturing activities of the Generator.
- Hazardous Waste shall be sent with the proper online manifest generated through GPCB XGN site invariably.
- Hazardous Waste shall be transported through AIS-140 compliant Global Positioning System (GPS)
 enabled dedicated tankers/trucks only.
- 4. Both the parties, the Generator and the Utilizer/End user, shall install and operate CCTV surveillance system with 24x7 recordings at their factory premises and at least one month's storage of footage be made available for inspection at any given point of time.
- The Transporter shall be responsible in case of any illegal disposal of Hazardous waste during the transportation and shall safely transport the waste from the premises of the Generator till the premises of the Utilizer/end user.
- Both the parties, the Generator and the Utilizer/End user, shall keep record of inventory of Hazardous waste generation, reception, disposal & utilization (as applicable) as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and shall make inventory available for inspection.
- Both the parties, the Generator and the Utilizer/End user, shall strictly follow CPCB guidelines of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and its amendments.
- Transporter shall be responsible for the compliance of Motor Vehicle Act and Rules framed thereunder for carrying Hazardous Chemicals/waste.
- The Transporter shall ensure that the trucks shall be dedicated for transportation of hazardous wastes and shall not be used for any other purposes.
- The Transporter shall ensure the cleaning of vehicles carrying hazardous waste shall be carried out at designated places duly authorized by respective Pollumn Control Board/Committee.



- Utilizer/end users shall ensure returning of duly signed and stamped copy of manifest system (Copy-6) to generator as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
- Utilizer/end users shall ensure submission of duly signed and stamped copy of manifest system (Copy-7) to the generator's State Pollution Control Board as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
- Utilizer/end users shall ensure return of duly signed and stamped copy of manifest system (Copy-4)
 to the transporter after accepting the consignment of hazardous waste as per Hazardous and Other
 Wastes (Management and Transboundary Movement) Rules, 2016.
- Transporters shall be responsible for maintaining the record of Manifest system-Copy-4 at their end for inspection/verification.
- 15. Utilizer/end users shall ensure written communication to Generator through mail for acceptance of consignment and integrity of seal applied on valves/manholes of the vehicles carrying hazardous waste.

M/s, Aarti Industries Limited (Apple Organics Division)

Authorized Signatory

M/s. Aarti Industries Ltd. (Alchemie Organic Division)

Authorized Signatory

BEFORE ME



HARKISHIN B. SHARMA
LVOCATE & NOTARY
1, QUAS BLDG, GROUND FLOOR,
NEAR RATION OFFICE, S. N. ROAD,
MULUND (W), MUMBAI-400 080.



Prone Re Teld Tellegued Tel WARTI INDUSTRIES To: Wrom/IS Prace! WABCAZZETL







36166221697543800508-80081238 3816622 100-0101-203

> Authorised Signatory ane Bharat Sahakari Bani Main Branch Thane

MEMORANDUM OF UNDERSTANDING

Particulars	Generator	Utilizer (End user)	
Name	M/s. Aarti Industries Limited (Apple Organics Division)	M/s. Aarti Fertilizer (A Division of Aarti Industries)	
Address	Plot No: 609/610, 100 Shed Area, GIDC Estate, Vapi - 396195, Tal: Pardi, Dist : Valsad.	Plot No. 801/15 to 19, 21 & 22 Phase-III, GIDC Industrial Estate, Vapi - 396195, Dist.; Valsad, Gujarat	
CC&A No./ Consent No.	AWH - 111008,122690 Valid Up to 05.08.2025	AHW-117689, Valid Upto 31,12,2026	
CC&A/Consent Issuer	Gujarat Pollution Control Board, Gujarat	Gujarat Pollution Control Board, Gujarat	
Name of Hazardous Waste	Spent Sulphuric acid		
CC&A/Rule - 9 / Quantity	382.32 MT/Year	55080 MT/Year	
MOU Quantity	382.32 MT/Year // 4-/ Gu		
Validity of MOU		of either generator or Utilizet/end user	

The particulars of this MOU including terms and conditions between the Generator & the Utilizer are mentioned herewith:

That

- As a part of this MOU, the Utilizer/End user has agreed to accept the Hazardous Waste generated from the manufacturing activities of the Generator.
- Hazardous Waste shall be sent with the proper online manifest generated through GPCB XGN site invariably.
- Hazardous Waste shall be transported through AIS-140 compliant Global Positioning System (GPS)
 enabled dedicated tankers/trucks only.
- 4. Both the parties, the Generator and the Utilizer/End user, shall install and operate CCTV surveillance system with 24x7 recordings at their factory premises and at least one month's storage of footage be made available for inspection at any given point of time.
- The Transporter shall be responsible in case of any illegal disposal of Hazardous waste during the transportation and shall safely transport the waste from the premises of the Generator till the premises of the Utilizer/end user.
- 6. Both the parties, the Generator and the Utilizer/End user, shall keep record of inventory of Hazardous waste generation, reception, disposal & utilization (as applicable) as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and shall make inventory available for inspection.
- Both the parties, the Generator and the Utilizer/End user, shall strictly follow CPCB guidelines of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and its amendments.
- Transporter shall be responsible for the compliance of Motor Vehicle Act and Rules framed thereunder for carrying Hazardous Chemicals/waste.
- The Transporter shall ensure that the trucks shall be dedicated for transportation of hazardous wastes and shall not be used for any other purposes.
- The Transporter shall ensure the cleaning of vehicles carrying hazardous waste shall be carried out at designated places duly authorized by respective Pollution Control Board/Committee.

Utilizer/end users shall ensure returning of duly signed and stamped copy of manifest system (Copy-6) to generator as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.

12. Utilizer/end users shall ensure submission of duly signed and stamped copy of manifest system (Copy-7) to the generator's State Pollution Control Board as per Hazardous and Other Wastes

(Management and Transboundary Movement) Rules, 2016.

Utilizer/end users shall ensure return of duly signed and stamped copy of manifest system (Copy-4)
to the transporter after accepting the consignment of hazardous waste as per Hazardous and Other
Wastes (Management and Transboundary Movement) Rules, 2016.

14. Transporters shall be responsible for maintaining the record of Manifest system-Copy-4 at their end

for inspection/verification.

15. Utilizer/end users shall ensure written communication to Generator through mail for acceptance of consignment and integrity of seal applied on valves/manholes of the vehicles carrying hazardous waste.

M/s, Aarti Industries Limited (Apple Organics Division)

Authorized Signatory

M/s. Aarti Fertilizer (A Division of Aarti Industries)

Authorized Signatory









INDIA NON JUDICIAL Government of Gujarat Certificate of Stamp Duty



Certificate No.

Certificate Issued Date

Account Reference

Unique Doc. Reference

Purchased by

Description of Document

Description

Consideration Price (Rs.)

First Party

Second Party

Stamp Duty Paid By

Stamp Duty Amount(Rs.)

IN-GJ34066816633390W

24-Jul-2024 04:14 PM

IMPACC (SV)/ gj13123804/ VAPI/ GJ-VL

SUBIN-GJGJ1312380485784340726726W

MS AARTI INDUSTRIES LIMITED APPLE ORGANIC

DIVISION

Article 5(h) Agreement (not otherwise provided for)

MEMORANDUM OF UNDERSTANDING

0

(Zero)

MS AARTI INDUSTRIES LIMITED APPLE ORGANIC

DIVISION

MS SIDHHI CHLORO EXIM PVT LTD

MS AARTI INDUSTRIES LIMITED APPLE ORGANIC

DIVISION

600

(Six Hundred only)











HIF 0007830337

NOTARIAL

NOTARIA

NOTARIA

29

Memorandum of Understanding

This Memorandum of Understanding ("MOU") is made and entered into on this 24 day of July 2024 ("Effective Date")

BY AND BETWEEN

AARTI INDUSTRIES LIMITED, a company incorporated under the laws of India, having its manufacturing unit and plant at Plot 609, 610, 100 Shed Area, GIDC Vapi-396195, Tal Pardi, Dist Valsad, Gujarat and also having its corporate office at 4th Floor, Tower C, Embassy 247, LBS Road, Gandhi Nagar, Vikhroli (West), Mumbai - 400 083, Maharashtra, India (hereinafter referred to as the "Generator" (which expression shall, unless repugnant to the subject, context or meaning thereof, be deemed to mean and include its successors and assigns) of the One Part;

AND

SIDHHI CHLORO EXIM PRIVATE LIMITED. a company incorporated under the laws of India, having its mplant at Plot No. C1B/322/17, 40 Shed Area, GIDC Vapi-366195, Tal Pardi, Dist. Valsad, Gujarat India hereinafter referred to as "Utilizer", (which expression shall unless it be repugnant to the subject or context thereof shall mean and include its successors and permitted assigns) of the Other Part

Generator and Utilizer are hereinafter individually referred to as "Party" and collectively as "Parties"

NOW, THEREFORE, for and In consideration of the foregoing premises and of the mutual covenant hereinafter stipulated, the Parties hereto, one with the other, do hereby agrees as follows:

RECITALS	 A. Generator is engaged inter-alia in the business of manufacturing, marketing, sale and distribution of specialty chemicals and related downstream products; B. Utilizer is engaged in the business of <i>Inter alia</i> in the business of manufacturing of Liquor Ammonia (22-25%) C. Generator has approached Utilizer for the safe utilization of the Hazardous Waste which is generated Generator's manufacturing site located at Plot No. 609, 610, 100 Shed Area, GIDC Vapil-396195, Tal Pardi, Dist Valsad, Gujarat in an environmentally friendly manner. Utilizer has offered to offtake the Hazardous Waste for safe disposal. 	
PROPOSED TRANSACTION	The Utilizer has been evaluated and selected for receiving and utilizing the Hazardous Waste generated from the manufacturing site of the Generator located at Plot No. 609, 610, 100 Shed Area, GIDC Vapil-396195, Tal Pardi, Dist Valsad, Gujarat "Manufacturing Site" and will execute safe utilization of the same as per applicable rules and laws.	
BINDING NATURE	This MOU is binding on the Parties during the Term hereto.	
HAZARDOUS WASTE	"Hazardous Waste" shall mean Liquor Ammonia(NH3) that is being transferred to the Utilizer's facility for utilization as per the Hazardous and Other Wastes (Management and Transboundary Movement) Rules 2016 ("H&OWM Rules") and its subsequent amendments thereof.	
MOU QUANTITY	It is hereby agreed between the Parties that a maximum of 7.56 MT/Year of the Hazardous waste shall be supplied by Generator to Utilizer.	
DELIVERY TERMS	 Parties agree that pickup of the Hazardous Waste from the Generator's facility to the Utilizer's Facility for transportation will be the responsibility of the Utilizer. Utilizer shall provide suitable tankers or any other transit vehicles (Vehicles) as per the specifications, prescribed by any government authority to Generator or 	







//	
	as prescribed by the Generator for transporting the Hazardous Waste to the Utilizer's unit in compliance with all applicable laws of India. 3. Utilizer shall use AIS-140 compliant Global Positioning System (GPS) enabled tankers and shall ensure API development of GPS of all the vehicles with Aarti Logistics Control Room (ALCR) before engaging in the services. 4. Utilizer shall comply with Motor Vehicle Act and Rules and any other applicable laws framed thereunder for carrying hazardous chemicals/waste.
JOINT RESPONSIBILITIES OF GENERATOR AND UTILIZER	 Both the Parties, the Generator and the Utilizer, shall keep record of inventory of Hazardous waste generation, reception, disposal & utilization (as applicable) as per H&OWM Rules, 2016 and shall make inventory available for inspection. Both the Parties, the Generator and the Utilizer, shall strictly follow CPCB guidelines of H&OWM Rules and its amendments. Both the Parties, the Generator and the Utilizer, shall install and operate CCTV surveillance system with 24x7 recordings at their factory premises and at least one month's storage of footage be made available for inspection at any given point of time.
GENERATOR ROLES & RESPONSIBILITIES	Key Roles & Responsibilities of Generator are: Generator shall keep record of inventory of Hazardous Waste generation, disposal & stock (as applicable) and shall make inventory available for inspection as per the H&OWM Rules, and its subsequent amendments thereof. Generator shall ensure that Hazardous Waste shall be sent with the proper online manifest generated through GPCB XGN site invariably.
UTILIZER ROLES & RESPONSIBILITIES	 Key Roles & Responsibilities of Utilizer are: The Utilizer shall submit the certificate of receipt and utilization of Hazardous Waste (inventory) on a monthly basis to the Generator. Utilizer shall ensure return of duly signed and stamped copy of manifest system (Copy-4) to the transporter after accepting the consignment of Hazardous Waste as per H&OWM Rules. Utilizer shall ensure returning of duly signed and stamped copy of manifest system (Copy-6) to Generator as per H&OWM Rules. Utilizer shall ensure to accept the manifest on GPCB XGN site after receiving the consignment of waste as per GPCB-XGN requirements. Utilizer shall ensure written communication to Generator through mail for acceptance of consignment with receipt vehicle photo at the end users gate and integrity of seal applied on valves/manholes of the vehicles carrying Hazardous Waste. The Utilizer shall follow and comply with requirements of guidelines/checklists formulated by the Generator. The Utilizer shall ensure written communication to Generator through mail for acceptance of Hazardous Waste within one (1) day of receiving it at their premise. The Utilizer shall not exceed the permitted/applied quantity of Hazardous waste from all Generators. The Utilizer shall be responsible in case of any illegal disposal of Hazardous Waste during the transportation and shall safely transport the waste from the premises of the Generator till the premises of the Utilizer Utilizer shall be responsible for the compliance of Motor Vehicle Act, H&OWM Rules and Rules framed thereunder for carrying Hazardous Chemicals/waste. Utilizer shall be responsible for maintaining the record of Manifest system-Copy-3 at their end for inspection/verdication.







	 Transporter selection by Utilizer shall be as per the H&OWM Rules, The Motor Vehicles Act, 1988, and other related rules & regulations. The Utilizer shall ensure that the tanker shall be dedicated for transportation of Hazardous Wastes and shall not be used for any other purposes. The Utilizer shall ensure the cleaning of vehicles carrying Hazardous waste shall be carried out at designated places duly authorized by respective Pollution Control Board/Committee. Utilizer shall be responsible for maintaining the record of Manifest system-Copy-4 at their end for inspection/venication. Utilizer selection by Utilizer shall be as per the H&OWM Rules, The Motor Vehicles Act, 1988, and other related rules & regulations.
GENERATOR REPRESENTATION	 Generator has represented and assured Utilizer that it has the CC&A No./ Consent issued by Gujarat Pollution Control Board, Gujarat bearing No. AWH- 111008 issued on 07.01.2021 & amendments AWH 122690 valid up to 05.08.2025 & its further amendments thereafter for a quantity of 7.56 MT per Year of Hazardous Waste.
UTILIZER REPRESENTATION	 Utilizer has represented and assured Generator that it has all the statutory approvals and permits for operating such a hazardous waste processing unit in an environmentally compliant manner and possess the necessary skills, manpower, knowledge and ability to do so. Utilizer has represented and assured Generator that it has the CC&A issued by Gujarat Pollution Control Board, Gujarat bearing No. AWH-128646 issued on 31.03.2023 which is valid upto 31.03.2028 for a quantity of 500 MT per Year of Hazardous Waste.
FORCE MAJEURE	 This MoU and its performance shall be subject to Force Majeure. For the purpose of this clause Force Majeure shall mean and include any act of God, flood, explosion, earthquake, cyclone, storm, tidal wave, drought, landslide or similar disturbance, sabotage, fire, accident, insurrection, terrorist attack, fire, explosion, hurricane, tempest, embargo, landslide, perils at the sea, transporters strike, riot, plant breakdown, blockage, machinery breakdown confiscation, embargo, pandemic, epidemic, change in law or order of any judicial/statutory/administrative/local authority or body, change in any act, order, proclamation, decree, war, strike, lock-out including at plant or mines, quarantine, in or other acts of God or any other event beyond the reasonable control, civil commotion regulation, ordinance, instruction, directives of government, and any other events beyond reasonable control of the Parties. ("Force Majeure"). Either Party affected by Force Majeure shall be temporarily relieved from their obligations during the period of time such Force Majeure events continue and to the extent their liabilities are affected shall stand suspended and shall notify other Party of the same. Parties agree that Force Majeure shall not in any manner absolve each of them from their subsisting and continuing obligations under the MoU which are not affected by Force Majeure. If an event of Force Majeure continues for more than 30 (thirty) calendar days then Parties shall amicably discuss a way forward, including extending the Term
TERM	This Mou shall come into effect on the Effective Date and shall remain valid until the expiry of Consent/CC&A of either Generator or Utilizer, whichever is earlier. ("Term").
TERMINATION	Generator may terminate this MOU upon thirty (30) days prior notice to the other Party Either party reserves the right to suspend or terminate this MOU in the event of the other Party committing any breach/violation of the condition of the present MOU or any







	provision of applicable law or regulation for the time being in force and such party fails/neglects to remedy the breach within 30 days of such notice. Additionally, the Generator may terminate this MOU with immediate effect if the Utilizer is adjudged as insolvent or is subject to bankruptcy or insolvency or has receiver appointed upon its assets, or subject to any judicial enquiry or investigation for breach of applicable laws on anti-corruption, anti-bribery or money laundering or otherwise, or subject to any litigation, the outcome of which is likely to have a material adverse effect on this MOU.
INDEMNITY BY UTILIZER	The Utilizer shall defend, indemnify and hold harmless directors, employees and agents of Generator against any and all direct claims, demands, fines, loses, damages, costs, penalties, expenses, actions, suits or proceedings, injuries, monetary liability on account of any act or omission, breach or nonconformance by the Utilizer with respect to the provisions contained in this MOU or any statutory or regulatory non-compliance.
GOVERNING LAW AND JURISDICTION	This MoU shall be governed by, and construed in accordance with the laws, rules and regulations of India as amended or modified from time to time. The competent court at Ahmedabad, India shall have sole and exclusive jurisdiction to try and entertain any disputes which may arise between the Parties.
DISPUTE RESOLUTION	Any dispute or differences under or in relation to this MoU or its interpretation thereof shall be amicably resolved by the Parties within a period of 30 days from the date of reference of the dispute by one Party to another. In the event the Parties fail to amicably resolve the dispute within the aforesaid period, such dispute/difference shall be referred to and resolved by binding arbitration of a sole arbitrator appointed in accordance with the Rules of the Mumbai Centre of International Arbitration ("MCIA Rules"), which MCIA Rules are deemed to be incorporated by reference into this Clause. The seat or legal place /venue of arbitration shall be in Ahmedabad. The language to be used in the arbitral proceedings shall be English.





IN WITNESS WHEREOF, the Parties have executed this MoU through their authorized representatives on the date and year first hereinabove mentioned.

SIGNED AND DELIVERED by the within named AARTI INDUSTRIES LIMITED through its Authorized Signatory in the presence of:

1. Juyan Pur.

2. Pjair

MUMBAI LE MUMBAI

Ms. Sandhya Tolat

For AARTI INDUSTRIES LIMITED

(General Counsel)

SIGNED AND DELIVERED by the within named SIDHHI CHLORO EXIM PRIVATE LIMITED through its Authorized Signatory in the presence of

1.

2.

STILL STATES

M/s. SIDHHI CHLORO EXIM PVT.LTD

(Authorized Signatory)



0 5 SEP 2024

ALVOCATE & NOTATY
AND MULINIA COURT, J.S.D. Road,
Opp. Mulund Court, J.S.D. Road,
Mulund (West, Mumbal - 400 090)

FORE ME

	- 27 Jan						
			OME A				

9			ng/ Meeti			17.0
ess	ion Title:	chenical Ha		- 4 - 1 4	Mend	interpolation
Date:		05/03/2025	Duration	1 11315	Timings:	15:-00:0 16:00
Ite:		Vapi	Division/Plant	Phb/6	Venue	Condeen
rain	ner:	Rangel Kumari	-			
#	Emp. Code	Name	Designation	Function	Division	Signature /
1	55007980	Oipak Burriya	A.M	Oper 2009	Apple	(A) alone.
2	150000001	Anna Puthan	APP	Mech	1.	A mar.
3	Q007185	Abhalakela	Teelr	Mech	7 4	4
4	SSOCTECT	Rayeev Shame	Tech.	mount.	Apple	Plys
5	1002863	Shashi B Kumm	ope	ETP	11	Sart.
6	55005646	Sulit Paky	of	OP.	n	Jan
7	55004281	Inayat khalitu	06	OF	11	toh
_	55008001	Jaydip patel	op	OP	*1	144
_	55006299	Rayesh bhou	Teh.	maint	13	ry
	58000616	01 - 71	Teh.	EXI	11	1 Ritur
_	55008865	Ashigh Venna	stock.	Ell	71	1
_	110000087	- 1	Appendice	Instalmen	11	N. D. Putel:
13			APPLEMENT	2h 5/2497725	17	Paler 5-p.
14	127000000	GAVRAY RATHOO	0	opposition	The state of the s	Remas
15		1	Inst	Tech.		Aord
16	15.00 1010	. 1	Vorthum	1	ti	Airen
17		TENVEN -				
18	-					
19	-					
20				1		
21						
22	-					
23	-					
24						
25	1		-			
21				1		
2						
2	-			-		
-	-	-		-		
2				1		
3	emarks:					
(ign of trainner	wet .		-		Sign of Faculty

Aarti Industries Limited Training/ Meeting Attendance Sheet						
Ses	sion Title:	Diphoterine	Kit Ti	aining.		
Date:		15/12/124	Duration	3 White	Timings:	9:30 to 10:10
Site: Trainer:		Vapi	Division/Plant	Pilot	Venue	gate NO.02
		Yough Bhut	+ / Sujit	Dinp Bhai		0
#	Emp. Code	Name	Designation	Function	Division	Signature
1	7664	Anningrana	Tech	mech	Apple	ALS
2	3231	Sonyoshi b	Executive	operat	Ti	Jos
3	2782	Will Peter	Im.	11	11	ON
4	1300020	Aakash	Fitter	PEC	11	An.
5	1300011	Basant	Rigger	47	n	Best
6	1100004	Kamlesh	17	11	g.	केमले श
7	600180	Bitendag	Welder	3.2	į i	Bec
В	800057	MANBHRAN	Leveldy	5 M FA	/ 11	MK
9	800039	Kanstall"	Co	5.M-F	+1	Dringly
10	-	Darhyd.	F	SM7	* 1	Rashed
11		Dalar i	R-	S.M.T	11	Labi
12	7933	RADVIDAY YADAY	Tech.	Utility	11	Hay.
13	00002H	Divsens	11	14	11	0.0.1
14	5649	Ananl	42,	11	11	AHHARA
15	200023	Monish Humeu	Helpere	Sujeda	1/	Manish
16	BODGIT	Symon Komes	1-16/Am	11	11	Some
17	7273	sushic sings	opregedory	Bleleson	APHIE	Spe
18	7979	Manish S. Red	Toch	mech	7)	Morrie
19	7281	Inglat chait	ope out t	oteranin	15	Charlevi
20	6125	Alresh Patel	dereter	opendien	11	Doycet
21	77.50	Visting Patel	Tec.h	Inst	11	Proto V'D
22	3349	Couddwingeren	COPERALLY	EIPP	APPIE	
23			1		1	
24						
25						
26						
27				1		
28				1		
29						
30						
	of trainner	Jan M			Sig	n of Faculty
AOA	/F/MR/17/REV 2					