

# **GPS Safety Summary** 2,4- Di Fluoro Aniline

Reference number: AIL-GPS-056 Issue date: 02/04/2025 Version: 1.0 CL-4: PUBLIC

## 1. General Statement

2,4- Di Fluoro Aniline is a colorless to brown liquid; it does not mix well with water.

## 2. Chemical identity

Name :2,4- Di Fluoro Aniline

CAS number(s) :367-25-9 EC number :206-687-5 Molecular formula :C6H5F2N

Structure :

## 3. Uses and Benefits

2,4- Di Fluoro Aniline an industrial use resulting in manufacture of another substance use of intermediates.

## 4. Physical / chemical properties

Property	Value
Physical state :	Liquid
Colour :	Colourless
Odour :	Aromatic odour
pH:	No data available in literature
Melting point :	-7.5 °C
Boiling point :	170 °C
Flash point :	71 °C
Density:	1282 kg/m3
Solubility in Water:	2 g/100ml

## 5. Health Effects

Effect Assessment	Result
Acute toxicity (Oral / inhalation / dermal )	Toxic if swallowed, Toxic in contact with skin, Toxic if inhaled
Irritation / corrosion Skin / eye/ respiratory tract	NA
Respiratory or skin sensitisation	NA
Toxicity after repeated exposure Oral / inhalation / dermal	NA
Genotoxicity / Mutagenicity	NA
Carcinogenicity	NA
Toxicity for reproduction	NA

## **6. Environmental Effects**

Effect Assessment	Result
Aquatic toxicity	Yes
Fate and behavior	Result
Persistence and degradability	Readily biodegradable in water.
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

## 7. Exposure

#### **Human health**

Toxic if swallowed, Toxic in contact with skin, Toxic if inhaled. The exposure must be kept as minimum as possible by the use of appropriate risk management measures a suitable collective and personal protective equipment, good industrial hygiene practices and risk communication through appropriate training of workers. Careless handling or accidental spillage of the chemical could result in exposure to potentially hazardous levels of chemicals. Industrial workers should ensure that they follow the advice found in the extended safety data sheet (SDS).

#### **Environment**

Care should be taken to avoid releases of these products to sewage, drainage systems and water bodies. Spillage shall be quickly collected in the event of an accidental release. More information about release measures and accidental release measures are available in the extended safety data sheet.

## 8. Risk Management Recommendations

#### **Human health measures**

Organizational	A basic standard of occupational hygiene is recommended. Ensure operatives are well informed of the hazards and trained to minimise exposures. Ensure regular inspection and maintenance of equipment and machines. Handle and store according to the indications of the Safety Data Sheet.	
Protection	Eye protection:	Face shield (EN 166)
	Skin and body protection:	Protective clothing (EN 14605 or EN 13034)
	Respiratory protection:	Full face mask with filter type A. High vapour/gas concentration: self-contained breathing apparatus (EN 136 + EN 137)
Engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.  The basic types of engineering controls are:  Process controls which involve changing the way a job activity or process is done to reduce the risk.  Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment	
Environment protective measures		
Avoid release to the environment.		

## 9. First-aid measures

First-aid measures after inhalation: Remove victims into fresh air. Immediately consult a doctor/medical service.

**First-aid measures after skin contact:** If possible, wipe up/dry remove chemicals. Then rinse/shower immediately with (lukewarm) water.If irritation persists, consult a doctor/medical service.

**First-aid measures after eye contact**: Rinse immediately with (lukewarm) water. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists, consult a doctor/medical service.

**First-aid measures after ingestion**: Rinse mouth with water. Immediately consult a doctor/medical service. Do not wait for symptoms to occur to consult the Poison Center.

## 10. Fire-fighting measures

#### **Extinguishing media**

Suitable extinguishing media Quick-acting ABC powder extinguisher. Quick-acting BC powder extinguisher. Quick-acting class B foam extinguisher. Quick-acting CO2 extinguisher. Class B foam (not alcohol-resistant).

Unsuitable extinguishing media :Water (quick-acting extinguisher, reel); risk of puddle expansion. Water; risk of puddle expansion.

Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire :On burning: release of toxic and corrosive gases/vapours (nitrous vapours, hydrofluoric acid,carbon monoxide - carbon dioxide).

## Advice for firefighters

Precautionary measures fire :Exposure to fire/heat: keep upwind. Exposure to fire/heat: consider evacuation. Exposure to fire/heat: seal off low-lying areas. Exposure to fire/heat: have neighbourhood close doors and windows.

Firefighting instructions: Dilute toxic gases with water spray. Take account of toxic/corrosive precipitation water. Take account of toxic fire-fighting water. Use water moderately and if possible collect or contain it.

## 11. Accidental release measures

**Protective equipment**: Gloves (EN 374). Face shield (EN 166). Protective clothing (EN 14605 or EN 13034). Large spills/in enclosed spaces: self-contained breathing apparatus (EN 136 + EN 137).

**Environmental precautions:** Prevent soil and water pollution. Prevent spreading in sewers.

**For containment**: Contain released product, collect/pump into suitable containers. Plug the leak, cut off the supply. Dam up the liquid spill.

## 12. Disposal consideration

Regional legislation (waste): Disposal must be done according to official regulations.

**Waste treatment methods**: Dispose of contents/container in accordance with licensed collector's sorting instructions.

**Sewage disposal recommendations**: Disposal must be done according to official regulations.

## 13. Handling and storage

**Precautions for safe handling**: At temperature > flashpoint: use spark-/explosionproof appliances. Keep away from naked flames/heat. In a finely divided state: use spark-/explosionproof appliances. Finely

**CL-4:PUBLIC** 

divided:keep away from ignition sources/sparks. Carry operations in the open/under local exhaust/ventilation or with respiratory protection. Comply with the legal requirements. Clean contaminated clothing. Keep the container tightly closed. Do not discharge the waste into the drain.

**Hygiene measures:**Observe strict hygiene.

## 14. Classification and Labeling

Hazard pictograms (GHS US)

Signal word (GHS US) : Danger

Hazard statements (GHS US) : H302+H312 - Harmful if swallowed or in contact with skin

H331 - Toxic if inhaled

Precautionary statements (GHS US) : P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 - If swallowed: Call a poison center or doctor if you feel unwell.

P302+P352 - If on skin: Wash with plenty of water.

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.

P311 - Call a poison center or doctor.

P312 - Call a poison center or doctor if you feel unwell.

P321 - Specific treatment (see supplemental first aid instruction on this label).

P322 - Specific treatment (see supplemental first aid instruction on this label)

P330 - Rinse mouth.

P362+P364 - Take off contaminated clothing and wash it before reuse.
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

#### 15. Conclusion

2,4- Di Fluoro Aniline is a colorless to brown liquid; it does not mix well with water. Toxic if swallowed, Toxic in contact with skin, Toxic if inhaled. Care should be taken to avoid releases of these products to sewage, drainage systems and water bodies. The exposure must be kept as minimum as possible by the use of appropriate risk management measures as suitable collective and personal protective equipment, good industrial hygiene practices and risk communication through appropriate training of workers.

## 16. Contact Information within company

#### Manufacturer

Aarti Industries Limited
Udyog Kshetra, 2nd Floor, Mulund Goregaon Link Road, Mulund (West)
400080 Mumbai - India
T +91-22-6797-6666 - F +91-22-2565 3234

# **GPS Safety Summary** 2,4- Di Fluoro Aniline

**CL-4:PUBLIC** 

info@aarti-industries.com - www.aarti-industries.com

This GPS safety summary is intended to give general information about the health, safety and environmental and not intended to provide in-depth details. To obtain the most accurate and current information, consult the appropriate Safety Data Sheet (SDS) prior to use of the material named herein.